

EOCC Product Requirements Document

Enterprise Operations Command Center (EOCC)

Document title	EOCC Product Requirements Document
Document series	2 of 3 — Enterprise PRD
Product	Enterprise Operations Command Center (EOCC)
Organization	Lilly
Version	2.0
Status	Draft — Stakeholder Review
Classification	Lilly Internal
Effective date	June 2026
Document owner	EOCC Product Team
Approver	Tech Team Lead *(pending)*

Lilly Internal — Distribution limited to authorized personnel with a legitimate business need.

Table of Contents

Document Information

Related Documents

Revision History

Intended Audience

Approval Path

Confidentiality Notice

1. Executive Summary

1.1 Product Overview

1.2 Business Problem

1.3 Proposed Solution

1.4 Expected Business Value

2. Business Context

2.1 Current State

2.2 Pain Points

2.3 Market / Business Drivers

2.4 Strategic Alignment

3. Product Vision

3.1 Vision Statement

3.2 Product Objectives

3.3 Long-Term Goals

4. Goals & Success Metrics

4.1 Business Goals

4.2 Product Goals

4.3 KPIs

4.4 OKRs (Phase 1 Pilot — proposed)

4.5 Adoption Metrics

4.6 Operational Metrics

5. Scope

5.1 In Scope — Phase 1 (MVP / Demo / Pilot)

5.2 Out of Scope — Phase 1

5.3 Conflicting Requirements — Resolved

6. Stakeholders

7. User Personas

7.1 Tech Team Lead — ROLE-LEAD

7.2 Operations Engineer — ROLE-OPS

- 7.3 Platform / SRE Engineer — ROLE-SRE
- 7.4 Service Owner — ROLE-OWNER
- 7.5 Platform Engineer (Interim) — ROLE-BUILDER
- 7.6 Client Stakeholder — ROLE-CLIENT (future)

8. User Journeys & Workflows

- 8.1 Primary Journey — Alert to Investigation (P1-UC02 / UC 4)
- 8.2 Journey — Ownership Query (P1-UC04 / UC 1)
- 8.3 Journey — Blast Radius (P1-UC03 / UC 3)
- 8.4 Journey — Command Center Standup (P1-UC01)
- 8.5 Prescribed End-to-End Demonstration Workflow
- 8.6 Exception Scenarios
- 8.7 P1 ↔ Original UC Mapping

9. Functional Requirements

- 9.1 Module: Copilot (P1-UC05, P1-F11)
- 9.2 Module: Investigation Workspace (P1-UC02, P1-F02, P1-F13)
- 9.3 Module: Impact Explorer (P1-UC03, P1-F03, P1-F12)
- 9.4 Module: Command Center (P1-UC01, P1-F01)
- 9.5 Module: Agents & Orchestration
- 9.6 Module: Action Recommendations (P1-F09)
- 9.7 Module: Integrations (read-only)
- 9.8 Cross-Cutting: Evidence & Citation
- 9.9 Module: Admin & Connectors (ROLE-SRE)

10. Non-Functional Requirements

- 10.1 Security
- 10.2 Compliance
- 10.3 Performance
- 10.4 Scalability
- 10.5 Availability & Reliability
- 10.6 Accessibility & Usability

11. Data Requirements

- 11.1 Data Architecture Overview
- 11.2 Data Entities (Phase 1 — canonical in Aurora)
- 11.3 Data Ownership
- 11.4 Data Lifecycle
- 11.5 Data Quality Requirements

12. Roles & Permissions Matrix

13. Integration Requirements

14. Reporting & Analytics

- 14.1 Operational Reports (Phase 1)

14.2 Business Reports (Phase 2+)

14.3 Dashboards

14.4 Metric Definitions

15. Assumptions

16. Risks & Mitigations

17. Dependencies

17.1 Internal Dependencies

17.2 External Dependencies

18. Release Strategy

18.1 MVP — Phase 1 (Demo / Pilot)

18.2 Phase 2 — Institutional Memory & Governance

18.3 Phase 3 — AI Operations Coordinator

18.4 Phase 4 — Strategic Autonomy

18.5 Complete Feature Catalog (57 features)

19. Acceptance Criteria — Major Features

20. Open Questions

21. Appendix

Appendix A — Complete Phased Feature Catalog (57 features)

Appendix B — 20 UC Business Examples (summary)

Appendix C — 20 UC Fulfillment Matrix

Appendix D — Glossary

Appendix E — Acronyms

Appendix F — References

EOCC Product Requirements Document

Enterprise Operations Command Center (EOCC)

Document Information

Attribute	Value
Document title	EOCC Product Requirements Document
Document series	2 of 3 — Enterprise PRD
Product	Enterprise Operations Command Center (EOCC)
Organization	Lilly
Version	2.0
Status	Draft — Stakeholder Review
Classification	Lilly Internal
Effective date	June 2026
Document owner	EOCC Product Team
Approver	Tech Team Lead (<i>pending</i>)

Related Documents

#	Document	Role
1	EOCC_Full_Product_Information.md (EOCC_Full_Product_Information.pdf)	Master product specification (PRD + TDD combined)
3	EOCC_Technical_Design_Document.md (EOCC_Technical_Design_Document.pdf)	Technical architecture, schema, APIs, and IAM


Revision History

Version	Date	Author	Summary of changes
1.0	June 2026	EOCC Product Team	Initial PRD derived from design plan
2.0	June 2026	EOCC Product Team	Enterprise restructure — 21 sections, expanded requirements, roles, and traceability

Intended Audience

Audience	Purpose of review
Executive sponsors	Business value, scope, and investment alignment
Tech team lead	Architecture validation, pilot approval, client readiness
Engineering & architecture	Functional and integration requirements
Security & compliance	Authentication, authorization, data boundaries, audit
Operations & SRE	User journeys, operational metrics, connector dependencies

Approval Path



Confidentiality Notice

This document contains Lilly internal information. Distribution is limited to authorized personnel with a legitimate business need. Do not share outside Lilly without appropriate approval.

Table of Contents

Section	Title
1	Executive Summary
2	Business Context

Section	Title
3	Product Vision
4	Goals & Success Metrics
5	Scope
6	Stakeholders
7	User Personas
8	User Journeys & Workflows
9	Functional Requirements
10	Non-Functional Requirements
11	Data Requirements
12	Roles & Permissions Matrix
13	Integration Requirements
14	Reporting & Analytics
15	Assumptions
16	Risks & Mitigations
17	Dependencies
18	Release Strategy
19	Acceptance Criteria
20	Open Questions
21	Appendix

1. Executive Summary

1.1 Product Overview

Enterprise Operations Command Center (EOCC) is Lilly's internal **operations intelligence platform** that unifies signals from AWS, Splunk, Jira, Confluence, and GitHub into a single layer answering five questions during incidents:

1. What is happening — and how serious is it?
2. Why is it happening?
3. What is the business impact?
4. Who owns it — and who should respond?
5. What should we do next?

EOCC delivers **cited, evidence-based answers** — distinct from undifferentiated chatbot responses. Phase 1 operates as a **read-only intelligence advisor**. Later phases evolve toward an **AI Operations Coordinator** with governed automation.

1.2 Business Problem


Enterprise operations teams at Lilly manage hundreds of AWS services supporting regulated, patient-facing, and revenue-critical business processes. Existing tooling provides **infrastructure alerts** but not **operational intelligence**:

- Ownership is tribal knowledge scattered across Jira, Slack, and org charts.
- Root-cause analysis requires manual correlation across Splunk, CloudWatch, tickets, and Confluence.
- Leadership cannot quickly determine **business capability impact** from infra metrics.
- Institutional memory of prior incidents is buried in closed tickets.
- No unified view ranks operational health by **business risk**.

Quantified pain (industry benchmark — assumption): 20–40 minutes lost per incident identifying service ownership before remediation begins.

1.3 Proposed Solution

EOCC sits **above** existing tools — it does not replace Jira, Splunk, or AWS consoles.



Two-brain architecture: Aurora provides deterministic facts (ownership, dependencies, business mapping). Cortex RAG provides semantic retrieval (runbooks, RCAs, procedures). LLM synthesis joins both with mandatory citations.





Figure 3: 1.3 Proposed Solution

1.4 Expected Business Value

Value dimension	Phase 1 outcome	Long-term outcome
MTTR reduction	Faster time-to-owner and time-to-context	Automated coordination and execution (Phase 3+)
Business alignment	Severity and dashboards ranked by business capability	Executive briefings and digital twin (Phase 4)
Knowledge retention	Cited runbooks and basic similarity	Full institutional memory and expert finder (Phase 2)
Governance	Ownership and dependency graph foundation	Runbook coverage, doc governance, gap detection (Phase 2)
Risk reduction	Read-only advisory — no production automation risk	Governed execution with senior approval (Phase 3)
Cost of AI	Reuses approved Cortex AI + Pinecone — no new AI vendor	Same — enterprise gateway model

2. Business Context

2.1 Current State



Dimension	Current state
Monitoring	AWS CloudWatch, Splunk — infra-centric alerts
Ticketing	Jira — incidents, changes, ownership metadata (inconsistent)
Documentation	Confluence, GitHub — runbooks and architecture (often stale)
Ownership	Partially in CMDB/Jira/tags — not queryable in one place
Incident response	Manual correlation; senior engineer dependency
Business context	Lives in spreadsheets, Confluence, and tribal knowledge
AI usage	Cortex AI approved; no unified ops intelligence product

2.2 Pain Points

ID	Pain point	Affected personas	Phase 1 mitigation
PAIN-01	Unknown service ownership during outages	Operations Engineer, Tech Lead	P1-UC04 / UC 1
PAIN-02	Manual log/ticket/runbook correlation	Operations Engineer, SRE	P1-UC02 / UC 4
PAIN-03	Infra alerts without business language	Tech Lead, Service Owner, Leadership	P1-UC03 / UC 3
PAIN-04	No unified risk-ranked operational view	Tech Lead, Service Owner	P1-UC01 / Command Center
PAIN-05	Tribal knowledge for remediation steps	All engineers	P1-UC05 / Copilot
PAIN-06	Repeated investigations for same failure	SRE (Phase 2)	P2-F02 Historical Incidents
PAIN-07	Orphan resources after reorganizations	Platform SRE (Phase 2)	P2-F07 Ownership gaps
PAIN-08	Inconsistent escalation and notification	Ops leads (Phase 3)	P3 coordination features

2.3 Market / Business Drivers

Driver	Relevance to Lilly
Operational resilience	Regulated environments require traceable, auditable incident response
Cloud scale	AWS service sprawl outpaces manual ownership maintenance
AI maturity	Enterprise-approved Cortex AI enables governed LLM use
MTTR pressure	Business capabilities (Payments, Clinical Data) demand faster resolution
Key-person risk	Expertise concentrated in senior engineers — not sustainable
GxP documentation	Stale runbooks create compliance and operational risk

2.4 Strategic Alignment

Lilly strategic theme	EOCC alignment
Digital transformation / cloud-first ops	AWS-native intelligence layer
Data integrity and patient impact	Business-weighted severity and impact analysis
Responsible AI	Citations, read-only Phase 1, approved Cortex gateway
Operational excellence	Reduced MTTR, institutional memory, governance
Cost discipline	Reuse existing Cortex + Pinecone — no new AI procurement (Phase 1)

3. Product Vision


3.1 Vision Statement

Empower every Lilly operations engineer and leader with instant, cited operational intelligence — from alert to business impact to accountable action — transforming reactive monitoring into governed operational decision-making.

3.2 Product Objectives

#	Objective	Timeframe
OBJ-01	Prove Phase 1 intelligence advisor value to onsite tech lead	Q3 2026 (assumption — pilot timing TBD)
OBJ-02	Establish Aurora knowledge graph as system of record for ownership and dependencies	Phase 1
OBJ-03	Reduce time-to-owner and time-to-context in pilot scenarios	Pilot
OBJ-04	Deepen institutional memory and governance	Phase 2
OBJ-05	Enable governed coordination and controlled execution	Phase 3
OBJ-06	Deliver executive visibility and operational digital twin	Phase 4

3.3 Long-Term Goals



Phase	Product mode	Capability theme
Phase 1	Intelligence advisor	Investigate, explain, recommend — human acts
Phase 2	Institutional memory	Search, history, governance, business process health
Phase 3	AI Operations Coordinator	Escalate, assign, notify, war room, approved execution
Phase 4	Governed autonomy	Digital twin, executive briefings, tiered automation

4. Goals & Success Metrics

4.1 Business Goals

ID	Goal	Target
BG-01	Validate product fit with onsite tech lead	Qualitative: <i>"We can show the client"</i>
BG-02	Reduce operational blind spots for pilot scope	100% ownership coverage for pilot services
BG-03	Improve incident context quality	>70% pilot scenarios rated business-helpful
BG-04	Establish foundation for client-facing offering	Approved architecture + demo

4.2 Product Goals

ID	Goal	Target
PG-01	Deliver 5 core Phase 1 use cases end-to-end	P1-UC01–05 functional in pilot
PG-02	100% citation rate on factual claims	Zero uncited ownership or runbook assertions
PG-03	Sub-5s copilot response for single-agent queries	p95 latency
PG-04	Investigation package within 30s async	p95 end-to-end

4.3 KPIs

KPI	Definition	Phase 1 target	Measurement
KPI-01	Tech lead validation	Approval to proceed to pilot	Sign-off meeting
KPI-02	Business helpfulness	% scenarios rated useful	Pilot survey (n≥5 engineers)
KPI-03	Ownership accuracy	Correct owner from Aurora	Automated test vs registry
KPI-04	Citation completeness	% claims with source ref	Investigation package audit
KPI-05	Time-to-owner	Minutes from alert to identified owner	Pilot instrumentation
KPI-06	Connector sync freshness	Max staleness of ownership data	<code>integration_sync_log</code>

4.4 OKRs (Phase 1 Pilot — proposed)

Objective	Key Result	Owner
O1: Prove intelligence value	KR1: $\geq 70\%$ pilot users rate investigations helpful	Product
	KR2: Complete prescribed end-to-end demonstration (Section 8.5) without manual external lookup	Product
O2: Establish trusted ownership graph	KR1: 100% pilot services have ownership + escalation in Aurora	SRE
	KR2: Zero hallucinated owners in 50 test queries	QA
O3: Secure tech lead approval	KR1: Written approval to expand pilot scope	Tech Lead

4.5 Adoption Metrics

Metric	Definition	Target (pilot)
Weekly active users	Distinct users per week	$\geq 80\%$ of pilot team
Investigations per incident	Avg investigations triggered	≥ 1 for pilot alerts
Copilot queries per user per week	Engagement depth	≥ 3 (assumption)
Command Center sessions	Dashboard views per week	Daily during pilot

4.6 Operational Metrics

Metric	Definition	Target
Investigation success rate	Packages completed without total failure	$\geq 95\%$
Agent timeout rate	Agents exceeding 15s	$< 5\%$
Partial package rate	Investigations with <code>gaps[]</code>	Tracked; $< 10\%$ target (assumption)
Connector sync failure rate	Failed sync jobs	$< 2\%$ per connector

5. Scope

5.1 In Scope — Phase 1 (MVP / Demo / Pilot)




Figure 6: 5.1 In Scope — Phase 1 (MVP / Demo / Pilot)

Category	Items
Core use cases	P1-UC01 Health · P1-UC02 Investigation · P1-UC03 Impact · P1-UC04 Ownership · P1-UC05 Copilot
Original UCs (demo-ready)	UC 1 Ownership · UC 3 Dependency · UC 4 Investigation · Command Center module
Features	18 Phase 1 features (P1-UC01–05, P1-F01–F13) — see Appendix A
Mode	Read-only / advisory — no production writes
UI modules	Command Center, Investigation Workspace, Impact Explorer, Copilot
Integrations (read)	AWS, Splunk, Jira, Confluence, GitHub
AI	Cortex AI LLM Router + Cortex RAG → Pinecone
Data store	Aurora PostgreSQL (16 Phase 1 tables), Redis cache
Agents	4 parallel gather + 1 synthesis

Category	Items
Demo data	Hybrid: live connectors for investigation; seeded Command Center health tiles

5.2 Out of Scope — Phase 1

Category	Items	Deferred to
Production writes	Jira ticket create/assign, AWS restart/scale	Phase 3
Microsoft Teams	War rooms, notifications	Phase 3
ServiceNow	Read/write	Phase 2–3
Governance Center UI	Gap detection, runbook coverage dashboards	Phase 2
Expert Finder (full)	Skill ranking from Jira/GitHub aggregates	Phase 2
Business Process Monitoring (live)	5-min rollup — preview only in P1	Phase 2
Executive briefings	Leadership PDF generation	Phase 4
Autonomous execution	Any AWS control plane action	Phase 3+ with approval
Budget / FTE / timeline commitments	Procurement and staffing	Separate governance
Staff reduction narrative	L1/L2 elimination claims	Never in Phase 1 messaging

5.3 Conflicting Requirements — Resolved

Conflict	Resolution
P1-UC01 maps to UC 2 (Phase 2) but is Phase 1	Command Center preview with seeded health tiles; full UC 2 in Phase 2
Dual numbering: P1-UC01–05 vs Original UC 1–20	Mapping table in Section 8 — always cite both IDs in traceability
Investigation storage: <code>incident_record</code> vs Redis	Phase 1: Redis investigation cache + <code>external_reference</code> ; <code>incident_record</code> is Phase 2

6. Stakeholders

Stakeholder	Type	Interest	Engagement
Onsite tech team lead	Business / Technical	Architecture validation, pilot approval, client path	Primary reviewer
Operations engineers	Business	Daily incident triage, investigation	Primary users (pilot)
Platform / SRE team	Technical	Connectors, ownership graph, reliability	Builders + admins
Service owners	Business	Ownership accuracy, business criticality	Data validators
Enterprise architecture	Technical	Integration patterns, Cortex/Aurora split	Design review
Information security	Technical	SSO, RBAC, data boundaries, AI governance	Security review
Compliance / GxP (if applicable)	External governance	Documentation, audit trail, citations	Phase 2+ review
Client stakeholder	External	Future product adoption	Post-pilot
EOCC Product Team	Product / Engineering	Build, validate, and deliver pilot	Delivery team
Lilly AI / Cortex platform team	Internal platform	Gateway, embedding models, Landing Zone	Integration partner

7. User Personas

7.1 Tech Team Lead — **ROLE - LEAD**

Attribute	Detail
Responsibilities	Validate solution architecture; approve pilot scope; represent team to client; prioritize operational investments
Goals	Confidence to demo to client; reduced escalations; business-aligned severity
Pain points	Too many tools; no single risk-ranked view; engineers waste time on ownership
Permissions	Full read; config review; demo approval; no production admin in Phase 1

7.2 Operations Engineer — **ROLE-OPS**

Attribute	Detail
Responsibilities	On-call triage; incident investigation; execute remediation (outside EOCC in P1)
Goals	Fast answers: who owns it, what broke, what to do; cited runbooks
Pain points	Manual Splunk/Jira/Confluence correlation; senior engineer dependency
Permissions	Read; investigate; copilot query; Impact Explorer

7.3 Platform / SRE Engineer — **ROLE-SRE**

Attribute	Detail
Responsibilities	Maintain ownership registry; connector health; Aurora config; escalation policies
Goals	Accurate graph; reliable sync; observable integrations
Pain points	Orphan resources; stale metadata; no ownership gap visibility (until Phase 2)
Permissions	Admin connectors (pilot); read all modules; graph CRUD (pilot env)

7.4 Service Owner — **ROLE-OWNER**

Attribute	Detail
Responsibilities	Accountable for business capability; confirm ownership and criticality
Goals	Visibility into health of owned services; correct escalation paths
Pain points	Surprised by incidents on "unknown" services; unclear blast radius
Permissions	Read own services and applications in Command Center

7.5 Platform Engineer (Interim) — **ROLE-BUILDER**


Attribute	Detail
Responsibilities	Implement pilot environment; seed demonstration data; support tech team lead validation
Goals	Stable demonstration; accurate citations; clear Phase 1 boundaries
Pain points	Scope expansion into Phase 3 capabilities before formal approval

Attribute	Detail
Permissions	Full administrative access in non-production environments only


7.6 Client Stakeholder — ROLE-CLIENT (future)

Attribute	Detail
Responsibilities	Approve expansion beyond internal pilot
Goals	Operational resilience for their estate
Pain points	Vendor solutions that don't integrate with enterprise stack
Permissions	None in Phase 1 demo

8. User Journeys & Workflows




8.1 Primary Journey — Alert to Investigation (P1-UC02 / UC 4)




Step	Actor	Action	Success criteria
1	System	Glue job fails → EventBridge → SQS	Alert received within 60s
2	System	4 agents gather + synthesis	Package within 30s p95
3	OPS	Opens Investigation Workspace	Timeline, severity, owner, runbook cited
4	OPS	Acts on recommendation (manual)	Outside EOCC in Phase 1

8.2 Journey — Ownership Query (P1-UC04 / UC 1)



Step	Actor	Action	Success criteria
1	OPS	Asks Copilot: "Who owns <i>glue-job-cn3</i> ?"	Query submitted
2	System	Ownership agent → Aurora SQL only	Response < 5s p95
3	OPS	Views ownership card	Team, POC, manager, escalation with citations

8.3 Journey — Blast Radius (P1-UC03 / UC 3)



Step	Actor	Action	Success criteria
1	OPS / LEAD	"If <i>payment-db</i> fails, what breaks?"	Query or alert trigger
2	System	Dependency agent → recursive CTE	Graph with business process labels
3	User	Impact Explorer	Read-only blast radius displayed

8.4 Journey — Command Center Standup (P1-UC01)





Figure 11: 8.4 Journey — Command Center Standup (P1-UC01)

Step	Actor	Action	Success criteria
1	LEAD	Opens Command Center Monday standup	Dashboard loads < 3s
2	System	Ranks processes by business risk	Payments red above internal tools
3	LEAD	Drills into red tile	Links to investigation or service detail


8.5 Prescribed End-to-End Demonstration Workflow

Standard validation sequence for tech team lead review:




Step	Capability	Use case reference
1	Trigger investigation from Glue failure alert	UC 4 — AI Incident Investigation
2	Resolve service ownership from the same incident	UC 1 — Enterprise Ownership Intelligence
3	Assess dependency blast radius	UC 3 — Enterprise Dependency Intelligence
4	Review business-risk-ranked Command Center view	P1-UC01 — Command Center
5	Obtain cited Copilot recommendation (advisory only)	P1-UC05 — Copilot

8.6 Exception Scenarios



Scenario	Expected behavior
Agent timeout (15s)	Partial package + <code>gaps[]</code> ; no silent failure
No owner in Aurora	Explicit " <i>ownership not found</i> " — no LLM guess
No runbook match	Knowledge agent returns empty with citation attempt logged
Connector sync stale	<code>/health</code> shows stale; UI warning banner
Splunk unavailable	Evidence gap flagged; investigation continues with other agents
Conflicting ownership in Jira vs Aurora	Aurora wins ; both sources shown if evidence disagrees

8.7 P1 ↔ Original UC Mapping



P1-UC	Business question	Original UC	Phase	Module
P1-UC01	What is happening? How serious?	UC 2 (preview)	P1 preview / P2 full	Command Center
P1-UC02	Why is it happening?	UC 4	P1	Investigation Workspace

P1-UC	Business question	Original UC	Phase	Module
P1-UC03	What is the business impact?	UC 3	P1	Impact Explorer
P1-UC04	Who owns it? Who responds?	UC 1	P1	Copilot, Command Center
P1-UC05	What should we do next?	Cross-cutting (UC 5 tease)	P1	Copilot

9. Functional Requirements

Priority: **Must** = Phase 1 MVP · **Should** = pilot polish · **Could** = post-pilot Phase 1

9.1 Module: Copilot (P1-UC05 , P1-F11)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-CP-001	System shall accept natural-language queries via Copilot	Must	Single interface for ops questions	POST /api/copilot/query returns JSON within 5s p95 for single-agent queries
FR-P1-CP-002	Ownership queries shall use Aurora SQL only — no LLM for owner facts	Must	Prevent hallucinated owners in regulated context	Zero LLM calls in Ownership agent; SQL source refs on every field
FR-P1-CP-003	Ownership card shall display team, primary POC, manager, escalation chain	Must	#1 enterprise pain — who owns this?	Matches service_ownership + escalation_step for given service_catalog.code
FR-P1-CP-004	Copilot shall route intent to single or multi-agent workflow	Must	Accuracy and latency	Router classifies: ownership_only , dependency_only , investigation
FR-P1-CP-005	Copilot responses shall include citation metadata for every factual claim	Must	Trust and auditability	100% claims have source + ref ID in response JSON

9.2 Module: Investigation Workspace (P1-UC02 , P1-F02 , P1-F13)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-INV-001	Alerts via EventBridge → SQS shall trigger async investigation	Must	Real-time response to failures	InvestigationPackage created; API returns 202 + investigation ID
FR-P1-INV-002	System shall run max 4 agents in parallel with 15s timeout per agent	Must	Performance and accuracy balance	Wall-clock ≤ slowest agent + synthesis; never > 4 parallel
FR-P1-INV-003	Investigation Workspace shall display timeline, severity, recommendations	Must	Single pane for RCA context	All fields cite Splunk, Jira, AWS, Aurora, or RAG chunk
FR-P1-INV-004	Partial agent failure shall populate <code>gaps[]</code> — never silent empty synthesis	Must	Honest partial results	Package delivered with <code>gaps[]</code> when agent fails; no invented data
FR-P1-INV-005	System shall generate correlated incident timeline from multi-source events	Must	RCA-ready view	Timeline events ordered by <code>event_time</code> with <code>source_system</code>
FR-P1-INV-006	Investigation shall perform exactly one synthesis LLM call after agent join	Must	Cost and accuracy	One <code>investigation_synthesis</code> task per package
FR-P1-INV-007	Basic incident similarity shall match prior Jira incidents (basic)	Should	Avoid repeat work	Top-3 similar incidents when historical data available


9.3 Module: Impact Explorer (P1-UC03 , P1-F03 , P1-F12)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-IMP-001	System shall compute blast radius from service ID via recursive dependency query	Must	Business impact visibility	Returns downstream services, apps, <code>business_process</code> labels
FR-P1-IMP-002	Impact Explorer shall be read-only in Phase 1	Must	Phase 1 safety boundary	No write/action buttons in UI
FR-P1-IMP-003	Blast radius shall join <code>service_criticality</code> for business context	Must	Leadership understands severity	Each node shows SLA tier / customer-facing flag where available

9.4 Module: Command Center (P1-UC01 , P1-F01)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-CC-001	Dashboard shall rank health by business risk not alert count	Must	Standup prioritization	Customer-facing processes sort above internal tools
FR-P1-CC-002	Smart severity shall use service_criticality business weighting	Must	Payments ≠ internal reporting severity	Same infra alert → different Sev based on revenue_impact_tier
FR-P1-CC-003	Command Center shall support drill-down from process tile to service detail	Should	Actionable navigation	Click tile → service list with status
FR-P1-CC-004	Hybrid demo: live alerts drive investigations; health tiles may be seeded	Must	Reliable demo storytelling	Documented in pilot config which tiles are live vs seeded

9.5 Module: Agents & Orchestration



ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-AG-001	Router shall cap parallel gather agents at 4	Must	Prevent agent sprawl	Enforced in LangGraph router
FR-P1-AG-002	Synthesis shall run only after all gather results joined	Must	Full context for severity	Single synthesis step with joined JSON input
FR-P1-AG-003	Ownership and Dependency agents shall be SQL-only — no LLM	Must	Deterministic facts	FR-P1-AG-004 verified in code review

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-AG-004	Evidence agent may use LLM for log summarization only — with citations	Must	Compress Splunk volume	<code>evidence_summarize</code> task; sources retained
FR-P1-AG-005	Knowledge agent shall return Cortex RAG chunks only — no generation	Must	Runbook accuracy	Top-k chunks with <code>source</code> , <code>doc_type</code> , URL

9.6 Module: Action Recommendations (P1-F09)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-ACT-001	System shall suggest remediation actions with confidence score	Should	Guide next steps	Score 0.0–1.0 displayed; no execute in Phase 1
FR-P1-ACT-002	Recommendations shall cite runbook or evidence source	Must	Trust	Every recommendation links to RAG chunk or log ref

9.7 Module: Integrations (read-only)

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-INT-001	AWS connector shall sync resource metadata to Aurora	Must	Graph foundation	<code>aws_resource</code> rows updated on schedule; <code>integration_sync_log</code> entry
FR-P1-INT-002	Splunk connector shall fetch cited log excerpts for Evidence agent	Must	Real operational signals	Splunk is mandatory — not optional
FR-P1-INT-003	Jira connector shall read incidents and metadata	Must	Ticket correlation	Jira keys in investigation timeline
FR-P1-INT-004	Confluence content shall index to Cortex RAG → Pinecone	Must	Runbook retrieval	Chunks include <code>source</code> URL; re-index on sync
FR-P1-INT-005	GitHub connector shall read repo metadata and ownership hints	Should	Ownership enrichment	<code>external_reference</code> rows for repos

9.8 Cross-Cutting: Evidence & Citation

ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-EV-001	Every factual claim shall include source reference	Must	Audit and trust	Aurora ID, Splunk query, Jira key, or RAG chunk ID
FR-P1-EV-002	When data not found, system shall state explicitly — never invent	Must	Prevent AI harm	"not found" or empty with <code>complete: false</code>


9.9 Module: Admin & Connectors (`ROLE-SRE`)


ID	Description	Priority	Business rationale	Acceptance criteria
FR-P1-ADM-001	Admin UI shall show connector sync status and last success time	Should	Operability	Visible to <code>ROLE-SRE</code>
FR-P1-ADM-002	Manual sync trigger shall be available in pilot environment	Could	Demo recovery	<code>POST /admin/connectors/{id}/sync</code>

10. Non-Functional Requirements

10.1 Security







ID	Requirement	Target	Phase
NFR-SEC-001	Authentication via corporate SSO	SAML/OIDC — Lilly IdP	P1
NFR-SEC-002	Role-based access control (RBAC)	6 roles per Section 7	P1
NFR-SEC-003	No API keys or Cortex credentials in browser	All AI via backend-ecs	P1
NFR-SEC-004	agents-ecs not exposed on public ALB	Internal service discovery only	P1
NFR-SEC-005	All ECS tasks in private subnets	VPC security groups enforced	P1
NFR-SEC-006	Audit logging of investigation creation and copilot queries	CloudWatch + Aurora audit tables	P1 Should
NFR-SEC-007	TLS termination at ALB	TLS 1.2+	P1

10.2 Compliance

ID	Requirement	Target	Notes
NFR-COMP-001	Data residency per Lilly cloud policy	AWS regions per enterprise standard	Assumption: US-East primary
NFR-COMP-002	Investigation exports retainable for audit	S3 optional P1; mandatory P2	Phase 1 optional

ID	Requirement	Target	Notes
NFR-COMP-003	GxP runbook citations traceable to source document	Confluence page ID + version in citation	P1 for runbook refs
NFR-COMP-004	No PHI in logs indexed to RAG without classification review	Connector scope excludes PHI sources	Open question — confirm with compliance
NFR-COMP-005	AI outputs labeled as advisory in Phase 1	UI disclaimer on recommendations	P1 Must

10.3 Performance

ID	Requirement	Target
NFR-PERF-001	Copilot single-agent query p95 latency	< 5 seconds
NFR-PERF-002	Investigation package async completion p95	< 30 seconds
NFR-PERF-003	Command Center dashboard initial load	< 3 seconds
NFR-PERF-004	Blast radius query (≤ 3 hops) p95	< 2 seconds
NFR-PERF-005	Connector sync batch (pilot scope)	Complete within 15 minutes

10.4 Scalability

ID	Requirement	Target
NFR-SCALE-001	Independent horizontal scale: frontend, backend, agents ECS	Per-service task count
NFR-SCALE-002	Pilot: 50 concurrent users	No degradation
NFR-SCALE-003	Production target: 500 concurrent users (assumption)	Phase 2 capacity plan
NFR-SCALE-004	Aurora: 10K services in graph (assumption)	Indexed queries < 2s
NFR-SCALE-005	Pinecone: 1M document chunks (assumption)	RAG p95 < 3s

10.5 Availability & Reliability

ID	Requirement	Target
NFR-AVAIL-001	Pilot environment availability	Best effort — interim delivery team


ID	Requirement	Target
NFR-AVAIL-002	Production pilot SLA (assumption)	99.5% business hours
NFR-AVAIL-003	Aurora Multi-AZ	Enabled when client approves production
NFR-AVAIL-004	SQS at-least-once delivery with idempotency keys	No duplicate investigations
NFR-AVAIL-005	RTO / RPO (production — assumption)	RTO 4h · RPO 1h — to be confirmed with DR team

10.6 Accessibility & Usability

ID	Requirement	Target
NFR-A11Y-001	WCAG 2.1 Level AA for core workflows	Phase 2 hardening; AA target for pilot critical paths
NFR-A11Y-002	Keyboard navigation for Copilot and Investigation	Tab order logical
NFR-A11Y-003	Color-blind safe status indicators (green/amber/red)	Icon + text label — not color alone
NFR-UX-001	Minimum tap/click target 44×44px	Mobile-safe for tablet use in war room
NFR-UX-002	Reduce Motion preference respected	Phase 2 — disable non-essential animation

11. Data Requirements

11.1 Data Architecture Overview



11.2 Data Entities (Phase 1 — canonical in Aurora)

Entity	Owner	Description
<code>service_catalog</code>	Platform SRE	Hub — every AWS resource and app links here
<code>service_ownership</code>	Service Owner + SRE	Who owns what
<code>dependency</code>	SRE	Technical and business dependency edges
<code>business_process</code>	Service Owner	Business capabilities (Payments, Onboarding)
<code>service_criticality</code>	Service Owner	SLA tier, revenue impact, severity floors
<code>person</code> , <code>team</code>	HR/IT feed (assumption)	People and teams
<code>escalation_policy</code> , <code>escalation_step</code>	SRE	Escalation chains
<code>aws_resource</code>	AWS connector	Physical AWS resources
<code>external_reference</code>	Connectors	Jira, GitHub, Splunk, Confluence IDs
Investigation cache (Redis)	EOCC system	Ephemeral investigation packages

Full schema: [EOCC_Technical_Design_Document.md](#) ([EOCC_Technical_Design_Document.pdf](#)) Section 3.

11.3 Data Ownership

Data domain	System of record	EOCC role
Ownership, dependencies, criticality	Aurora (curated)	SoR for ops graph
Logs, metrics	Splunk / CloudWatch	Read via connectors
Tickets	Jira	Read Phase 1; write Phase 3
Runbooks, docs	Confluence	RAG index via Cortex
Semantic vectors	Pinecone	Derived from Confluence/Jira via Cortex
Investigation packages	Redis (P1) → Aurora (P2 assumption)	Cache then persist

11.4 Data Lifecycle


Stage	Policy
Ingest	Scheduled connector sync + EventBridge alerts
Transform	Normalize to <code>service_catalog</code> hub; embed docs to Pinecone
Use	Agents query Aurora + RAG; synthesis joins results
Cache	Redis TTL: investigation 15–60 min; agent results 5–15 min
Retain	Aurora: indefinite with soft-delete; Redis: ephemeral
Purge	<code>is_active=false</code> soft delete; hard delete per Lilly retention policy (TBD)

11.5 Data Quality Requirements

ID	Requirement	Measurement
DQ-001	100% pilot services have ownership row	Pre-pilot audit
DQ-002	100% pilot services have ≥ 1 dependency or documented leaf	Graph completeness
DQ-003	Connector sync success rate $\geq 98\%$	<code>integration_sync_log</code>
DQ-004	RAG index freshness $\leq 24\text{h}$ for Confluence runbooks	<code>last_seen_at</code> / sync timestamp

ID	Requirement	Measurement
DQ-005	No duplicate <code>service_catalog.code</code> values	UNIQUE constraint

12. Roles & Permissions Matrix



Permission	LEAD	OPS	SRE	OWNER	BUILDER	CLIENT
View Command Center (all)	✓	✓	✓	Own only	✓	—
View Investigation Workspace	✓	✓	✓	✓	✓	—
Trigger investigation	✓	✓	✓	—	✓	—
View Impact Explorer	✓	✓	✓	✓	✓	—
Copilot query	✓	✓	✓	✓	✓	—
Approve demonstration / pilot narrative	✓	—	—	—	—	—
Admin connector config	—	—	✓	—	✓ (non-prod)	—
Edit ownership graph	—	—	✓	—	✓ (non-prod)	—
Execute remediation actions	—	Manual (outside EOCC P1)	—	—	—	—
Production AWS writes via EOCC	—	—	—	—	—	—

Phase 3 additions: Approval queue (LEAD + seniors), Jira write (system), AWS execute (Control agent with approval).

13. Integration Requirements




Figure 19: 13. Integration Requirements

System	Phase	Purpose	Data exchanged	API / protocol	Error handling
AWS	P1	Resource metadata, alerts, CloudWatch	ARNs, tags, metrics, EventBridge events	AWS SDK, EventBridge, CloudWatch API	Retry 3x; DLQ for events; stale flag in UI
Splunk	P1	Log evidence, incident signals	SPL search results, event excerpts	Splunk REST API	Gap in Evidence agent; investigation continues
Jira	P1 read	Incidents, metadata, ownership hints	Issue keys, summaries, comments, status	Jira REST API	Partial timeline; cite unavailable fields
Confluence	P1	Runbooks, SOPs → RAG	Page content, IDs, URLs	Confluence API → Cortex ingest	Re-index retry; skip failed pages with log
GitHub	P1	Repo metadata, ownership	Repo names, URLs, CODEOWNERS	GitHub API	Optional enrichment; non-blocking
Cortex AI LLM	P1	Synthesis, summarization	Prompts, responses (audited)	Enterprise Cortex gateway	Fallback model chain; gaps[] on total failure
Cortex AI RAG → Pinecone	P1	Semantic doc retrieval	Embeddings, chunk metadata	Cortex RAG API, Pinecone	Fallback to cohere index if configured
Microsoft Teams	P3	War rooms, notifications	Channel create, messages	Graph API	Phase 3 — out of scope P1

System	Phase	Purpose	Data exchanged	API / protocol	Error handling
ServiceNow	P2–3	Optional ITSM	Incidents, CMDB	REST API	Optional Phase 2 read

API specification: OpenAPI 3.1 at `openapi/eocc-v1.yaml` — see TDD Section 8.

14. Reporting & Analytics


14.1 Operational Reports (Phase 1)

Report	Audience	Content	Delivery
Connector sync health	SRE	Last sync, errors, record counts	Admin UI + <code>/health</code>
Investigation summary	OPS, LEAD	Count, avg duration, gap rate	Dashboard widget (Should)
Ownership coverage	SRE	% services with owner + escalation	Pre-pilot audit spreadsheet

14.2 Business Reports (Phase 2+)

Report	Audience	Phase
Business process health rollup	Leadership	P2
Ownership gap remediation	Platform team	P2
Runbook coverage %	Compliance, SRE	P2
MTTR trend (pilot)	Tech lead	Pilot manual

14.3 Dashboards



Dashboard	Module	Phase 1 metrics
Command Center	P1-F01	Process health tiles, alert count by business risk
Investigation Workspace	P1-F02	Timeline, severity, recommendations, citations
Impact Explorer	P1-F03	Blast radius graph, affected business processes
Governance Center	P2-F17	Deferred

14.4 Metric Definitions

Metric	Formula / definition
Time-to-owner	<code>investigation.started_at</code> → first ownership field populated
Citation rate	<code>cited_claims / total_claims</code> in InvestigationPackage
Business helpfulness	Pilot survey Likert ≥ 4 ("helpful") / total responses
Connector freshness	<code>now() - integration_connector.last_success_at</code>

15. Assumptions

ID	Assumption	Risk if wrong
ASM-001	Cortex AI + Pinecone remain approved and available via enterprise gateway	Blocks AI features

ID	Assumption	Risk if wrong
ASM-002	Pilot scope limited to 1–2 business processes (e.g. Payments, Clinical Onboarding)	Over-scoped pilot fails
ASM-003	Ownership data can be curated/semi-automated for pilot services	Inaccurate ownership undermines trust
ASM-004	Splunk API access granted for pilot environment	Evidence agent degraded
ASM-005	SSO integration follows standard Lilly IdP pattern	Delays auth
ASM-006	Phase 1 read-only boundary is acceptable to tech lead and security	Scope creep pressure
ASM-007	Hybrid demo (live + seeded) acceptable for Command Center	Demo credibility
ASM-008	No PHI processed through EOCC in Phase 1 pilot scope	Compliance escalation
ASM-009	Interim delivery team sufficient for pilot — no dedicated FTE allocated yet	Timeline risk
ASM-010	16 Aurora tables sufficient for Phase 1 — no <code>incident_record</code> until Phase 2	Schema migration later
ASM-011	English-only RAG index sufficient for Phase 1	Multilingual in Phase 2
ASM-012	Tech lead is primary approval gate before client exposure	Governance alignment

16. Risks & Mitigations

ID	Risk	Impact	Probability	Mitigation
RISK-01	Stale ownership metadata	High — wrong owner cited	Medium	Connector sync; Aurora SoR; <code>integration_sync_log</code> ; SRE audit
RISK-02	RAG hallucination in synthesis	High — wrong remediation advice	Medium	Citations mandatory; synthesis from joined JSON only; advisory disclaimer
RISK-03	Low adoption post-pilot	High — limited return on investment	Medium	Tech lead co-design; address validated pilot pain points; measure KPI-02

ID	Risk	Impact	Probability	Mitigation
RISK-04	Scope creep to Phase 3 writes	High — security delay	High	Hard Phase 1 boundary in PRD; explicit out-of-scope
RISK-05	Splunk connector complexity	Medium — delayed Evidence agent	Medium	Splunk mandatory — prioritize early integration test
RISK-06	Dual UC numbering confusion	Low — wrong requirements traced	Medium	Mapping table Section 8; dual IDs in traceability
RISK-07	Key-person dependency on interim delivery team	Medium — continuity risk	Medium	Document in TDD; knowledge transfer to SRE
RISK-08	Teams integration blocked by security (Phase 3)	Medium — coordinator vision delayed	Low (P3)	Phase 3 gate; alternative notification paths
RISK-09	Aurora graph incomplete for blast radius	Medium — misleading impact	Medium	Pilot scope control; graph completeness DQ checks
RISK-10	Client expects automation in demo	Medium — expectation mismatch	Medium	Clear "advisor not coordinator" messaging Phase 1

17. Dependencies

17.1 Internal Dependencies


Dependency	Owner	Required for
Cortex AI Landing Zone model access	Lilly AI platform	LLM + embeddings
Pinecone enterprise index	AI platform / infra	RAG retrieval
AWS account and VPC for ECS	Cloud platform	Deployment
Aurora PostgreSQL provisioning	DBA / cloud platform	Knowledge graph
SSO / IdP integration	Identity team	Authentication
Splunk API credentials	Splunk admin	Evidence agent
Jira API token / OAuth	Jira admin	Incident read

Dependency	Owner	Required for
Confluence API access	Confluence admin	RAG ingest
GitHub API access	GitHub org admin	Metadata read
Tech lead time for review	Business	Approval gate


17.2 External Dependencies

Dependency	Vendor	Notes
Cortex AI gateway	Internal enterprise	No direct OpenAI/Anthropic
Pinecone	Enterprise managed	Via Cortex RAG
AWS services	Amazon	ECS, Aurora, Redis, SQS, EventBridge, ALB, S3

18. Release Strategy



18.1 MVP — Phase 1 (Demo / Pilot)



Milestone	Deliverable	Features
M1: Architecture approval	PRD + TDD sign-off	Design complete

Milestone	Deliverable	Features
M2: Demonstration	End-to-end workflow validation with tech team lead	P1-UC01–05, UC 1/3/4, Command Center
M3: Pilot	1–2 business processes live	18 Phase 1 features, hybrid data
M4: Pilot retrospective	KPI review, Phase 2 decision	KPI-01 through KPI-06

18.2 Phase 2 — Institutional Memory & Governance

17 features including: Business Process Monitoring (full), Knowledge Search, Historical Incidents, Expert Finder, Governance Center, Operational Risk Detection, Ownership Gap Detection, Runbook Coverage.

Gate: Client approval.

18.3 Phase 3 — AI Operations Coordinator

14 features including: Escalation, Assignment, Teams war rooms, Controlled Execution, Senior Approval.

Gate: Full formal approvals. **New integration:** Microsoft Teams, Jira write, AWS control plane.

18.4 Phase 4 — Strategic Autonomy

8 features: Executive briefings, Digital twin, Service consumption, Tiered autonomy.

Gate: Strategic rollout approval.

18.5 Complete Feature Catalog (57 features)

See **Appendix A** for full P1–P4 feature tables (preserved from source plan).

19. Acceptance Criteria — Major Features

Feature	Acceptance criteria (testable)
P1-UC01 Command Center	Given 3 business processes with different <code>revenue_impact_tier</code> , when dashboard loads, then highest-risk customer-facing process ranks first; load < 3s
P1-UC02 Investigation	Given Glue failure alert, when investigation completes, then package includes timeline (≥3 events), severity, owner, ≥1 runbook citation, within 30s p95
P1-UC03 Impact	Given <code>payment-db</code> service ID, when blast radius queried, then ≥1 downstream service returned with <code>business_process</code> label; read-only

Feature	Acceptance criteria (testable)
P1-UC04 Ownership	Given <code>glue-job-cn3</code> , when Copilot queried, then response matches Aurora <code>service_ownership</code> exactly; response < 5s; zero LLM in ownership path
P1-UC05 Copilot	Given investigation context, when user asks " <i>what should we do next?</i> ", then recommendation includes confidence score and citation; no auto-execute button
P1-F04 Smart Severity	Given same CloudWatch alarm on Payments vs internal service, when severity calculated, then Payments severity $\geq$ internal severity
P1-F09 Action Recommend	Given investigation with runbook match, when recommendation shown, then confidence $\in [0,1]$ and source URL present
End-to-end demonstration	Prescribed workflow (Section 8.5) completable without manual external lookup

20. Open Questions

ID	Question	Owner	Impact
OQ-001	Which 1–2 business processes for pilot seed data?	Tech Lead + Product	Pilot scope
OQ-002	Does pilot scope include GxP-regulated systems?	Compliance	Connector scope, PHI handling
OQ-003	Target AWS region(s) and account(s)?	Cloud platform	Deployment
OQ-004	SSO IdP integration timeline and test environment?	Identity	Auth NFR
OQ-005	Splunk index/sourcetype scope for pilot?	Splunk admin	Evidence agent
OQ-006	Production SLA target when moving beyond pilot?	Tech Team Lead	NFR-AVAIL-002
OQ-007	Incident package persistence: Redis only P1 or Aurora timeline table?	Architecture	Schema
OQ-008	Client identity and naming in external-facing materials?	Product	Messaging
OQ-009	ServiceNow integration priority in Phase 2?	Tech Lead	Roadmap

ID	Question	Owner	Impact
OQ-010	WCAG AA mandatory for Phase 1 demo or Phase 2?	UX / Accessibility	NFR-A11Y-001

21. Appendix

Appendix A — Complete Phased Feature Catalog (57 features)

Phase 1 (18 features)

ID	Feature	Category	Mode
P1-UC01	Operational Health and Risk Monitoring	Core UC	Read
P1-UC02	Automated Investigation	Core UC	Read
P1-UC03	Impact Analysis	Core UC	Read
P1-UC04	Intelligent Ownership and Coordination	Core UC	Read
P1-UC05	AI Operations Copilot	Core UC	Read
P1-F01	Enterprise Operations Command Center	Module	Read
P1-F02	Investigation Workspace	Module	Read
P1-F03	Dependency and Impact Explorer	Module	Read
P1-F04	Smart Severity Calculation	Coordination	Read
P1-F05	Service Dependency Intelligence	Intelligence	Read
P1-F06	Ownership Discovery	Intelligence	Read
P1-F07	Incident Timeline Generator	Investigation	Read
P1-F08	Incident Similarity Search (basic)	Investigation	Read
P1-F09	Action Recommendation Engine	Intelligence	Advisory
P1-F10	Organizational Knowledge Graph (foundation)	Platform	Read
P1-F11	Enterprise Ownership Intelligence	Top-20 UC	Read
P1-F12	Enterprise Dependency Intelligence (basic)	Top-20 UC	Read

ID	Feature	Category	Mode
P1-F13	AI Incident Investigation	Top-20 UC	Read

Phase 2 (17 features)

P2-F01 through P2-F17 — Knowledge search, business process monitoring, governance, expert finder, operational search, stakeholder updates, RCA draft, Business Process Dashboard, Governance Center. *Full table in EOCC_Full_Product_Information.md (EOCC_Full_Product_Information.pdf).*

Phase 3 (14 features)

P3-F01 through P3-F14 — Escalation, assignment, routing, war rooms, controlled execution, approval workflow, AI Incident Commander. *Requires Teams + write integrations.*

Phase 4 (8 features)

P4-F01 through P4-F08 — Executive briefings, digital twin, consumption intelligence, full graph traversal, tiered autonomy.

Appendix B — 20 UC Business Examples (summary)

Full narratives preserved in source plan §3f. Key Phase 1 examples:

UC	Example scenario
UC 1	<code>glue-job-cn3</code> fails at 2 AM — instant ownership via Copilot
UC 3	<code>payment-db</code> alert — 12 services, Payments process at risk
UC 4	Glue ETL regulatory batch failure — full Investigation Package
Command Center	47 alerts — Payments red, ranked by business risk

Appendix C — 20 UC Fulfillment Matrix

#	Use case	Phase	Status
1	Enterprise Ownership Intelligence	1	Full
2	Business Process Monitoring	2	Planned
3	Enterprise Dependency Intelligence	1–2	Full (basic)
4	AI Incident Investigation	1	Full
5–20	See TDD Section 4 / master doc	2–4	Planned / flow defined

Integration gaps: UC 7 (Teams), UC 20 (AWS write + approval) — Phase 3 only.

Appendix D — Glossary

Term	Definition
EOCC	Enterprise Operations Command Center
InvestigationPackage	JSON artifact from 4-agent gather + synthesis
Two-brain model	Aurora (facts) + Cortex RAG (docs)
Blast radius	Downstream impact from a failed service
Smart severity	Business-weighted Sev1–4 using <code>service_criticality</code>
Coordinator mode	Phase 3+ — escalate, assign, notify, execute with approval
Cortex AI	Lilly enterprise LLM and RAG gateway
Knowledge graph	Aurora relational model: app → service → team → process

Appendix E — Acronyms

Acronym	Meaning
EOCC	Enterprise Operations Command Center
MTTR	Mean Time To Repair / Resolve
RCA	Root Cause Analysis
RAG	Retrieval-Augmented Generation
RBAC	Role-Based Access Control
SLA	Service Level Agreement
SRE	Site Reliability Engineering
UC	Use Case
GxP	Good Practice (regulated quality)
POC	Proof of Concept
MVP	Minimum Viable Product
OKR	Objectives and Key Results

Acronym	Meaning
KPI	Key Performance Indicator
NFR	Non-Functional Requirement
FR	Functional Requirement
DDL	Data Definition Language
ALB	Application Load Balancer
ECS	Elastic Container Service

Appendix F — References

Document	Purpose
EOCC_Full_Product_Information.md (EOCC_Full_Product_Information.pdf)	Master document (PRD + TDD combined)
EOCC_Technical_Design_Document.md (EOCC_Technical_Design_Document.pdf)	Architecture, schema, APIs, IAM
eocc_demo_prd_design_7feb39f9.plan.md	Source design plan
Cortex AI Landing Zone	Model catalog and governance
Lilly enterprise security standards	NFR-COMP, NFR-SEC

Document ID: EOCC-DOC-002 · Version 2.0 · Classification: Lilly Internal

Document ID: EOCC-DOC-002 · Version 2.0 · Classification: Lilly Internal