Larry's Array

Larry has a permutation of N numbers, A, whose unique elements range from 1 to N (i.e.: $A = \{a_1, a_2, \ldots, a_{N-1}, a_N\}$). He wants A to be sorted, so he delegates the task of doing so to his robot. The robot can perform the following operation as many times as it wants:

- Choose any 3 consecutive indices and rotate their elements in such a way that ABC rotates to BCA, which rotates to CAB, which rotates back to ABC.

For example: if $A = \{1, 6, 5, 2, 4, 3\}$ and the robot rotates $(6, 5, 2)$, A becomes $\{1, \mathbf{5, 2, 6}, 4, 3\}$.

On a new line for each test case, print `YES` if the robot can fully sort A; otherwise, print `NO`.

Input Format

The first line contains an integer, T, the number of test cases.
The $2T$ subsequent lines each describe a test case over 2 lines:

1. An integer, N, denoting the size of A.
2. N space-separated integers describing A, where the i^{th} value describes element a_i.

Constraints

- $1 \leq T \leq 10$
- $3 \leq N \leq 1000$
- $1 \leq a_i \leq N$, **where every element** a_i **is unique.**

Output Format

On a new line for each test case, print `YES` if the robot can fully sort A; otherwise, print `NO`.

Sample Input

```
3
3
3 1 2
4
1 3 4 2
5
1 2 3 5 4
```

Sample Output

```
YES
YES
NO
```

Explanation

In the explanation below, the subscript of A denotes the number of operations performed.

Test Case 0:
$A_0 = \{3, 1, 2\} \rightarrow \text{rotate}(3, 1, 2) \rightarrow A_1 = \{1, 2, 3\}$
A is now sorted, so we print `YES` on a new line.

Test Case 1:

$A_0 = \{1, 3, 4, 2\} \rightarrow \textbf{rotate}(3, 4, 2) \rightarrow A_1 = \{1, 4, 2, 3\}$.
$A_1 = \{1, 4, 2, 3\} \rightarrow \textbf{rotate}(4, 2, 3) \rightarrow A_2 = \{1, 2, 3, 4\}$.
A is now sorted, so we print `YES` on a new line.

Test Case 2:

No sequence of rotations will result in a sorted A. Thus, we print `NO` on a new line.