

11.1

Participant

Attributes

- audioStatus
- cameraStatus
- profileName
- profilePicture
- profilePronouns

Methods

- getProfileName()
- getProfilePicture()
- getProfilePronouns()
- setProfileName()
- setProfilePicture()
- setProfilePronouns()
- setAudio()
- setCamera()
- disconnect()

Chat

Attributes

- from
- to
- message

Methods

- sendMessage()
- displayChat()

Meeting

Attributes

- host
- participants
- publicChats

Methods

- addChat()
- addParticipant()
- getParticipantList()
- muteParticipant()
- removeParticipant()
- setHost()
- removeHost()

11.2

Potential attributes: Highlighted attributes are abstractions of “plant” from the perspective of a garden center.

- blossomColour
- bulkPrice
- clade
- commonName
- cultivar
- dateReceived
- family
- floweringMonth
- genus
- kingdom
- needleLength
- order
- originatingNursery

- pollenCount
- preferredAcidity
- preferredLight
- retailPrice
- species
- toxicity
- wateringFrequency

11.5

```

-----
                        Flight
-----
- SCHEDULED: ScheduledFlight
- craft: Airplane
- departureTime: int
- status: String
-----
+ Flight(
    SCHEDULED: ScheduledFlight,
    craft: Airplane,
    departureTime: int,
    status: String
)

+ getSCHEDULED(): ScheduledFlight
+ getCraft(): Airplane
+ getDepartureTime(): int
+ getStatus(): String

+ setCraft(craft: Airplane): void
+ setDepartureTime(time: int): void
+ setStatus(status: String): void
-----

```

```

-----
                        Airline
-----
- Code: String
- Name: String
-----

```

```

-----
                    ScheduledFlight
-----
- flightCode: String
- DAY: String
- DEPARTURETIME: int
- durationMinutes: int
- DEPARTURE: Airport
- ARRIVAL: Airport
-----
+ ScheduledFlight(
    flightCode: String,
    DAY: String,
    DEPARTURETIME: int,
    durationMinutes: int,
    DEPARTURE: Airport,
    ARRIVAL: Airport
)

+ getFlightCode(): String
+ getDAY(): String
+ getDEPARTURETIME(): int
+ getDurationMinutes(): int
+ getDEPARTURE(): Airport
+ getARRIVAL(): Airport

+ setDAY(DAY: String): void
+ setDEPARTURETIME(time: int): void
+ setDurationMinutes(minutes: int): void
+ setDEPARTURE(airport: Airport): void
+ setARRIVAL(airport: Airport): void
-----

```

```

-----
                Airport
-----
- CODE: String
- Name: String
-----
+ Airport(CODE: String, Name: String)
+ getCODE(): String
+ getName(): String
+ setName(Name: String): void
-----

```

```

-----
                Person
-----
- ID: int
- Name: String
- Role: String
-----
+ Person(ID: int, Name: String,
        Role: String)

+ getID(): int
+ getName(): String
+ getRole(): String

+ setName(Name: String): void
+ setRole(Role: String): void
-----

```

```

-----
                Airplane
-----
- MODAL: String
- Name: String
- YEAR: int
- crew: Person[]
-----
+ Airplane(MODAL: String, Name: String,
        YEAR: int, crew: Person[])

+ getMODAL(): String
+ getName(): String
+ getYEAR(): int
+ getCrew(): Person[]

+ setName(Name: String): void
+ setCrew(crew: Person[]): void

+ addCrew(person: Person): void
+ removeCrew(person: Person): void
-----

```