



GT_Plate5_Telomeres_12_17_2024.pcrd

3/27/2025 9:39 AM

Report Information

User: BioRad/admin
Data File Name: GT_Plate5_Telomeres_12_17_2024.pcrd
Data File Path: C:\Users\CSMTSS1\Documents\Tortoises\Plates\Telomeres
Well Group Name: All Wells
Report Differs from Last Save: No

Run Setup

Run Information

Run Date: 12/17/2024 5:55 PM
Run User: admin
Run Type: User-defined
Plate File: Elgaria_Multiplex.prcl.pltd
ID:
Notes:
Sample Volume: 20
Temperature Control Mode: Calculated
Lid Temperature: 105
Base Serial Number: 795BR20744
Optical Head Serial Number: 795BR20744

Protocol

- 1: 95.0°C for 3:00
- 2: 95.0°C for 0:15
- 3: 49.0°C for 0:30
- 4: 55.0°C for 0:30
- 5: GOTO 3, 1 more times
- 6: 95.0°C for 0:15
- 7: 58.0°C for 0:30
- 8: 60.0°C for 0:30
Plate Read
- 9: GOTO 6, 34 more times
- 10: Melt Curve 60.0°C to 95.0°C: Increment 0.5°C 0:05
Plate Read

Plate Display


	1	2	3	4	5	6	7	8	9	10	11	12
A	Std-1 SYBR STD1	Std-1 SYBR STD1	Unk-1 SYBR 12.4_B	Unk-1 SYBR 12.4_B	Unk-9 SYBR 5.1_B	Unk-9 SYBR 5.1_B	Unk-17 SYBR 7.4_C	Unk-17 SYBR 7.4_C	Unk-25 SYBR 9.1_B	Unk-25 SYBR 9.1_B		
B	Std-2 SYBR STD2	Std-2 SYBR STD2	Unk-2 SYBR 11.1_D	Unk-2 SYBR 11.1_D			Unk-18 SYBR 11.1_C	Unk-18 SYBR 11.1_C	Unk-26 SYBR 17.4_B	Unk-26 SYBR 17.4_B		
C	Std-3 SYBR STD3	Std-3 SYBR STD3	Unk-3 SYBR 10.6_C	Unk-3 SYBR 10.6_C	*Unk-11 SYBR 14.4_B	*Unk-11 SYBR 14.4_B	Unk-19 SYBR 9.6_B	Unk-19 SYBR 9.6_B	Unk-27 SYBR 6.5_A	Unk-27 SYBR 6.5_A	Unk-35 SYBR 13.3_C	Unk-35 SYBR 13.3_C


Plate Display

	1	2	3	4	5	6	7	8	9	10	11	12
D	Std-4 SYBR STD4	Std-4 SYBR STD4	Unk-4 SYBR 7.3_C	Unk-4 SYBR 7.3_C	Unk-12 SYBR 11.2_B	Unk-12 SYBR 11.2_B	Unk-20 SYBR 11.4_D	Unk-20 SYBR 11.4_D	Unk-28 SYBR 3.3_A	Unk-28 SYBR 3.3_A	Unk-36 SYBR 9.6_A	Unk-36 SYBR 9.6_A
E	*Std-5 SYBR STD5	*Std-5 SYBR STD5			Unk-13 SYBR 6.3_B	Unk-13 SYBR 6.3_B	Unk-21 SYBR 7.3_D	Unk-21 SYBR 7.3_D	Unk-29 SYBR 17.4_A	Unk-29 SYBR 17.4_A	Unk-37 SYBR 8.1_D	Unk-37 SYBR 8.1_D
F	*Std-6 SYBR STD6	*Std-6 SYBR STD6	Unk-6 SYBR 3.4_B	Unk-6 SYBR 3.4_B			Unk-22 SYBR 13.3_A	Unk-22 SYBR 13.3_A	Unk-30 SYBR 2.4_D	Unk-30 SYBR 2.4_D	Unk-38 SYBR 9.5_D	Unk-38 SYBR 9.5_D
G	*Std-7 SYBR STD7	*Std-7 SYBR STD7	*Unk-7 SYBR 14.4_C	*Unk-7 SYBR 14.4_C	Unk-15 SYBR 3.2_D	Unk-15 SYBR 3.2_D	Unk-23 SYBR 10.1_B	Unk-23 SYBR 10.1_B	Unk-31 SYBR 12.6_C	Unk-31 SYBR 12.6_C	Unk-39 SYBR 9.5_C	Unk-39 SYBR 9.5_C
H	NTC-1 SYBR NEG	NTC-1 SYBR NEG	Unk-8 SYBR 5.5_C	Unk-8 SYBR 5.5_C	Unk-16 SYBR 2.2_C	Unk-16 SYBR 2.2_C	Unk-24 SYBR 12.5_A	Unk-24 SYBR 12.5_A	Unk-32 SYBR 8.2_D	Unk-32 SYBR 8.2_D	Unk-40 SYBR 13.2_D	Unk-40 SYBR 13.2_D

Quantification

Step #: 8
Analysis Mode: Fluorophore
Baseline Setting: Baseline Subtracted Curve Fit
Cq Determination: Single Threshold
Baseline Method:
SYBR: Auto Calculated
Threshold Setting:
SYBR: 150.00, User Defined





Quantification Data

Well	Fluor	Target	Content	Sample	Cq	Cq Mean	Cq Std. Dev	Starting Quantity (SQ)	Log Starting Quantity	SQ Mean	SQ Std. Dev
A01	SYBR		Std-01	STD1	17.71	17.60	0.154	3.000E+11	11.477	3.00E+11	0.00E+00
A02	SYBR		Std-01	STD1	17.49	17.60	0.154	3.000E+11	11.477	3.00E+11	0.00E+00
A03	SYBR		Unkn-01	12.4_B	19.19	19.16	0.041	1.293E+11	11.112	1.32E+11	3.47E+09
A04	SYBR		Unkn-01	12.4_B	19.13	19.16	0.041	1.342E+11	11.128	1.32E+11	3.47E+09
A05	SYBR		Unkn-09	5.1_B	18.93	18.93	0.002	1.523E+11	11.183	1.52E+11	1.56E+08
A06	SYBR		Unkn-09	5.1_B	18.93	18.93	0.002	1.525E+11	11.183	1.52E+11	1.56E+08
A07	SYBR		Unkn-17	7.4_C	18.82	18.81	0.013	1.638E+11	11.214	1.65E+11	1.38E+09
A08	SYBR		Unkn-17	7.4_C	18.80	18.81	0.013	1.658E+11	11.220	1.65E+11	1.38E+09
A09	SYBR		Unkn-25	9.1_B	18.69	18.68	0.012	1.778E+11	11.250	1.79E+11	1.32E+09
A10	SYBR		Unkn-25	9.1_B	18.67	18.68	0.012	1.797E+11	11.254	1.79E+11	1.32E+09
B01	SYBR		Std-02	STD2	21.95	21.73	0.309	3.000E+10	10.477	3.00E+10	0.00E+00
B02	SYBR		Std-02	STD2	21.51	21.73	0.309	3.000E+10	10.477	3.00E+10	0.00E+00
B03	SYBR		Unkn-02	11.1_D	19.12	19.21	0.128	1.350E+11	11.130	1.28E+11	1.04E+10
B04	SYBR		Unkn-02	11.1_D	19.30	19.21	0.128	1.203E+11	11.080	1.28E+11	1.04E+10
B07	SYBR		Unkn-18	11.1_C	18.51	18.51	0.003	1.988E+11	11.298	1.99E+11	4.05E+08
B08	SYBR		Unkn-18	11.1_C	18.51	18.51	0.003	1.993E+11	11.300	1.99E+11	4.05E+08
B09	SYBR		Unkn-26	17.4_B	18.84	18.75	0.118	1.621E+11	11.210	1.71E+11	1.29E+10
B10	SYBR		Unkn-26	17.4_B	18.67	18.75	0.118	1.803E+11	11.256	1.71E+11	1.29E+10
C01	SYBR		Std-03	STD3	25.54	25.43	0.159	3.000E+09	9.477	3.00E+09	0.00E+00
C02	SYBR		Std-03	STD3	25.32	25.43	0.159	3.000E+09	9.477	3.00E+09	0.00E+00
C03	SYBR		Unkn-03	10.6_C	18.38	18.61	0.319	2.166E+11	11.336	1.90E+11	3.82E+10
C04	SYBR		Unkn-03	10.6_C	18.83	18.61	0.319	1.626E+11	11.211	1.90E+11	3.82E+10
C07	SYBR		Unkn-19	9.6_B	18.70	18.65	0.075	1.766E+11	11.247	1.83E+11	8.68E+09
C08	SYBR		Unkn-19	9.6_B	18.59	18.65	0.075	1.889E+11	11.276	1.83E+11	8.68E+09
C09	SYBR		Unkn-27	6.5_A	18.53	18.52	0.026	1.963E+11	11.293	1.99E+11	3.28E+09
C10	SYBR		Unkn-27	6.5_A	18.50	18.52	0.026	2.009E+11	11.303	1.99E+11	3.28E+09
C11	SYBR		Unkn-35	13.3_C	18.42	18.45	0.035	2.108E+11	11.324	2.08E+11	4.59E+09
C12	SYBR		Unkn-35	13.3_C	18.47	18.45	0.035	2.043E+11	11.310	2.08E+11	4.59E+09

Quantification Data

Well	Fluor	Target	Content	Sample	Cq	Cq Mean	Cq Std. Dev	Starting Quantity (SQ)	Log Starting Quantity	SQ Mean	SQ Std. Dev
D01	SYBR		Std-04	STD4	28.62	28.44	0.264	3.000E+08	8.477	3.00E+08	0.00E+00
D02	SYBR		Std-04	STD4	28.25	28.44	0.264	3.000E+08	8.477	3.00E+08	0.00E+00
D03	SYBR		Unkn-04	7.3_C	18.67	18.66	0.021	1.799E+11	11.255	1.82E+11	2.41E+09
D04	SYBR		Unkn-04	7.3_C	18.64	18.66	0.021	1.833E+11	11.263	1.82E+11	2.41E+09
D05	SYBR		Unkn-12	11.2_B	18.09	18.13	0.048	2.600E+11	11.415	2.54E+11	7.84E+09
D06	SYBR		Unkn-12	11.2_B	18.16	18.13	0.048	2.490E+11	11.396	2.54E+11	7.84E+09
D07	SYBR		Unkn-20	11.4_D	18.95	18.98	0.045	1.509E+11	11.179	1.48E+11	4.23E+09
D08	SYBR		Unkn-20	11.4_D	19.01	18.98	0.045	1.449E+11	11.161	1.48E+11	4.23E+09
D09	SYBR		Unkn-28	3.3_A	18.86	18.87	0.020	1.601E+11	11.204	1.59E+11	1.98E+09
D10	SYBR		Unkn-28	3.3_A	18.88	18.87	0.020	1.573E+11	11.197	1.59E+11	1.98E+09
D11	SYBR		Unkn-36	9.6_A	18.77	19.03	0.367	1.688E+11	11.227	1.45E+11	3.36E+10
D12	SYBR		Unkn-36	9.6_A	19.29	19.03	0.367	1.213E+11	11.084	1.45E+11	3.36E+10
E05	SYBR		Unkn-13	6.3_B	18.41	18.38	0.043	2.127E+11	11.328	2.17E+11	5.90E+09
E06	SYBR		Unkn-13	6.3_B	18.35	18.38	0.043	2.211E+11	11.345	2.17E+11	5.90E+09
E07	SYBR		Unkn-21	7.3_D	18.59	18.59	0.002	1.898E+11	11.278	1.90E+11	1.94E+08
E08	SYBR		Unkn-21	7.3_D	18.59	18.59	0.002	1.900E+11	11.279	1.90E+11	1.94E+08
E09	SYBR		Unkn-29	17.4_A	18.80	18.77	0.045	1.660E+11	11.220	1.69E+11	4.87E+09
E10	SYBR		Unkn-29	17.4_A	18.73	18.77	0.045	1.729E+11	11.238	1.69E+11	4.87E+09
E11	SYBR		Unkn-37	8.1_D	18.78	18.90	0.169	1.678E+11	11.225	1.56E+11	1.67E+10
E12	SYBR		Unkn-37	8.1_D	19.02	18.90	0.169	1.441E+11	11.159	1.56E+11	1.67E+10
F03	SYBR		Unkn-06	3.4_B	18.26	18.25	0.001	2.345E+11	11.370	2.35E+11	2.03E+08
F04	SYBR		Unkn-06	3.4_B	18.25	18.25	0.001	2.348E+11	11.371	2.35E+11	2.03E+08
F07	SYBR		Unkn-22	13.3_A	20.09	19.91	0.250	7.320E+10	10.864	8.24E+10	1.30E+10
F08	SYBR		Unkn-22	13.3_A	19.73	19.91	0.250	9.162E+10	10.962	8.24E+10	1.30E+10
F09	SYBR		Unkn-30	2.4_D	18.15	18.16	0.024	2.511E+11	11.400	2.48E+11	3.72E+09
F10	SYBR		Unkn-30	2.4_D	18.18	18.16	0.024	2.458E+11	11.391	2.48E+11	3.72E+09
F11	SYBR		Unkn-38	9.5_D	19.87	19.88	0.019	8.419E+10	10.925	8.35E+10	9.85E+08
F12	SYBR		Unkn-38	9.5_D	19.89	19.88	0.019	8.280E+10	10.918	8.35E+10	9.85E+08
G05	SYBR		Unkn-15	3.2_D	18.47	18.43	0.058	2.044E+11	11.311	2.10E+11	7.71E+09
G06	SYBR		Unkn-15	3.2_D	18.39	18.43	0.058	2.153E+11	11.333	2.10E+11	7.71E+09
G07	SYBR		Unkn-23	10.1_B	18.63	18.63	0.001	1.842E+11	11.265	1.84E+11	1.10E+08
G08	SYBR		Unkn-23	10.1_B	18.63	18.63	0.001	1.843E+11	11.266	1.84E+11	1.10E+08
G09	SYBR		Unkn-31	12.6_C	19.15	19.22	0.103	1.329E+11	11.123	1.27E+11	8.30E+09
G10	SYBR		Unkn-31	12.6_C	19.29	19.22	0.103	1.211E+11	11.083	1.27E+11	8.30E+09
G11	SYBR		Unkn-39	9.5_C	18.99	18.98	0.018	1.469E+11	11.167	1.48E+11	1.74E+09
G12	SYBR		Unkn-39	9.5_C	18.96	18.98	0.018	1.494E+11	11.174	1.48E+11	1.74E+09
H01	SYBR		NTC-01	NEG	29.73	29.70	0.039	N/A	N/A	N/A	N/A
H02	SYBR		NTC-01	NEG	29.67	29.70	0.039	N/A	N/A	N/A	N/A
H03	SYBR		Unkn-08	5.5_C	19.10	19.12	0.023	1.367E+11	11.136	1.35E+11	2.01E+09
H04	SYBR		Unkn-08	5.5_C	19.14	19.12	0.023	1.339E+11	11.127	1.35E+11	2.01E+09
H05	SYBR		Unkn-16	2.2_C	18.24	18.20	0.058	2.369E+11	11.375	2.43E+11	8.95E+09
H06	SYBR		Unkn-16	2.2_C	18.16	18.20	0.058	2.496E+11	11.397	2.43E+11	8.95E+09
H07	SYBR		Unkn-24	12.5_A	18.52	18.49	0.047	1.979E+11	11.296	2.02E+11	5.98E+09
H08	SYBR		Unkn-24	12.5_A	18.46	18.49	0.047	2.063E+11	11.315	2.02E+11	5.98E+09
H09	SYBR		Unkn-32	8.2_D	18.51	18.57	0.092	1.997E+11	11.300	1.92E+11	1.12E+10
H10	SYBR		Unkn-32	8.2_D	18.64	18.57	0.092	1.839E+11	11.264	1.92E+11	1.12E+10
H11	SYBR		Unkn-40	13.2_D	19.22	19.18	0.052	1.268E+11	11.103	1.30E+11	4.33E+09
H12	SYBR		Unkn-40	13.2_D	19.15	19.18	0.052	1.329E+11	11.124	1.30E+11	4.33E+09

Bar Chart

Expression analysis requires that at least two wells contain sample names, targets, and valid Cqs.

QC Parameters

Data

Description	Value	Use	Results	Exclude Wells	All excluded wells
Negative control with a Cq less than	38	True		False	
NTC with a Cq less than	38	True	SYBR:H1, H2.	False	
NRT with a Cq less than	38	True		False	
Positive control with a Cq greater than	30	True		False	
Unknown without a Cq	N/A	True		False	
Standard without a Cq	N/A	True		False	
Efficiency greater than	110.0	True			
Efficiency less than	90.0	True	SYBR		
Std Curve R^2 less than	0.980	True			
Replicate group Cq Std Dev greater than	0.20	True	SYBR:B1, B2, C3, C4, D1, D2, D11, D12, F7, F8.	False	