Unit IG2: Risk assessment

Declaration: By submitting this assessment (Parts 1 – 4) for marking I declare that it is entirely my own work. I understand that falsely claiming that the work is my own is malpractice and can lead to NEBOSH imposing severe penalties (see the NEBOSH Malpractice Policy for further information).

Important note: You must refer to the document 'Unit IG2: risk assessment – Guidance and information for learners and Learning Partners' while completing all parts of this assessment.Your Learning Partner should provide you with a copy, but it can also be downloaded from the relevant resources section for this qualification on the NEBOSH website.

Part 1: Background

You should aim to complete this section in 150 - 200 words.

Topic	Comments
Name of organisation*	Yorks Pvt Ltd (Boat yard)
Site location*	Male
Number of workers	107
General description of the organisation	Yorks Pvt Ltd is a boatyard it has expanded significantly into one of the Maldives most trusted and established providers in the marine and hospitality sectors were maintenance of luxury yacht and speed boat, diving boat, supply boats were they carry out fibers works and engine maintenance it is a designated industrial island approximately southwest of Male reclaimed from barren land and dedicated to heavy industries is a designated industrial island approximately 9.5 km southwest of Malé, reclaimed from barren land and dedicated to heavy industries is a designated industrial island approximately southwest reclaimed from barren land and dedicated to heavy industries
Description of the area to be included in the risk assessment	Risk assessments for facilities like SP Boat Yard are typically integrated into broader environmental impact assessments for due to the island's shared industrial ecosystem
Any other relevant information	Integrated which risks from industrial activities like boat yards has seen incremental progress in waste management amid persistent challenges

* If you're worried about confidentiality, you can invent a false name and location for your organisation but, all other information provided must be factual.

You should aim to complete this section in 100 - 200 words.
Note: this section can be completed after you have competed your risk assessment.

Outline how the risk assessment was carried out this should include: • sources of information consulted; • who you spoke to; and • how you identified: - the hazards; - what is already being done; and - any additional controls/actions that may be required.	Used iterative baseline establishment impact matrices likelihood/severity rating low-medium-high alternatives analysis and gap analysis against benchmarks which can be taken as the standards I started by looking around the work shop it was monsoon season with heavy winds I spoke with the workshop mechanics about the weather impact further on visual inspections there are some unsafety practices are done like the workers are no wearing gloves the fiberglass dust is directly entering in to the workshops and other godowns further I have noticed some contamination in reef marine ecosystem It might be due to leakage Compliance with regulatory approvals, was reviewed. Regular site inspections and audits were carried out and performance checks included monthly testing of 74 fire extinguishers, as well as routine air, water, and noise monitoring, with results compared against standards. All actions Should be including toolbox talks and daily pre work briefs

Part 2: Risk Assessment

Organisation name:Yorks Boat Yard
Date of assessment: 14/12/2025
Scope of risk assessment: Dry Docking and maintenance activites

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
Slips, Trips, and Falls	Technicians and operators had fractures or head injuries increased during monsoons	on-slip mats on walkways housekeeping Schedules arrest harnesses for heights less than 2m signage for hazards.

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
Inhalation Exposure - to Fumes (Welding, Fiberglass) Respiratory hazards from solvent vapors and particulates.	On-site workers staff, primarily male technicians via acute irritation/chronic respiratory issues 67% Complaints in visitors	Mandatory PPE (masks, gloves) per Guidelines daily health screenings in worker Camps ventilation in workshops activity-based hazard training.

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
	, contractors during repairs.	
Noise from Equipment	Workshop technicians and hoist operators are noise-induced hearing loss	Noise monitoring at NQ1-NQ5 stations; ear protection issued equipment maintenance schedules signage for high-noise zones

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
	nearby workers via cumulative exposure	
Migration During Monsoons Storm water mixing affecting ground water and	workers slip falls in flooded zones ground water users potable supply via conta	Raised platforms at slipways leachate treatment at Wet site monsoon drainage channels; flood modeling in EIA.

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
marine areas.	mination off-site via channel overflow	
Delays in emergency access or material transport	staff/visitors via accidents during low visibility emergency responders via	HDC-maintained roads with periodic grading; solar lighting at key paths internal emergency protocols

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
	access issues.	
Electrical Hazards	Electricians and general staff via shocks, burns, or electrocution; amplified in humid/monsoon	Lockout tagout procedures annual wiring inspections

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
	weather	
Musculoskeletal Injuries Heavy lifting, awkward postures, or vibration from	Laborers and technicians via strains, back injuries, or repetitive stress; long-term	Manual handling training; mechanical aids e.g., trolleys ergonomic assessments per EHS Guidelines

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
tools/hoists.	disability	
Confined Space Entry Entry into vessel tanks holds with poor ventilation gases or limited	Maintenance crew via asphyxiation engulfment or entrapment rescuers during emergencies	permit-required entry system; gas monitoring before entry; standby attendants; EPA-aligned ventilation protocols

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
access to work		
Slips Trips and Falls	Technicians and operators via fractures or head injuries increased during monsoons or crane	on-slip mats on walkways housekeeping schedules arrest harnesses for heights less than 2m signage for hazards

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
Fire/Explosion from Flammable Materials Ignition of solvents, resins, fuels, or welding sparks during repairs	workers and visitors via burns, smoke inhalation, or blast injuries; property damage to vessels/yard; off-site via smoke	Fire extinguishers and suppression systems no-smoking zones hot work permits flammable storage cabinets

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
	dispersion	
Hand-Arm Vibration	Tool operators via numbness reduced grip strength or vascular issues	Anti-vibration gloves; tool rotation; exposure limits per ISO 5349.

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
Risky Crane lifting of vessels	Equipment damages worker	Limited belt tagging workers, working under choppy seas and reckless while dry docking
Chemical hazard includes fiber resin, fiber glass hardner chemicals acetone are releas	Respiratory problems for worker and visitors	They are using low standard mask which chemicals can br airborned and enter in to workers

Hazard category and hazard	Who might be harmed and how?	What are you already doing?
ed when sanding		

Part 3: Prioritise 3 actions with justification for the selection

Suggested word counts
Moral, general legal and financial arguments for all actions: 300 to 350 words
For EACH action:
Specific legal arguments: 100 to 150 words
Likelihood AND severity: 75 to 150 words
How effective the action is likely to be in controlling the risk: 100 to 150 words

Moral, general legal and financial arguments for ALL actions

Moral, general legal and financial arguments	Employers have a moral responsibility to keep their workers and others safe from harm At Yorks Boat Yard employees face daily risks such as loud noise harmful fumes fire hazards extreme heat and the danger of slips and falls Without proper risk assessments and safety controls these hazards could lead to serious injuries long-term illness or even fatal accidents Carrying out risk assessments shows that management genuinely cares about the health safety and wellbeing of workers and contractors Many workers are migrant workers who depend on their jobs to support their families Preventing accidents helps protect them from pain suffering loss of income and long-term health problems Employers also have a moral duty to protect the environment and the wider community Poor control of chemicals waste or emissions could harm marine ecosystems that are vital to fisheries and tourism in the Maldives Acting responsibly helps protect the environment the community and future generations Assess risks and put suitable control measures in place In the Maldives this includes Waste Management Act decision statements and permit conditions and international standards used in projects such as Guidelines performance standards If risk assessments are not carried out properly or controls are ignored employers can face enforcement action by the Environmental Protection Agency fines permit suspension stop work orders legal claims from injured workers contractors and even loss of operating licences or approvals Employers also have a legal duty of care to employees visitors and contractors A suitable and sufficient risk assessment helps show compliance and proves that reasonable steps were taken to prevent harm Accidents and environmental incidents cost money Poor risk management can lead to medical and compensation costs damage to equipment and vessels project delays downtime higher insurance costs fines clean-up costs and damage to reputation including loss of contracts with luxury resorts In contrast good risk assessment and strong controls reduce accidents sickness absence and disruption They improve productivity efficiency and morale lower insurance and compensation costs avoid penalties protect valuable assets like vessels hoists and workshops and help maintain client

	confidence and steady operations Investing in things like ventilation spill control and noise reduction is usually much cheaper than dealing with fires pollution events or long term worker illness Over time good health and safety management supports sustainable operations and profitability

Justification for action 1

Action (Taken from column 1 of risk assessment)	Carry out by weekly hazard hunts to spot slip trip and fall hazards Guardrails will be installed on all elevated platforms Technicians and operators will be given proper anti slip training and supplied with safety boots All these actions are planned to be completed within one month under the supervision of the manager
Specific legal arguments	As per international labour law have a legal responsibility to make sure the workplace is safe International labour standards such as the ILO Occupational Safety and Health Convention 155 require employers to identify hazards assess risks and implement proper safety measures Slips trips and falls are common workplace hazards and failure to control them can lead to legal issues fines or claims if a worker is injured Following these safety steps ensures we comply with international labour standards and demonstrate that we care about the wellbeing of our employees
Consideration of likelihood AND severity • types of injury or ill health • number of workers at risk • how often the activity is carried out • how widespread the risk is	Slips trips and falls can cause serious injuries including fractures and head injuries The risk is higher during the monsoon season when surfaces are wet and during crane operations when workers are moving around a lot Many technicians and operators are exposed to this risk every day The risk is widespread as it covers walkways platforms and work areas throughout the yard **How effective the action is likely to be in controlling the risk** These actions are designed to significantly reduce the chance of slips trips and falls Guardrails will prevent falls from height anti slip mats boots and training will improve safe movement and regular hazard hunts will help identify new risks quickly The one month timescale is realistic because these measures are practical easy to implement and will start giving results immediately While it may not remove the risk completely these steps will greatly reduce both the likelihood and severity of injuries and make the workplace much safer for everyone
How effective the action is likely to be in controlling the risk. This should include: • the intended impact of the action;	These actions are designed to significantly reduce the chance of slips trips and falls Guardrails will prevent falls from height anti slip mats boots and training will improve safe movement and regular hazard hunts will help identify new risks quickly The one month timescale is realistic because these measures are practical easy to implement and will start giving results immediately While it may not

• justification for the timescale that you indicated in your risk assessment; and • whether you think the action will fully control the risk	remove the risk completely these steps will greatly reduce both the likelihood and severity of injuries and make the workplace much safer for everyone

Justification for action 2

Action (Taken from column 2 of risk assessment)	The actions selected are based on the nature and severity of the risk and the number of workers exposed PPE is immediately effective in preventing direct inhalation of fumes and dust and can be issued without delay Daily health screenings help identify early signs of respiratory problems and allow timely intervention Activity-based training ensures that workers understand safe work practices and proper use of PPE Ventilation in workshops is essential for reducing airborne contaminants and can be implemented quickly
Specific legal arguments	The legal arguments are based on international labour law particularly the ILO Occupational Safety and Health Convention 155 which requires employers to provide a safe working environment identify hazards assess risks and implement effective controls Exposure to welding fumes fiberglass dust and solvent vapors can cause both acute and chronic respiratory problems making this a high-risk hazard under international standards By implementing PPE proper ventilation filtered exhaust systems health screenings training and shift rotations the employer is taking all reasonable steps to prevent harm This demonstrates compliance with the Conventions requirements and reduces the likelihood of legal claims enforcement actions or penalties The legal justification is further strengthened because the measures address both immediate risks such as acute irritation and long term health effects such as chronic respiratory disease for all workers who are regularly exposed showing due diligence and commitment to worker safety
Consideration of likelihood AND severity • types of injury or ill health	The types of injury or ill health are justified because exposure to welding fumes fiberglass dust and solvent vapors is known to cause acute irritation and chronic respiratory problems which are well documented internationally The number of workers at risk is high because most technicians and

• number of workers at risk • how often the activity is carried out • how widespread the risk is	staff spend long hours in workshops performing activities that generate fumes and dust The frequency of the activity is daily making the likelihood of exposure and potential health effects significant The risk is widespread because multiple enclosed repair areas and workstations are used regularly by workers and contractors demonstrating that the hazard is not isolated These factors together justify the need for strong controls monitoring and training to protect worker health and comply with international labour standards
How effective the action is likely to be in controlling the risk. This should include: • the intended impact of the action; • justification for the timescale that you indicated in your risk assessment; and • whether you think the action will fully control the risk	The intended impact of these actions is to significantly reduce inhalation of hazardous fumes and dust PPE will prevent direct exposure ventilation and filtered exhaust systems will lower airborne Concentrations daily health screenings and annual spirometry testing will help identify early signs of respiratory problems and rotation of shifts will limit total exposure The six month timescale is justified because installing filtered exhaust systems setting up health monitoring and training workers requires careful planning and resources while PPE ventilation and training can begin immediately These actions will not completely remove the risk but they will greatly reduce both the likelihood and severity of respiratory issues and improve overall workplace health demonstrating compliance with international labour standards and a strong commitment to worker wellbeing

Justification for action 3

Action (Taken from column 4 of risk assessment)	Implement lockout tagout procedures for all electrical work Conduct annual wiring inspections Upgrade to weatherproof enclosures for all outdoor outlets Conduct electrical safety audits quarterly Train electricians and general staff on arc flash risks All actions will be completed within three months under the supervision of the Site Engineer
Specific legal arguments	Under international labour law employers have a legal responsibility to provide a safe working environment and protect workers from electrical hazards International labour standards such as the ILO Occupational Safety and Health Convention 155 require employers to identify hazards assess risks and implement effective control measures Electric shocks burns and electrocution are recognised workplace hazards and failure to control them can result in legal claims enforcement actions or penalties Implementing lockout tagout procedures annual wiring inspections

	weatherproof enclosures electrical safety audits and training demonstrates compliance with international labour standards and shows a strong commitment to the health safety and wellbeing of electricians and general staff
Consideration of likelihood AND severity • types of injury or ill health • number of workers at risk • how often the activity is carried out • how widespread the risk is	The types of injury or ill health include electric shocks burns and electrocution which can be very serious or even fatal The number of workers at risk is high because electricians and general staff work with electrical equipment and live circuits every day The activity is carried out daily during maintenance repair and normal operations making the chances of accidents high The risk is widespread because electrical systems are all over the site and outdoor outlets are used in many areas These reasons show why we need lockout tagout procedures regular inspections safety audits weatherproof enclosures and proper training to keep workers safe and follow international labour standards
How effective the action is likely to be in controlling the risk. This should include: • the intended impact of the action; • justification for the timescale that you indicated in your risk assessment; and • whether you think the action will fully control the risk	The intended impact of these actions is to greatly reduce the chances of electric shocks burns and electrocution Lockout tagout procedures and training will make sure workers do not come in contact with live circuits Regular annual wiring inspections and quarterly safety audits will help find potential hazards before they cause harm Upgrading to weatherproof enclosures will protect outdoor outlets from rain moisture and monsoon conditions The three-month timescale is practical because installation of enclosures and carrying out audits and training requires planning coordination and resources While these actions may not completely remove all risk they will reduce both the likelihood and severity of electrical accidents and make the workplace much safer for electricians and general staff

Part 4: Review, communicate and check

Suggested word counts for each section:

- Planned review date or period and reasoning for this: **50 - 100 words**
- How the risk assessment findings will be communicated and who needs to know the information: **100 - 150 words**
- Follow up on the risk assessment: **100 - 150 words.**

Planned review date/periodwith **reasoning**	
How the risk assessment findings will be communicated **AND** who you need to tell	The findings of the hazards risk assessment will be shared with all workers who are directly or indirectly exposed to electrical equipment and live circuits This includes electricians general staff supervisors and contractors and making a one to one meetings The Site Engineer and Health and Safety officer will hold a briefing session to explain the risks the actions to control them and the safe work practices that everyone must follow The key points will also be displayed on notice boards in workshops offices and worker rest areas so that everyone can see them Toolbox talks will be conducted on site to reinforce the importance of lockout tagout procedures safety audits use of PPE and proper handling of outdoor electrical outlets Supervisors will make sure that new workers or visitors are informed about the electrical risks and the safety measures in place This approach ensures that everyone understands the hazards knows what to do to stay safe and that the workplace is fully compliant with international labour standards
How you will follow up on the risk assessment to check that the actions have been carried out	To make sure all the actions from the hazards risk assessment are carried out the Site Engineer and Health and Safety officer will regularly check the progress of each control measure by setting up a auto reminder by calendar They will verify that lockout tagout procedures are being followed that all electricians and staff are using PPE and that training sessions have been completed Annual wiring inspections and quarterly audits will be monitored to confirm they are done on schedule The installation of weatherproof enclosures will be inspected and documented Shift supervisors will report any issues or noncompliance to the Health and Safety officer so that corrective action can be taken immediately Regular meetings will be held to review the progress and ensure all workers understand and follow the safety measures This follow up process helps make sure the risk is properly managed and the workplace stays safe for everyone