



Instituto Tecnológico de Cancún

Materia:

Fundamentos de telecomunicaciones

Unidad 1

Vagrant

Profesor:

Ismael Jiménez Sánchez

Alumno:

Ángel Eduardo Hernández Pimentel

```
Microsoft Windows [Versión 10.0.18362.1082]
(c) 2019 Microsoft Corporation. Todos los derechos reservados.

C:\Users\angel>cd .\ubuntu1\

C:\Users\angel\ubuntu1>dir
El volumen de la unidad C es Windows
El número de serie del volumen es: 5A38-3C92


Directorio de C:\Users\angel\ubuntu1
05/10/2020  04:31 p. m.  <DIR>          .
05/10/2020  04:31 p. m.  <DIR>          ..
05/10/2020  04:31 p. m.  <DIR>          .vagrant
05/10/2020  04:29 p. m.                3,094 Vagrantfile
                                1 archivos
                                3 dirs 913,495,306,240 bytes libres

C:\Users\angel\ubuntu1>vagrant box list
nitindas/ubuntu-18 (virtualbox, 04.04-1593461159)

C:\Users\angel\ubuntu1>vagrant ssh
VM must be running to open SSH connection. Run 'vagrant up'
to start the virtual machine.

C:\Users\angel\ubuntu1>vagrant up
"vagrant" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\Users\angel\ubuntu1>vagrant up
Bringing machine 'default' up with 'virtualbox' provider...
=> default: Checking if box 'nitindas/ubuntu-18' version '04.04-1593461159' is up to date...
=> default: Clearing any previously set forwarded ports...
=> default: Preparing network interfaces based on configuration...
     default: Adapter 1: nat
     default: Forwarding ports...
     default: 22 (guest) => 2222 (host) (adapter 1)
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
     default: SSH address: 127.0.0.1:2222
     default: SSH username: vagrant
     default: SSH auth method: private key
     default: Vagrant insecure key detected. Vagrant will automatically replace
     default: this with a newly generated keypair for better security.
     default: Inserting generated public key within guest...
     default: Removing insecure key from the guest if it's present...
     default: Key inserted! Disconnecting and reconnecting using new SSH key...
```



```
=> default: Mounting shared folders...
     default: /vagrant => C:\Users\angel\ubuntu1
Vagrant was unable to mount VirtualBox shared folders. This is usually
because the filesystem "vboxsf" is not available. This filesystem is
made available via the VirtualBox Guest Additions and kernel module.
Please verify that these guest additions are properly installed in the
guest. This is not a bug in Vagrant and is usually caused by a faulty
Vagrant box. For context, the command attempted was:

mount -t vboxsf -o uid=900,gid=900 vagrant /vagrant

The error output from the command was:
mount: /vagrant: wrong fs type, bad option, bad superblock on vagrant,
C:\Users\angel\ubuntu1>vagrant halt
=> default: Attempting graceful shutdown of VM...

C:\Users\angel\ubuntu1>
```

