

Scan results for **davis-tennonfoundation.org**

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Fri Dec 12, 2025

#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	5	0	100

Code snapshots of successful elements

```
1 <div class="sidebar-link" role="button" tabindex="0"><span class="flex items-center gap-2">About Us<svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 256 512" class="sidebar-arrow " role="none" height="1em" width="1em" xmlns...
```

```
2 <div class="sidebar-link" role="button" tabindex="0"><span class="flex items-center gap-2">Our Team<svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 256 512" class="sidebar-arrow " role="none" height="1em" width="1em" xmlns...
```

```
3 <input class="subscribe-btn" aria-label="Submit email to Newsletter" type="submit" value="Subscribe" name="subscribe">
```

```
4 <button class="close-btn">×</button>
```

```
5 <input aria-label="Submit email to Newsletter" class="popup-submit-btn" type="submit" value="Subscribe" name="subscribe">
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	7	0	100

Code snapshots of successful elements

1 `<div class="sidebar-link" role="button" tabindex="0"><span class="flex items-center gap-2">About Us<svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 256 512" class="sidebar-arrow " role="none" height="1em" width="1em" xmlns...`

2 `<div class="sidebar-link" role="button" tabindex="0"><span class="flex items-center gap-2">Our Team<svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 256 512" class="sidebar-arrow " role="none" height="1em" width="1em" xmlns...`

3 `<button class="ml-4 px-3 py-2 bg-[rgb(109,169,68)] text-white font-semibold shadow rounded">Apply For Funding</button>`

4 `<button class="px-3 py-2 bg-[rgb(195,41,58)] text-white font-semibold shadow rounded">Donate Now</button>`

5 `<input class="subscribe-btn" aria-label="Submit email to Newsletter" type="submit" value="Subscribe" name="subscribe">`

6 `<button class="close-btn">x</button>`

7 `<input aria-label="Submit email to Newsletter" class="popup-submit-btn" type="submit" value="Subscribe" name="subscribe">`

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	25	0	100

Code snapshots of successful elements

1 `<a class="wwf-item" href="/WhatWeFund"><div class="wwf-caption">Empowering Women</div></a>`

2 `<a class="wwf-item" href="/WhatWeFund"><div class="wwf-caption">Domestic Violence Awareness</div></a>`

3 `<a class="wwf-item" href="/WhatWeFund"><div class="wwf-caption">Student Opportunities</div></a>`

4 `<a class="wwf-item" href="/WhatWeFund"><div class="wwf-caption">Housing Stability</div></a>`

5 `<a href="https://docs.google.com/forms/d/e/1FAIpQLSeyf2L9swDTLg0CM6kyN8VamFCx1J4w-BgiWQihqsM--hBiWA/viewform" target="_blank" rel="noopener noreferrer" class="ml-5 px-5 py-6 bg-[rgb(109,169,68)] text-white font-semibold shadow rounded no-underline ap...`

6 `<a href="https://patch.com/rhode-island/providence/segue-institute-learning-names-its-k-8-campus-davis-reach-academy">Segue Institute for Learning Names Its K-8 Campus the Davis REACH Academy</a>`

7 `<a href="/InTheNews">See more articles...</a>`

8 `<a href="https://patch.com/rhode-island/centralfalls/davis-tennon-foundation-announces-150-000-grants-rhode-island-nonprofits">Davis-Tennon Foundation Announces $150,000 in Grants to Rhode Island Nonprofits</a>`

9 `<a href="https://patch.com/rhode-island/providence/collective-action-education-davis-tennon-foundation-host-voter-registration">Collective Action for Education With Davis-Tennon Foundation Host Voter Registration & Civic Engagement Event</a>`

10 `<a href="mailto:agarcia@davis-tennonfoundation.org">agarcia@davis-tennonfoundation.org</a>`

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	7	1	88

Code snapshots of successful elements

1 `<a rel="noreferrer" class="sidebar-link" aria-label="Apply For Funding (opens in new tab)" href="https://docs.google.com/forms/d/e/1FAIpQLSeyf2L9swDTLg0CM6kyN8VamFCx1J4w-BgiWQihqsM--hBiWA/viewform" target="_blank"><button class="ml-4 px-3 py-2 bg-[rg...`

2 `<a rel="noreferrer" class="sidebar-link" aria-label="Donate Now (opens in new tab)" href="https://givebutter.com/0nhBTh" target="_blank"><button class="px-3 py-2 bg-[rgb(195,41,58)] text-white font-semibold shadow rounded">Donate Now</button></a>`

3 `<a href="https://docs.google.com/forms/d/e/1FAIpQLSeyf2L9swDTLg0CM6kyN8VamFCx1J4w-BgiWQihqsM--hBiWA/viewform" target="_blank" rel="noopener noreferrer" class="ml-5 px-5 py-6 bg-[rgb(109,169,68)] text-white font-semibold shadow rounded no-underline ap...`

4 `<a href="https://www.facebook.com/DavisTennonFoundation" target="_blank" rel="noopener noreferrer" aria-label="Davis-Tennon Foundation Facebook Page (opens in new tab)"><img alt="Facebook Logo" class="social-icon" aria-label="Davis-Tennon Foundation ...`

5 `<a href="https://docs.google.com/forms/d/e/1FAIpQLSeyf2L9swDTLg0CM6kyN8VamFCx1J4w-BgiWQihqsM--hBiWA/viewform" target="_blank" rel="noopener noreferrer" aria-label="Apply For Funding (opens in new tab)">Apply For Funding</a>`

6 `<a href="https://givebutter.com/0nhBTh" target="_blank" rel="noopener noreferrer" aria-label="Donate Now (opens in new tab)">Donate Now</a>`

7 `<a href="https://givebutter.com/0nhBTh" target="_blank" rel="noopener noreferrer" class="btn" aria-label="Donate Now (opens in new tab)">Donate Now</a>`

Code snapshots of failed elements

```
1 <a class="!text-gray-900 !no-underline" href="https://givebutter.com" target
  ="_blank" rel="noopener noreferrer"> "The birth of the Davis-Tennon Foundation started with the realization that the gift of success is the ability to give back." - Viola Davis</p>`

2 `<p class="wwf-description" role="heading">The Davis-Tennon Foundation is committed to driving meaningful change by funding initiatives that address critical needs within Rhode Island communities. Our goal is to empower individuals and families, removing...`

3 `<div class="title" role="heading"><a href="https://patch.com/rhode-island/providence/segue-institute-learning-names-its-k-8-campus-davis-reach-academy">Segue Institute for Learning Names Its K-8 Campus the Davis REACH Academy</a></div>`

4 `<div class="title" role="heading"><a href="https://patch.com/rhode-island/centralfalls/davis-tennon-foundation-announces-150-000-grants-rhode-island-non-profits">Davis-Tennon Foundation Announces $150,000 in Grants to Rhode Island Nonprofits</a></div>`

| # | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between. | Yes      | Pass      | -        | 100   |

| # | Element                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer. | Yes      | -         | Fail     | 0     |



| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 13 | Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 14 | Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 15 | Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers. | Yes      | -         | Fail     | 0     |

### Code snapshots of failed elements

```
1 <div class="App"><nav class="navbar-container" role="navigation" aria-label="Main Navigation"><div class="w-full h-[120px] bg-[#ffcc8a] text-black px-8 py-6 flex items-center justify-between font-gill-sans-bold"><div class="burger-wrapper"><input id=...
```

| #  | Element                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 16 | Menu items that have a dropdown should include an aria-haspopup="true" attribute. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">About Us <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

2 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">Our Team <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

| #  | Element                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 17 | Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed. | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

1 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">About Us <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

2 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">Our Team <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

| #  | Element                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes      | 14        | 0        | 100   |

#### Code snapshots of successful elements

1 ``

2 ``

3 ``

4 ``

5 ``

6 ``

7 ``

8 ``

9 ``

10 ``

| #  | Element                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 19 | Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 20 | Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a role="presentation" or role="none" attribute. | Yes      | 1         | 2        | 33    |

#### Code snapshots of successful elements

```
1
```

#### Code snapshots of failed elements

```
1 <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow " height="1em" width="1em" xmlns="http://www.w3.org/2000/svg"><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l22.6-22.6c9.4-9.4" data-bbox="181 733 931 790"/>
```

| #  | Element                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Figure elements used to display images should have a <code>role="none"</code> attribute, and the image itself should provide a description using the <code>"alt"</code> attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Each <code>"area"</code> element within a <code>map</code> tag should have an <code>"alt"</code> attribute that provides an alternative text description, similar to standard images. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Small or hidden tracking pixel images (used for analytics or marketing) should include a <code>role="none"</code> or <code>role="presentation"</code> attribute to exclude them from screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24 | Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name). | Yes      | 3         | 0        | 100   |

#### Code snapshots of successful elements

1 `<input aria-label="Enter email Address for Newsletter Subscription" class="required email newsletter-input" required="" placeholder="E-mail" type="email" value="" name="EMAIL">`

2 `<input required="" aria-label="Enter email Address here for Newsletter Subscription" placeholder="Enter your email" class="popup-input " type="email" value="" name="EMAIL">`

3 `<input aria-label="Leave a comment (optional)" placeholder="Leave a comment (optional)" class="popup-input" type="text" value="" name="MMERGE5">`

| #  | Element                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Form elements must have unique IDs to ensure that their corresponding labels provide accurate information. | No       | 0         | 0        |       |

| #  | Element                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Required form fields should include <code>aria-required="true"</code> to inform screen-reader users of the field's validation. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 `<input aria-label="Enter email Address for Newsletter Subscription" class="required email newsletter-input" required="" placeholder="E-mail" type="email" value="" name="EMAIL">`

2 `<input required="" aria-label="Enter email Address here for Newsletter Subscription" placeholder="Enter your email" class="popup-input " type="email" value="" name="EMAIL">`

| #  | Element                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | <code>aria-describedby</code> and <code>aria-labelledby</code> attributes should reference the ID of an element that either has a text description or an <code>"aria-label"</code> attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | Search forms should include a <code>role="search"</code> attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers. | No       | 0         | 0        |       |



| #  | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 `<form action="https://davis-tennonfoundation.us20.list-manage.com/subscribe/post?u=ee1896e60a2c02f5c56dfffd15&id=e40c54c790&f_id=002cc7f1f0" method="post" class="validate" aria-label="Newsletter Subscription Form" novalidate=""><div class="ema...`

2 `<form action="https://davis-tennonfoundation.us20.list-manage.com/subscribe/post?u=ee1896e60a2c02f5c56dfffd15&id=e40c54c790&f_id=002cc7f1f0" method="post" class="popup-form" novalidate="" style="display: flex; flex-direction: column; gap: 10px...`

| #  | Element                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

| #  | Element                                                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere. | Yes      | 4         | 0        | 100   |

#### Code snapshots of successful elements

```
1 <main class="homebody-container" aria-label="Home Content"><div class="fade-in visible"><div class="video-section"><div class="video-wrapper"><video class="homepage-video" playsinline="" preload="none" controls="" controlslist="nodownload noplaybackr...
```

```
2 <footer><div class="newsletter-container"><h1>NEWSLETTER</h1><p>Subscribe to our newsletter to keep up with our latest news, funding opportunities, and community initiatives!</p><div id="mc_embed_shell"><div id="mc_embed_signup"><form action="https://...
```

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 12px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages. | Yes      | 63        | 0        | 100   |

| #  | Element                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages. | Yes      | 63        | 0        | 100   |

| #  | Element                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 37 | Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background. | Yes      | 54        | 9        | 86    |

### Code snapshots of successful elements

1 `<a class="nav-link" aria-label="Home" role="menuitem" href="/Home" data-discover="true">Home</a>`

2 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">About Us <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

3 `<a class="nav-link" aria-haspopup="true" aria-expanded="false" role="menuitem" href="/" data-discover="true">Our Team <svg stroke="currentColor" fill="currentColor" stroke-width="0" viewBox="0 0 320 512" class="inline ml-1 dropdown-arrow" height="1e...`

4 `<a class="nav-link" aria-label="partners and resources opens in new tab" role="menuitem" href="/PartnersAndResources" data-discover="true">Partners/Resources</a>`

5 `<a rel="noreferrer" class="ml-4 px-3 py-2 bg-[rgb(76,122,47)] text-white font-semibold shadow rounded nav-button" aria-label="Apply For Funding (opens in new tab)" role="menuitem" href="https://docs.google.com/forms/d/e/1FAIpQLseyf2L9swDTLg0CM6kyN8Va...">`

6 `<a rel="noreferrer" class="px-3 py-2 bg-[rgb(195,41,58)] text-white font-semibold shadow rounded nav-button" aria-label="Donate Now (opens in new tab)" role="menuitem" href="https://givebutter.com/0nhBTh" target="_blank">Donate Now</a>`

7 `<p role="heading">"The birth of the Davis-Tennon Foundation started with the realization that the gift of success is the ability to give back." - Viola Davis</p>`

8 `<h2 class="wwf-title">What We Fund</h2>`

9 `<p class="wwf-description" role="heading">The Davis-Tennon Foundation is committed to driving meaningful change by funding initiatives that address critical needs within Rhode Island communities. Our goal is to empower individuals and families, remov...`

10 `<h2>Support the Davis-Tennon Foundation</h2>`

### Code snapshots of failed elements

1 `<video class="homepage-video" playsinline="" preload="none" controls="" controlslist="nodownload noplaybackrate" disablepictureinpicture=""><source src="/assets/foundationMovie-Dc5BZZhM.mp4" type="video/mp4">Your browser does not support the video ta...`

2 `<div class="wwf-caption">Empowering Women</div>`

3 `<div class="wwf-caption">Domestic Violence Awareness</div>`

4 `<div class="wwf-caption">Student Opportunities</div>`

5 `<div class="wwf-caption">Housing Stability</div>`

6 `<a href="https://docs.google.com/forms/d/e/1FAIpQLSeyf2L9swDTLg0CM6kyN8VamFCxLJ4w-BgiWQihqsM--hBiWA/viewform" target="_blank" rel="noopener noreferrer" class="m1-5 px-5 py-6 bg-[rgb(109,169,68)] text-white font-semibold shadow rounded no-underline ap...`

7 `<a href="/InTheNews">See more articles...</a>`

8 `<h1>NEWSLETTER</h1>`

9 `<span style="color: red;">*</span>`

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42 | Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table. | No       | 0         | 0        |       |

| #  | Element                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                          | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings. | No       | 0         | 0        |       |



| #  | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted. | No       | 0         | 0        |       |

| #  | Element                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers. | No       | 0         | 0        |       |

This audit is subject to the [terms of service](#)