



Number of samples

- Method
- ● - LOCO-W
 - ● - Sobol-CPI(1)
 - ▲ - Sobol-CPI(1)_sqrt
 - ⬤ - Sobol-CPI(1)_n
 - ⬤ - Sobol-CPI(1)_bt
 - ■ - Sobol-CPI(1)_n2
 - ○ - Sobol-CPI(10)
 - ▲ - Sobol-CPI(10)_sqrt
 - ⬤ - Sobol-CPI(10)_n
 - ⬤ - Sobol-CPI(10)_bt
 - ■ - Sobol-CPI(10)_n2
 - ⬤ - Sobol-CPI(100)
 - ▲ - Sobol-CPI(100)_sqrt
 - ⬤ - Sobol-CPI(100)_n
 - ⬤ - Sobol-CPI(100)_bt
 - ■ - Sobol-CPI(100)_n2
 - ● - LOCO
 - ▲ - LOCO_sqrt
 - ⬤ - LOCO_n
 - ⬤ - LOCO_bt
 - ■ - LOCO_n2
 - ⬤ - Sobol-CPI(1)_ST
 - ⬤ - Sobol-CPI(1)_Wilcox
 - ● - LOCO_ST
 - ⬤ - LOCO_Wilcox
 - ○ - CPI_KO_ST
 - ⬤ - CPI_KO_Wilcox
 - ⬤ - dCRT
 - ⬤ - HRT