Your Research Paper Title

Anonymous Authors

Abstract

Describe the problem and why it matters. State the limitation of existing approaches, summarize the proposed idea, and report the main empirical or theoretical finding once available. Close with the implication and scope of the result. This paragraph is a writing prompt, not a research claim.

1 Introduction

3D video games are a useful class of environments for assessing spacial intelligence in AI models.

•

AI models are not very good at 3D video games.

Contributions.

- A clearly defined research question or problem setting.
- A proposed method, analysis, or empirical observation.
- An evaluation that establishes the finding and its boundaries.

2 Related Work

Group relevant literature by approach and explain how this work differs. Use citations to support specific statements rather than listing papers. Replace the example below with sources relevant to your research.

Citation example. Vaswani et al. [1] introduced the Transformer architecture. A parenthetical citation looks like this: [1].

3 Method

3.1 Problem Setup

Define the inputs, outputs, assumptions, and evaluation objective. For example, let $\mathcal{D} = \{(x_i, y_i)\}_{i=1}^{N}$ be a dataset and let f_θ be a model with parameters θ.



Figure 1: Placeholder for a method overview. Explain each component and any symbols used in the final figure.

3.2 Proposed Approach

Describe MethodName precisely enough to reproduce it. Explain each design choice and distinguish new components from established ones. The following is an illustrative objective, to replace or remove:

$$\mathcal{L}(\theta) = \frac{1}{N} \sum_{i=1}^{N} \ell\big(f_\theta(x_i), y_i\big). \tag{1}$$

Define the loss ℓ and any constraints when adapting Equation (1) to the actual method.

4 Experiments

4.1 Experimental Setup

We evaluate Claude Fable 5.1 (`claude-fable-5-1`) on 19 Minecraft tasks in seven skill categories. The model sees only a 640×360 screenshot, the goal sentence, and elapsed game time, and replies with one keyboard-and-mouse action per decision. The game keeps running while the model thinks, with its previous action still applied, so slow decisions cost game time. Each task runs once on one seed, with a cap of 100 model calls per episode.

4.2 Main Results

Table 1 lists successes per category. Fable passed 3 of 19 tasks. With one episode per task, these counts are a rough picture rather than a precise success rate.

4.3 Ablations and Analysis

Isolate the effect of key components under comparable budgets. Include representative failure cases and discuss variability or negative findings that affect the interpretation of the results.

Table 1: Claude Fable 5.1 on 19 Minecraft tasks (one episode each, live-speed timing).

Category	Passed / Tasks
Navigation	0 / 3
Combat	0 / 3
Survival	0 / 3
Manipulation	2 / 2
Exploration	1 / 2
Planning (crafting)	0 / 4
Adaptation	0 / 2
Total	3 / 19

5 Discussion and Limitations

Describe what the evidence supports, where it does not generalize, and which assumptions constrain the conclusions. Discuss relevant privacy, bias, misuse, and societal impacts where applicable.

6 Conclusion

Restate the research question, supported finding, and practical or scientific implication. Identify a concrete direction for future work. Avoid introducing new results here.

References

[1] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in Neural Information Processing Systems*, volume 30, 2017.

A Reproducibility Details

Provide implementation details that do not fit in the main paper. Use anonymous artifact links when required by the selected workshop.

B Additional Results

Include extended comparisons, sensitivity analyses, and failure cases.

C Proofs

Place supporting derivations and proofs here when applicable.