

# 1. The World Bank's international debt data

It's not that we humans only take debts to manage our necessities. A country may also take debt to manage its economy. For example, infrastructure spending is one costly ingredient required for a country's citizens to lead comfortable lives. [The World Bank \(https://www.worldbank.org\)](https://www.worldbank.org) is the organization that provides debt to countries.

In this notebook, we are going to analyze international debt data collected by The World Bank. The dataset contains information about the amount of debt (in USD) owed by developing countries across several categories. We are going to find the answers to questions like:

- What is the total amount of debt that is owed by the countries listed in the dataset?
- Which country owns the maximum amount of debt and what does that amount look like?
- What is the average amount of debt owed by countries across different debt indicators?



The first line of code connects us to the `international_debt` database where the table `international_debt` is residing. Let's first `SELECT` *all* of the columns from the `international_debt` table. Also, we'll limit the output to the first ten rows to keep the output clean.

```
In [2]: %%sql
postgresql:///international_debt
SELECT *
FROM international_debt
LIMIT 10;
```

10 rows affected.

```
Out[2]:
```

country_name	country_code	indicator_name	indicator_code	debt
Afghanistan	AFG	Disbursements on external debt, long-term (DIS, current US\$)	DT.DIS.DLXF.CD	72894453.700000003
Afghanistan	AFG	Interest payments on external debt, long-term (INT, current US\$)	DT.INT.DLXF.CD	53239440.100000001
Afghanistan	AFG	PPG, bilateral (AMT, current US\$)	DT.AMT.BLAT.CD	61739336.899999999
Afghanistan	AFG	PPG, bilateral (DIS, current US\$)	DT.DIS.BLAT.CD	49114729.399999999
Afghanistan	AFG	PPG, bilateral (INT, current US\$)	DT.INT.BLAT.CD	39903620.100000001
Afghanistan	AFG	PPG, multilateral (AMT, current US\$)	DT.AMT.MLAT.CD	39107845
Afghanistan	AFG	PPG, multilateral (DIS, current US\$)	DT.DIS.MLAT.CD	23779724.300000001
Afghanistan	AFG	PPG, multilateral (INT, current US\$)	DT.INT.MLAT.CD	13335820
Afghanistan	AFG	PPG, official creditors (AMT, current US\$)	DT.AMT.OFFT.CD	100847181.900000006
Afghanistan	AFG	PPG, official creditors (DIS, current US\$)	DT.DIS.OFFT.CD	72894453.700000003

```
In [3]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '  country_name country_code
indicator_name indicator_code          debt\n0  Afghanistan
AFG Disbursements on external debt, long-term (DIS... DT.DIS.DLXF.CD
72894453.700000003\n1  Afghanistan          AFG Interest payments on ex
ternal debt, long-term ... DT.INT.DLXF.CD  53239440.100000001\n2  Afgh
anistan          AFG          PPG, bilateral (AMT, current US$)
DT.AMT.BLAT.CD  61739336.899999999\n3  Afghanistan          AFG
PPG, bilateral (DIS, current US$) DT.DIS.BLAT.CD  49114729.399999999\n
4  Afghanistan          AFG          PPG, bilateral (INT, curren
t US$) DT.INT.BLAT.CD  39903620.100000001\n5  Afghanistan          AFG
PPG, multilateral (AMT, current US$) DT.AMT.MLAT.CD          3910784
5\n6  Afghanistan          AFG          PPG, multilateral (DIS, cur
rent US$) DT.DIS.MLAT.CD  23779724.300000001\n7  Afghanistan
AFG          PPG, multilateral (INT, current US$) DT.INT.MLAT.CD
13335820\n8  Afghanistan          AFG          PPG, official creditors (A
MT, current US$) DT.AMT.OFFT.CD  100847181.900000006\n9  Afghanistan
AFG          PPG, official creditors (DIS, current US$) DT.DIS.OFFT.CD
72894453.700000003'
    try:
        assert last_output.DataFrame().to_string() == correct_result_str
ing
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of th
e code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please re
view the instructions and check the hint if necessary."
```

Out[3]: 1/1 tests passed

## 2. Finding the number of distinct countries

From the first ten rows, we can see the amount of debt owed by *Afghanistan* in the different debt indicators. But we do not know the number of different countries we have on the table. There are repetitions in the country names because a country is most likely to have debt in more than one debt indicator.

Without a count of unique countries, we will not be able to perform our statistical analyses holistically. In this section, we are going to extract the number of unique countries present in the table.

```
In [4]: %%sql
SELECT
    COUNT(DISTINCT country_name) AS total_distinct_countries
FROM international_debt;

* postgresql:///international_debt
1 rows affected.
```

```
Out[4]: total_distinct_countries
        124
```

```
In [5]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '    total_distinct_countries\n0
124'
    try:
        assert last_output.DataFrame().to_string() == correct_result_string
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of the code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please review the instructions and check the hint if necessary."
```

```
Out[5]: 1/1 tests passed
```

### 3. Finding out the distinct debt indicators

We can see there are a total of 124 countries present on the table. As we saw in the first section, there is a column called `indicator_name` that briefly specifies the purpose of taking the debt. Just beside that column, there is another column called `indicator_code` which symbolizes the category of these debts. Knowing about these various debt indicators will help us to understand the areas in which a country can possibly be indebted to.

```
In [6]: %%sql
SELECT
    DISTINCT(indicator_code) AS distinct_debt_indicators
FROM international_debt
ORDER BY distinct_debt_indicators;
```

```
* postgresql:///international_debt
25 rows affected.
```

Out[6]: **distinct\_debt\_indicators**

DT.AMT.BLAT.CD  
DT.AMT.DLXF.CD  
DT.AMT.DPNG.CD  
DT.AMT.MLAT.CD  
DT.AMT.OFFT.CD  
DT.AMT.PBND.CD  
DT.AMT.PCBK.CD  
DT.AMT.PROP.CD  
DT.AMT.PRVT.CD  
DT.DIS.BLAT.CD  
DT.DIS.DLXF.CD  
DT.DIS.MLAT.CD  
DT.DIS.OFFT.CD  
DT.DIS.PCBK.CD  
DT.DIS.PROP.CD  
DT.DIS.PRVT.CD  
DT.INT.BLAT.CD  
DT.INT.DLXF.CD  
DT.INT.DPNG.CD  
DT.INT.MLAT.CD  
DT.INT.OFFT.CD  
DT.INT.PBND.CD  
DT.INT.PCBK.CD  
DT.INT.PROP.CD  
DT.INT.PRVT.CD

```
In [7]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '    distinct_debt_indicators\n0          D
T.AMT.BLAT.CD\n1          DT.AMT.DLXF.CD\n2          DT.AMT.DPNG.CD
\n3          DT.AMT.MLAT.CD\n4          DT.AMT.OFFT.CD\n5
DT.AMT.PBND.CD\n6          DT.AMT.PCBK.CD\n7          DT.AMT.PROP.CD
\n8          DT.AMT.PRVT.CD\n9          DT.DIS.BLAT.CD\n10
DT.DIS.DLXF.CD\n11          DT.DIS.MLAT.CD\n12          DT.DIS.OFFT.CD
\n13          DT.DIS.PCBK.CD\n14          DT.DIS.PROP.CD\n15
DT.DIS.PRVT.CD\n16          DT.INT.BLAT.CD\n17          DT.INT.DLXF.CD
\n18          DT.INT.DPNG.CD\n19          DT.INT.MLAT.CD\n20
DT.INT.OFFT.CD\n21          DT.INT.PBND.CD\n22          DT.INT.PCBK.CD
\n23          DT.INT.PROP.CD\n24          DT.INT.PRVT.CD'
    try:
        assert last_output.DataFrame().to_string() == correct_result_string
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of the code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please review the instructions and check the hint if necessary."
```

Out[7]: 1/1 tests passed

## 4. Totaling the amount of debt owed by the countries

As mentioned earlier, the financial debt of a particular country represents its economic state. But if we were to project this on an overall global scale, how will we approach it?

Let's switch gears from the debt indicators now and find out the total amount of debt (in USD) that is owed by the different countries. This will give us a sense of how the overall economy of the entire world is holding up.

```
In [8]: %%sql
SELECT
    ROUND(SUM(debt)/1000000, 2) as total_debt
FROM international_debt;

* postgresql:///international_debt
1 rows affected.
```

Out[8]: **total\_debt**  
3079734.49

```
In [9]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '    total_debt\n0    3079734.49'
    try:
        assert last_output.DataFrame().to_string() == correct_result_string
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of the code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please review the instructions and check the hint if necessary."
```

Out[9]: 1/1 tests passed

## 5. Country with the highest debt

"Human beings cannot comprehend very large or very small numbers. It would be useful for us to acknowledge that fact." - [Daniel Kahneman \(https://en.wikipedia.org/wiki/Daniel\\_Kahneman\)](https://en.wikipedia.org/wiki/Daniel_Kahneman). That is more than *3 million million* USD, an amount which is really hard for us to fathom.

Now that we have the exact total of the amounts of debt owed by several countries, let's now find out the country that owns the highest amount of debt along with the amount. **Note** that this debt is the sum of different debts owed by a country across several categories. This will help to understand more about the country in terms of its socio-economic scenarios. We can also find out the category in which the country owns its highest debt. But we will leave that for now.

```
In [10]: %%sql
SELECT
    country_name,
    sum(debt) as total_debt
FROM international_debt
GROUP BY country_name
ORDER BY total_debt DESC
LIMIT 1;

* postgresql:///international_debt
1 rows affected.
```

```
Out[10]: country_name      total_debt
         China  285793494734.200001568
```

```
In [11]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '    country_name                total_debt\n0
China  285793494734.200001568'
    try:
        assert last_output.DataFrame().to_string() == correct_result_string
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of the code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please review the instructions and check the hint if necessary."
```

Out[11]: 1/1 tests passed

## 6. Average amount of debt across indicators

So, it was *China*. A more in-depth breakdown of China's debts can be found [here](https://datatopics.worldbank.org/debt/ids/country/CHN) (<https://datatopics.worldbank.org/debt/ids/country/CHN>).

We now have a brief overview of the dataset and a few of its summary statistics. We already have an idea of the different debt indicators in which the countries owe their debts. We can dig even further to find out on an average how much debt a country owes? This will give us a better sense of the distribution of the amount of debt across different indicators.



```
In [12]: %%sql
SELECT
    indicator_code AS debt_indicator,
    indicator_name,
    AVG(debt) AS average_debt
FROM international_debt
GROUP BY debt_indicator, indicator_name
ORDER BY average_debt DESC
LIMIT 10;
```

```
* postgresql:///international_debt
10 rows affected.
```

```
Out[12]:
```

debt_indicator	indicator_name	average_debt
DT.AMT.DLXF.CD	Principal repayments on external debt, long-term (AMT, current US\$)	5904868401.499193612
DT.AMT.DPNG.CD	Principal repayments on external debt, private nonguaranteed (PNG) (AMT, current US\$)	5161194333.812658349
DT.DIS.DLXF.CD	Disbursements on external debt, long-term (DIS, current US\$)	2152041216.890243888
DT.DIS.OFFT.CD	PPG, official creditors (DIS, current US\$)	1958983452.859836046
DT.AMT.PRVT.CD	PPG, private creditors (AMT, current US\$)	1803694101.963265321
DT.INT.DLXF.CD	Interest payments on external debt, long-term (INT, current US\$)	1644024067.650806481
DT.DIS.BLAT.CD	PPG, bilateral (DIS, current US\$)	1223139290.398230108
DT.INT.DPNG.CD	Interest payments on external debt, private nonguaranteed (PNG) (INT, current US\$)	1220410844.421518983
DT.AMT.OFFT.CD	PPG, official creditors (AMT, current US\$)	1191187963.083064523
DT.AMT.PBND.CD	PPG, bonds (AMT, current US\$)	1082623947.653623188

```
In [13]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '    debt_indicator
indicator_name          average_debt\n0  DT.AMT.DLXF.CD  Principal repay
ments on external debt, long-te...  5904868401.499193612\n1  DT.AMT.DPN
G.CD  Principal repayments on external debt, private...  5161194333.8126
58349\n2  DT.DIS.DLXF.CD  Disbursements on external debt, long-term (DI
S...  2152041216.890243888\n3  DT.DIS.OFFT.CD          PPG, official cred
itors (DIS, current US$)  1958983452.859836046\n4  DT.AMT.PRVT.CD
PPG, private creditors (AMT, current US$)  1803694101.963265321\n5  DT.I
NT.DLXF.CD  Interest payments on external debt, long-term ...  164402406
7.650806481\n6  DT.DIS.BLAT.CD          PPG, bilateral (DIS, cur
rent US$)  1223139290.398230108\n7  DT.INT.DPNG.CD  Interest payments on
external debt, private no...  1220410844.421518983\n8  DT.AMT.OFFT.CD
PPG, official creditors (AMT, current US$)  1191187963.083064523\n9  DT.
AMT.PBND.CD          PPG, bonds (AMT, current US$)  10826239
47.653623188'
    try:
        assert last_output.DataFrame().to_string() == correct_result_str
ing
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of th
e code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please re
view the instructions and check the hint if necessary."
```

Out[13]: 1/1 tests passed

## 7. The highest amount of principal repayments

We can see that the indicator `DT.AMT.DLXF.CD` tops the chart of average debt. This category includes repayment of long term debts. Countries take on long-term debt to acquire immediate capital. More information about this category can be found [here \(https://datacatalog.worldbank.org/principal-repayments-external-debt-long-term-amt-current-us-0\)](https://datacatalog.worldbank.org/principal-repayments-external-debt-long-term-amt-current-us-0).

An interesting observation in the above finding is that there is a huge difference in the amounts of the indicators after the second one. This indicates that the first two indicators might be the most severe categories in which the countries owe their debts.

We can investigate this a bit more so as to find out which country owes the highest amount of debt in the category of long term debts ( `DT.AMT.DLXF.CD` ). Since not all the countries suffer from the same kind of economic disturbances, this finding will allow us to understand that particular country's economic condition a bit more specifically.

```
In [14]: %%sql
SELECT
    country_name,
    indicator_name
FROM international_debt
WHERE debt = (SELECT
                MAX((debt))
                FROM international_debt
                WHERE indicator_code = 'DT.AMT.DLXF.CD');
```

\* postgresql:///international\_debt  
1 rows affected.

```
Out[14]: country_name          indicator_name
          China  Principal repayments on external debt, long-term (AMT, current US$)
```

```
In [15]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '  country_name
indicator_name\n0          China  Principal repayments on external debt, l
ong-te...'
    try:
        assert last_output.DataFrame().to_string() == correct_result_str
ing
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of th
e code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please re
view the instructions and check the hint if necessary."
```

```
Out[15]: 1/1 tests passed
```

## 8. The most common debt indicator

China has the highest amount of debt in the long-term debt ( DT.AMT.DLXF.CD ) category. This is verified by [The World Bank \(https://data.worldbank.org/indicator/DT.AMT.DLXF.CD?end=2018&most\\_recent\\_value\\_desc=true\)](https://data.worldbank.org/indicator/DT.AMT.DLXF.CD?end=2018&most_recent_value_desc=true). It is often a good idea to verify our analyses like this since it validates that our investigations are correct.

We saw that long-term debt is the topmost category when it comes to the average amount of debt. But is it the most common indicator in which the countries owe their debt? Let's find that out.

```
In [16]: %%sql
SELECT
    indicator_code,
    COUNT(indicator_code) AS indicator_count
FROM international_debt
GROUP BY indicator_code
ORDER BY indicator_count DESC, indicator_code DESC
LIMIT 20;
```

```
* postgresql:///international_debt
20 rows affected.
```

```
Out[16]:
```

indicator_code	indicator_count
DT.INT.OFFT.CD	124
DT.INT.MLAT.CD	124
DT.INT.DLXF.CD	124
DT.AMT.OFFT.CD	124
DT.AMT.MLAT.CD	124
DT.AMT.DLXF.CD	124
DT.DIS.DLXF.CD	123
DT.INT.BLAT.CD	122
DT.DIS.OFFT.CD	122
DT.AMT.BLAT.CD	122
DT.DIS.MLAT.CD	120
DT.DIS.BLAT.CD	113
DT.INT.PRVT.CD	98
DT.AMT.PRVT.CD	98
DT.INT.PCBK.CD	84
DT.AMT.PCBK.CD	84
DT.INT.DPNG.CD	79
DT.AMT.DPNG.CD	79
DT.INT.PBND.CD	69
DT.AMT.PBND.CD	69

```
In [17]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '
indicator_code  indicator_count\n0    D
T.INT.OFFT.CD      124\n1    DT.INT.MLAT.CD      124\n2
DT.INT.DLXF.CD      124\n3    DT.AMT.OFFT.CD      124\n4
DT.AMT.MLAT.CD      124\n5    DT.AMT.DLXF.CD      124\n6
DT.DIS.DLXF.CD      123\n7    DT.INT.BLAT.CD      122\n8
DT.DIS.OFFT.CD      122\n9    DT.AMT.BLAT.CD      122\n10
DT.DIS.MLAT.CD      120\n11   DT.DIS.BLAT.CD      113\n12
DT.INT.PRVT.CD      98\n13    DT.AMT.PRVT.CD      98\n14
DT.INT.PCBK.CD      84\n15    DT.AMT.PCBK.CD      84\n16
DT.INT.DPNG.CD      79\n17    DT.AMT.DPNG.CD      79\n18
DT.INT.PBND.CD      69\n19    DT.AMT.PBND.CD      69'
    try:
        assert last_output.DataFrame().to_string() == correct_result_string
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of the code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please review the instructions and check the hint if necessary."
```

Out[17]: 1/1 tests passed

## 9. Other viable debt issues and conclusion

There are a total of six debt indicators in which all the countries listed in our dataset have taken debt. The indicator `DT.AMT.DLXF.CD` is also there in the list. So, this gives us a clue that all these countries are suffering from a common economic issue. But that is not the end of the story, but just a part of the story.

Let's change tracks from `debt_indicators` now and focus on the amount of debt again. Let's find out the maximum amount of debt for an indicator that each country has. With this, we will be in a position to identify the other plausible economic issues a country might be going through.

In this notebook, we took a look at debt owed by countries across the globe. We extracted a few summary statistics from the data and unraveled some interesting facts and figures. We also validated our findings to make sure the investigations are correct.

```
In [18]: %%sql
SELECT
    country_name,
    MAX(debt) AS maximum_debt
FROM international_debt
GROUP BY country_name
ORDER BY maximum_debt DESC
LIMIT 10;
```

```
* postgresql:///international_debt
10 rows affected.
```

Out[18]:

	country_name	maximum_debt
	China	96218620835.699996948
	Brazil	90041840304.100006104
	Russian Federation	66589761833.5
	Turkey	51555031005.800003052
	South Asia	48756295898.199996948
	Least developed countries: UN classification	40160766261.599998474
	IDA only	34531188113.199996948
	India	31923507000.799999237
	Indonesia	30916112653.799999237
	Kazakhstan	27482093686.400001526

```
In [19]: %%nose
# %%nose needs to be included at the beginning of every @tests cell

last_output = _

def test_output():
    correct_result_string = '
name          maximum_debt\n0          C
hina  96218620835.699996948\n1          Br
azil  90041840304.100006104\n2          Russian Federa
tion          66589761833.5\n3          Tu
rkey  51555031005.800003052\n4          South
Asia  48756295898.199996948\n5  Least developed countries: UN classific
ation  40160766261.599998474\n6          IDA
only  34531188113.199996948\n7          I
ndia  31923507000.799999237\n8          Indon
esia  30916112653.799999237\n9          Kazakh
stan  27482093686.400001526'
    try:
        assert last_output.DataFrame().to_string() == correct_result_str
ing
    except AttributeError:
        assert False, "Please ensure a SQL ResultSet is the output of th
e code cell."
    except AssertionError:
        assert False, "The results of the query are incorrect. Please re
view the instructions and check the hint if necessary."
```

Out[19]: 1/1 tests passed