

TARGET DATABASES

[Previous](#) [Next](#) [Top](#)


Database 	Used 	Matched 
down_I2_meme.txt	10	3

MATCHES TO CAMAMAMAMA (MEME-2)

[Previous](#) [Next](#) [Top](#)

Summary 	
Name	TGTGTGTGTG (MEME-1)
Database	down_I2_meme.txt
p-value	2.70e-05
E-value	2.70e-04
q-value	5.40e-04
Overlap	10
Offset	0
Orientation	Reverse Complement
Show logo download options	


Optimal Alignment 



The figure displays two sequence logos. The top logo represents the sequence TGTGTGTGTG (MEME-1) with positions 1 through 10. The bottom logo shows the optimal alignment to the sequence CAMAMAMAMA, also with positions 1 through 10. The y-axis for both logos is labeled 'bits' and ranges from 0 to 2. Arrows on the right side of the logos indicate alignment shifts: a vertical arrow for the top logo, a double arrow for the bottom logo, and a vertical arrow for the alignment offset.

Summary 	
Name	TTTTGT (MEME-4)
Database	down_I2_meme.txt
p-value	1.34e-04
E-value	1.34e-03
q-value	1.34e-03
Overlap	9
Offset	-1
Orientation	Reverse

Optimal Alignment 




The figure displays two sequence logos. The top logo represents the sequence TTTTGT (MEME-4) with positions 1 through 10. The bottom logo shows the optimal alignment to the sequence CAMAMAMAMA, also with positions 1 through 10. The y-axis for both logos is labeled 'bits' and ranges from 0 to 2. Arrows on the right side of the logos indicate alignment shifts: a vertical arrow for the top logo, a double arrow for the bottom logo, and a vertical arrow for the alignment offset.

E-value 1.34e-03
q-value 1.34e-03

Overlap 9
Offset -1
Orientation Reverse
 Complement

[Show logo download options](#)



MATCHES TO RAGTTCCAGG (MEME-5)

[Previous](#) [Next](#) [Top](#)

Summary ?


Name TBCTGGRAYT
 (MEME-9)
Database down_I2_meme.txt

p-value 1.39e-04
E-value 1.39e-03
q-value 2.78e-03

Overlap 9
Offset -1
Orientation Reverse
 Complement

[Show logo download options](#)

Optimal Alignment ?



SETTINGS

[Previous](#) [Next](#) [Top](#)

Alphabet

Source: the query file

Name 	Bg. 				Bg. 	Name 
Adenine	0.275	A	~	T	0.275	Thymine
Cytosine	0.225	C	~	G	0.225	Guanine

Other Settings

Strand Handling	Motifs may be reverse complemented before comparison to find a better match.
Distance Measure	Pearson correlation coefficient
Match Threshold	Matches must have a <i>E</i> -value of 0.01 or smaller.

[Previous](#) [Top](#)

Tomtom version

5.5.9 (Release date: Fri Nov 21 15:33:51 2025 -0800)

Reference

Shobhit Gupta, JA Stamatoyannopolous, Timothy Bailey and William Stafford Noble, "Quantifying similarity between motifs", *Genome Biology*, 8(2):R24, 2007. [\[full text\]](#)

Command line

```
tomtom -no-ssc -oc . -verbosity 1 -min-overlap 5 -dist pearson -evaluate -thresh 0.01
```

Result calculation took 0.091 seconds