



**REQUEST FOR PRICE QUOTATION**

|             |       |        |                  |
|-------------|-------|--------|------------------|
| Supplier    | _____ | Date:  | <b>11-May-23</b> |
| Address     | _____ | RPQ# : | <b>23-05-033</b> |
| Telefax no. | _____ |        |                  |

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than May 14, 2023 in a sealed envelope bearing the name & address of the supplier, indicating the Price Quotation No. 23-05-033 and send to Engr. PETER AL R. FUDALAN, Chairman, BCWD-BAC , Butuan City Water District, Gov. Jose A.Rosales Avenue, Butuan City.

(sgd) Engr. PETER AL R. FUDALAN  
Chairman, BCWD-BAC

- NOTE :**
- ALL ENTRIES MUST BE TYPEWRITTEN / HANDWRITTEN
  - DELIVERY/COMPLETION PERIOD WITHIN \_\_\_\_ CALENDAR DAYS
  - WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
  - PRICE VALIDITY SHALL BE FOR A PERIOD OF 30 CALENDAR DAYS
  - PhilGEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
  - BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION OF THE PRODUCTS BEING OFFERED
  - FOR SMALL VALUE PROCUREMENT WITH ABCs ABOVE P500,000.00, MUST BE ATTACHED WITH INCOME/BUSINESS TAX RETURN AND OMNIBUS SWORN STATEMENT
  - PARTIAL BIDS ARE ALLOWED. ALL BIDS RECEIVED FOR EACH LINE ITEM SHALL NOT EXCEED THE BUDGET ALLOCATED THEREOF.

| ITEM NO. | ITEM & DESCRIPTION  | QTY. | UNIT | UNIT PRICE |
|----------|---|------|------|------------|
| 1        | Alcohol 70%   | 20   | bot  |            |
| 2        | Paper hand towels   | 4    | pc   |            |
| 3        | disinfectant spray  | 4    | bot  |            |
| 4        | 3A batteries  | 80   | pc   |            |
| 5        | 2A batteries  | 80   | pc   |            |
| 6        | Plastic cellophane  | 4    | pks  |            |
| 7        | Tissue paper  | 100  | roll |            |
| 8        | Denatured alcohol   | 10   | bot  |            |
| 9        | Lighter with handle   | 8    | pc   |            |
| 10       | cotton  | 4    | pk   |            |
| 11       | Eyedrops anti-bacterial                                     | 1    | pc   |            |
| 12       | Band aide   | 25   | pc   |            |
| 13       | Betadine  | 1    | bot  |            |
| 14       | SPADNS 2 Fluoride reagent 10mL hach cat#2947549             | 2    | bot  |            |
| 15       | Sulfaver Sulfate reagent 25mL hach cat# 12065-99            | 1    | pk   |            |
| 16       | Ferrous Iron reagent 25mL hach cat# 103769                  | 2    | pk   |            |
| 17       | pH electrode solution                                       | 1    | bot  |            |
| 18       | pH buffer 7.00  | 1    | bot  |            |
| 19       | pH buffer 4.00  | 1    | bot  |            |
| 20       | ammonium chloride, analytical grade                         | 1    | bot  |            |
| 21       | Ferrous ammonium sulfate, hexahydrate                       | 1    | bot  |            |
| 22       | fluoride standard solution 1mg/L hach cat 29149, 500mL      | 1    | bot  |            |
| 23       | Sulfate std. solution, 1000mg/L as Sulfate hach cat 2175749 | 1    | bot  |            |
| 24       | StablCal Turbidity Standards Calibration kit 0-1000NTU      | 1    | kit  |            |
| 25       | EDTA 0.02N-0.1N Standard                                    | 2    | gal  |            |
| 26       | Brilliant green bile lactose                                | 1    | bot  |            |
| 27       | EC Medium   | 1    | bot  |            |
| 28       | Lauryl Sulfate Broth (granulated)                           | 5    | bot  |            |
| 29       | Gas Chlorine, 68kg purity at >99.% Cl2                      | 20   | cyl  |            |
| 30       | Gas Chlorine Tonner (1000kg) purity at >99.% Cl2            | 2    | cyl  |            |
| 31       | Sodium Hypochlorite purity at 7.0-8.0%                      | 5    | drum |            |
|          | ***nothing follows***                                       |      |      |            |

|  |  |
|--|--|
| <b>ATTACHED:</b>   |  |
| <input type="checkbox"/> Mayor's/Business Permit   |  |
| <input type="checkbox"/> BIR Certificate of Registration   |  |
| <input type="checkbox"/> DTI/SEC Certificate   |  |
| <input type="checkbox"/> PhilGEPS Certificate  |  |
| <input checked="" type="checkbox"/> ABC: PhP 462,653.00  |  |
| <input checked="" type="checkbox"/> TAX Inclusive  |  |
| <input checked="" type="checkbox"/> Total Price: FOB BCWD PUMP STATION 1 ALVIOLA VILLAGE BUTUAN CITY |  |

**NOTE:** The Butuan City Water District reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

|                 |   |       |
|-----------------|---|-------|
| Brand and Model | : | _____ |
| Delivery Period | : | _____ |
| Warranty        | : | _____ |
| Price Validity  | : | _____ |
| Payment Term    | : | _____ |

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

Note: This is to certify that the **REQUEST FOR PRICE QUOTATION** for the procurement of **LABORATORY SUPPLIES & REAGENTS** for Butuan City Water District is posted for the period of three (3) days or **from May 12-14, 2023 @ PhilGEPS Website** and in the premises of Butuan City Water District.

Print Name over Signature

Tel. No. / Cellphone No.

Date

(sgd) JOSEPH Y. TAN  
BAC SECRETARIA



