## EDA

#### Ana Baciero

### 20/4/2021

#### Data sets:

#### Experiment 1


```
E1 <- exp1 data to include %>%
    select(participant, TrialID, StimulusType, Condition, PrimeDuration, Prime, Target,
        corr, rt) %>%
   mutate(participant = factor(participant), TrialID = factor(TrialID))
head(E1)
## # A tibble: 6 x 9
                    TrialID StimulusType Condition PrimeDuration Prime Target corr
     participant
                            <fct>
                                          <fct>
                                                    <fct>
     <fct>
                    <fct>
                                                                  <chr> <chr> <int>
## 1 5755c957eb80c~ 229
                            Word
                                          Unrelated 33 ms
                                                                  frin~ MOTHER
                                                                  wear~ WEAROX
## 2 5755c957eb80c~ 400
                            Nonword
                                          Identical 50 ms
                                                                                    1
## 3 5755c957eb80c~ 103
                            Word
                                          Identical 33 ms
                                                                  boun~ BOUNCE
                                                                                    1
## 4 5755c957eb80c~ 324
                                          Identical 33 ms
                                                                  stei~ STEIKH
                            Nonword
                                                                                    1
## 5 5755c957eb80c~ 183
                            Word
                                          Unrelated 33 ms
                                                                  slea~ MILDEW
                                                                                    1
## 6 5755c957eb80c~ 66
                                          Identical 33 ms
                                                                  gosp~ GOSPEL
                            Word
                                                                                    1
## # ... with 1 more variable: rt <dbl>
```

```
E2 <- exp2_data_to_include %>%
    select(participant, TrialID, StimulusType, Condition, PrimeDuration, Prime, Target,
        corr, rt) %>%
    mutate(participant = factor(participant), TrialID = factor(TrialID))
head(E2)
```


```
## # A tibble: 6 x 9
     participant
                    TrialID StimulusType Condition PrimeDuration Prime Target corr
                             <fct>
                                          <fct>
     <fct>
                    <fct>
                                                    <fct>
                                                                   <chr> <chr> <int>
                                          Unrelated 33 ms
                                                                   tond~ SCOUGE
## 1 55b75944fdf99~ 454
                            Nonword
                                                                                    1
                                          Unrelated 16 ms
## 2 55b75944fdf99~ 277
                            Nonword
                                                                  unig~ PETAIN
                                                                                    1
## 3 55b75944fdf99~ 181
                            Word
                                          Unrelated 33 ms
                                                                  wint~ GLANCE
                                                                                    1
## 4 55b75944fdf99~ 35
                            Word
                                          Unrelated 16 ms
                                                                  vani~ SOCKET
                                                                                    0
## 5 55b75944fdf99~ 263
                                          Unrelated 16 ms
                                                                  vack~ DOLICA
                            Nonword
                                                                                   -1
## 6 55b75944fdf99~ 200
                                          Unrelated 33 ms
                                                                  admi~ BEACON
                                                                                    1
                            Word
## # ... with 1 more variable: rt <dbl>
```

### **Delta Plots**

```
quibble \leftarrow function(x, q = seq(.1, .9, .2)) {
 tibble(x = quantile(x, q), q = q)
E1 %>%
  group_by(participant, StimulusType, Condition, PrimeDuration,corr) %>%
  summarise(RT = list(quibble(rt, seq(.1, .9, .2)))) %>%
  tidyr::unnest(RT) -> data.E1.quantiles
data.E1.quantiles %>%
  filter(corr==1) %>%
  select(-corr) %>%
  group_by(StimulusType,PrimeDuration,Condition,q) %>%
  summarize(RT=mean(x))%>%
  ungroup()-> vincentiles.E1
#Priming Effect (unrelated - identity):
vincentiles.E1 %>%
  arrange(desc(Condition))%>%
  group_by(StimulusType,PrimeDuration,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ungroup()%>%
ggplot(aes(y=Delta, x=MRT)) +
  geom_line()+
  geom_point()+
  ylim(-60, +60) +
  xlim(450, 950) +
  xlab("Mean RT per quantile")+
  ylab("Priming effect (delta)")+
  ggtitle("Experiment 1")+
  facet_wrap(~StimulusType + PrimeDuration)+
  theme_minimal()-> DeltaE1.PrimingEffect
DeltaE1.PrimingEffect
```



```
#Prime Duration Effect (33ms - 50 ms):
vincentiles.E1 %>%
  group_by(StimulusType,Condition,q) %>%
 summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
ggplot(aes(y=Delta, x=MRT)) +
  geom_line()+
  geom_point()+
  ylim(-60, +60) +
  xlim(450, 950) +
  xlab("Mean RT per quantile")+
  ylab("Prime duration effect (delta)")+
  ggtitle("Experiment 1")+
  facet_wrap(~StimulusType + Condition)+
  theme_minimal()-> DeltaE1.PrimeDurationEffect
DeltaE1.PrimeDurationEffect
```




```
#Priming Effect (unrelated - identity):
vincentiles.E1 %>%
  filter(StimulusType == "Word")%>%
  arrange(desc(Condition))%>%
  group_by(PrimeDuration,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ungroup()%>%
ggplot(aes(y=Delta, x=MRT)) +
  geom_line(size = .75) +
  geom_point(size = 2)+
  geom_hline(yintercept = 0, color = "darkmagenta", alpha = .25)+
 ylim(-60, +60) +
  xlim(450, 850) +
  xlab("Mean RT per quantile")+
  ylab("Effect (in ms)")+
  ggtitle("Priming Effect")+
  facet_wrap(~PrimeDuration)+
  theme_minimal()+
  theme(plot.title = element_text(size = 12),
        axis.text=element_text(size=10),
        axis.title=element_text(size=10))-> DeltaE1.PrimingEffect.W
```


```
#Prime Duration Effect (33ms - 50 ms):
vincentiles.E1 %>%
 filter(StimulusType == "Word")%>%
  group_by(Condition,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ggplot(aes(y=Delta, x=MRT)) +
  geom_line(size = .75) +
  geom_point(size = 2)+
  geom_hline(yintercept = 0, color = "darkmagenta", alpha = .25)+
 ylim(-60, +60) +
 xlim(450, 850) +
 xlab("Mean RT per quantile")+
  ylab("Effect (in ms)")+
 ggtitle("Prime duration effect")+
  facet_wrap(~ Condition)+
  theme_minimal()+
  theme(plot.title = element_text(size = 12),
       axis.text=element_text(size=10),
       axis.title=element_text(size=10))-> DeltaE1.PrimeDurationEffect.W
#pdf("Fig_deltasE1.pdf", height = 5)
cowplot::plot_grid(DeltaE1.PrimingEffect.W,
                   DeltaE1.PrimeDurationEffect.W,
                   ncol = 1,
                   labels = c("A", "B"))+
 plot_annotation(title = "Experiment 1: 33 vs. 50 ms",
                  theme = theme(plot.title = element_text(size = 14)))
```

## Experiment 1: 33 vs. 50 ms

## A Priming Effect




#### **B** Prime duration effect




#### #dev.off()

```
E2 %>%
  group_by(participant, StimulusType, Condition, PrimeDuration,corr) %>%
  summarise(RT = list(quibble(rt, seq(.1, .9, .2)))) %>%
  tidyr::unnest(RT) -> data.E2.quantiles
data.E2.quantiles %>%
  filter(corr==1) %>%
  select(-corr) %>%
  group_by(StimulusType,PrimeDuration,Condition,q) %>%
  summarize(RT=mean(x))%>%
  ungroup()-> vincentiles.E2
#Priming Effect (unrelated - identity):
vincentiles.E2 %>%
  arrange(desc(Condition))%>%
  group_by(StimulusType,PrimeDuration,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ungroup()%>%
ggplot(aes(y=Delta, x=MRT)) +
  geom_line()+
  geom_point()+
```

```
ylim(-60, +60)+
xlim(450, 950)+
xlab("Mean RT per quantile")+
ylab("Priming effect (delta)")+
ggtitle("Experiment 2")+
facet_wrap(~StimulusType + PrimeDuration)+
theme_minimal() -> DeltaE2.PrimingEffect
DeltaE2.PrimingEffect
```






```
#Priming Effect (unrelated - identity):
vincentiles.E2 %>%
  filter(StimulusType == "Word")%>%
  arrange(desc(Condition))%>%
  group_by(PrimeDuration,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ungroup()%>%
ggplot(aes(y=Delta, x=MRT)) +
  geom_line(size = .75) +
  geom_point(size = 2)+
  geom_hline(yintercept = 0, color = "darkmagenta", alpha = .25)+
  ylim(-60, +60) +
 xlim(450, 850) +
  xlab("Mean RT per quantile")+
  ylab("Effect (in ms)")+
  ggtitle("Priming Effect")+
  facet_wrap(~PrimeDuration)+
  theme_minimal()+
  theme(plot.title = element_text(size = 12),
       axis.text=element_text(size=10),
        axis.title=element_text(size=10))-> DeltaE2.PrimingEffect.W
```


```
#Prime Duration Effect (16ms - 33 ms):
vincentiles.E2 %>%
 filter(StimulusType == "Word")%>%
  group_by(Condition,q) %>%
  summarize(MRT=mean(RT),
            Delta=diff(rev(RT)))%>%
  ggplot(aes(y=Delta, x=MRT)) +
  geom_line(size = .75) +
  geom_point(size = 2)+
  geom_hline(yintercept = 0, color = "darkmagenta", alpha = .25)+
 ylim(-60, +60) +
 xlim(450, 850) +
 xlab("Mean RT per quantile")+
  ylab("Effect (in ms)")+
 ggtitle("Prime duration effect")+
  facet_wrap(~ Condition)+
  theme_minimal()+
  theme(plot.title = element_text(size = 12),
        axis.text=element_text(size=10),
       axis.title=element_text(size=10))-> DeltaE2.PrimeDurationEffect.W
\#pdf("Fig\_deltasE2.pdf", height = 5)
cowplot::plot_grid(DeltaE2.PrimingEffect.W,
                   DeltaE2.PrimeDurationEffect.W,
                   ncol = 1,
                   labels = c("A", "B"))+
 plot_annotation(title = "Experiment 2: 16 vs. 33 ms",
                  theme = theme(plot.title = element_text(size = 14)))
```

# Experiment 2: 16 vs. 33 ms

## A Priming Effect




## **B** Prime duration effect



## CAF


```
E1 %>%
  group_by(participant, StimulusType, Condition, PrimeDuration) %>%
  mutate(Quantile = cut_number(rt, n = 10, labels = c(1,1,2,2,3,3,4,4,5,5))) %%
  ungroup() %>%
  group_by(participant, StimulusType, Condition, PrimeDuration, Quantile) %>%
  summarize(Macc=mean(corr),
           Mrt=mean(rt)) %>%
  ungroup() -> data.caf.E1
data.caf.E1 %>%
  filter(StimulusType=="Word")%>%
  group_by(Condition, PrimeDuration, Quantile) %>%
    summarize(Macc2=mean(Macc),
            Mrt2=mean(Mrt)) %>%
  ggplot(aes(x=Mrt2, y=Macc2, )) +
geom_line(alpha=.3, size=1.2) +
  geom_point()+
  ylim(0.5, 1) +
  xlim(450, 1000) +
  facet_wrap(~PrimeDuration+Condition)+
  ggtitle("Accuracy as a function of RT in Experiment 1. Word data")+
  theme_minimal()+
  xlab("RT")+
  ylab("Accuracy") -> CAF.E1.W
CAF.E1.W
```

## Accuracy as a function of RT in Experiment 1. Word data




```
data.caf.E1 %>%
  filter(StimulusType=="Nonword")%>%
  group_by(Condition, PrimeDuration, Quantile) %>%
    summarize(Macc2=mean(Macc),
            Mrt2=mean(Mrt)) %>%
  ggplot(aes(x=Mrt2, y=Macc2, )) +
  geom_line(alpha=.3, size=1.2) +
  geom_point()+
  ylim(0.5, 1) +
  xlim(450, 1000) +
  facet_wrap(~PrimeDuration+Condition)+
  ggtitle("Accuracy as a function of RT in Experiment 1. Nonword data")+
  theme_minimal()+
  xlab("RT")+
  ylab("Accuracy") -> CAF.E1.NW
CAF.E1.NW
```

## Accuracy as a function of RT in Experiment 1. Nonword data



```
E2 %>%
  group_by(participant, StimulusType, Condition, PrimeDuration) %>%
  mutate(Quantile = cut_number(rt, n = 10, labels = c(1,1,2,2,3,3,4,4,5,5))) %%
  ungroup() %>%
  group_by(participant, StimulusType, Condition, PrimeDuration, Quantile) %>%
  summarize(Macc=mean(corr),
            Mrt=mean(rt)) %>%
  ungroup() -> data.caf.E2
data.caf.E2 %>%
  filter(StimulusType=="Word")%>%
  group_by(Condition, PrimeDuration, Quantile) %>%
    summarize(Macc2=mean(Macc),
            Mrt2=mean(Mrt)) %>%
  ggplot(aes(x=Mrt2, y=Macc2, )) +
geom_line(alpha=.3, size=1.2) +
  geom point()+
  ylim(0.5, 1) +
  xlim(450, 1000) +
  facet_wrap(~PrimeDuration+Condition)+
  ggtitle("Accuracy as a function of RT in Experiment 2. Word data")+
  theme_minimal()+
  xlab("RT")+
  ylab("Accuracy") -> CAF.E2.W
```

## Accuracy as a function of RT in Experiment 2. Word data



```
data.caf.E2 %>%
  filter(StimulusType=="Nonword")%>%
  group_by(Condition, PrimeDuration, Quantile) %>%
    summarize(Macc2=mean(Macc),
            Mrt2=mean(Mrt)) %>%
  ggplot(aes(x=Mrt2, y=Macc2, )) +
  geom_line(alpha=.3, size=1.2) +
  geom_point()+
  ylim(0.5, 1)+
  xlim(450, 1000) +
  facet wrap(~PrimeDuration+Condition)+
  ggtitle("Accuracy as a function of RT in Experiment 2. Nonword data")+
  theme_minimal()+
  xlab("RT")+
  ylab("Accuracy") -> CAF.E2.NW
CAF.E2.NW
```

# Accuracy as a function of RT in Experiment 2. Nonword data

