

1. Total number of people (employees) that exist

	ID_EMPLOYEE	FIRST_NAME	SECOND_NAME	FIRST_LASTNAME	SECOND_LASTNAME	SALARY	BIRTHDATE
1	1	Diego	Josue	Mora	Araya	2000	23-MAR-02
2	2	Elena	Maria	Diaz	Mora	2780	02-MAR-04
3	3	Amanda	Sol	Diaz	Mora	2999	04-MAR-90
4	4	Amilcar	Naranjo	Sans	Alcazar	8400	13-JUL-93
5	5	betsy	Soledad	Dominguez	Roman	3000	20-NOV-01
6	6	Arcelia	Rosado	Gibert	Roman	840	17-AUG-02
7	7	Pili	Casado	Torre	Roman	2000	10-FEB-05
8	8	Segismundo	Mesa	Amores	Torres	9900	11-NOV-97
9	9	Brandon	Reyes	Campillo	Torres	4500	14-SEP-03
10	10	Cesar	Gisbert	Galiano	Artavia	4560	19-APR-00
11	11	Benita	Hidalgo	Sola	Artavia	9500	14-SEP-00
12	12	Placido	Escamilla	Baro	Cisnero	3450	08-AUG-05
13	13	Angelica	Maria	Ledesma	Cisnero	5000	19-MAR-02
14	14	Efrain	Barranco	Arnal	Baro	1000	13-MAR-02
15	15	Aaron	Escamilla	Bou	Cisnero	895	14-MAR-05
16	16	Ceferino	Maria	Naranjo	Escamilla	21000	24-OCT-02
17	17	Arsenio	Jose	Angel	Huguet	345000	12-MAY-09
18	18	Lidia	Valles	Anglada	Cisnero	19000	10-MAR-05
19	19	Fidel	Zamora	Casanovas	Escamilla	1780	13-MAR-05
20	20	David	Josue	Centeno	Araya	20000	13-MAR-05

The screenshot displays the Oracle SQL Developer environment. The title bar indicates the user is 'david' and the current script is '1_Conult_the_total_number_of_people.sql'. The interface is divided into several panes:

- Connections:** A tree view on the left showing 'Oracle Connections' with a list of databases (ad, ge, se) and their associated schemas (Tables, Views, Indexes, Packages, Procedures, Functions, Operators, Queues, Queues Tables, Triggers, Types, Sequences, Materialized Views, Materialized View Logs, Synonyms, Public Synonyms, Database Links, Public Database Links, Directories, Editions, Application Express, Java, XML Schemas, XML DB Repository, Scheduler, Property Graph, Recycle Bin, Other Users, system).
- SQL Worksheet:** The main area on the right contains a SQL script. The script uses the `VALUES` clause to insert data into the `employee` table. It includes comments like `--15`, `--16`, `--17`, `--18`, `--19`, and `--20` corresponding to each `INSERT` statement. The script concludes with a `SELECT COUNT(1) FROM employee;` query.
- Query Result:** A pane at the bottom right shows the output of the executed query. It displays a single row with the value `20` under the column `COUNT(1)`.

The status bar at the bottom indicates 'All Rows Fetched: 1 in 0.062 seconds'.

2. People whose names begin with the letter B

Oracle SQL Developer : C:\Users\david\scripts2\2_names_starting_with_the_letter_B.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - ad
 - ge
 - se
 - Tables (Filtered)
 - EMPLOYEE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
 - system
- Database Schema Service Connections

Reports

2_names_starting_with_the_letter_B.sql

EMPLOYEE

SQL Worksheet History

Worksheet Query Builder


```
SELECT first_name
FROM employee
WHERE first_name LIKE 'B%';
```

Query Result

All Rows Fetched: 2 in 0.029 seconds

	FIRST_NAME
1	Brandon
2	Benita

3. People whose names begin with the letter b



4. Total phone numbers per person

Oracle SQL Developer : Table SE.PHONE@se

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - PHONE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- system

Database Schema Service Connections

Reports

PHONE

4_total_number_of_phones_per_person.sql

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies

Sort.. Filter:

	ID_PHONE	PHONE_NUMBER	ID_TYPE
1	1	89764532	2
2	2	85213022	2
3	3	82454510	2
4	4	65767070	3
5	5	60904532	3
6	6	80809922	2
7	7	22780909	1
8	8	22987867	1
9	9	22900867	1
10	10	80876922	2
11	11	80876922	2
12	12	40076922	3
13	13	60876952	2
14	14	70876902	2
15	15	60876911	2
16	16	20871122	3
17	17	20116922	3
18	18	80556922	2
19	19	81176922	2
20	20	20833922	1
21	23	23872922	1
22	24	20876922	1
23	25	20676922	3
24	26	80876922	2
25	27	40876922	3
26	21	80876944	3
27	22	27087692	1

Oracle SQL Developer : Table SE.PHONEXEMPLOYEE@se

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - PHONE
 - PHONEXEMPLOYEE
 - ID_PHONEXEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- system

Database Schema Service Connections

Reports

PHONEXEMPLOYEE

4_total_number_of_phones_per_person.sql

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies Details Partitions Indexes SQL

	ID_PHONEXEMPLOYEE	ID_PHONE	ID_EMPLOYEE
1	1	2	11
2	2	8	11
3	3	1	1
4	4	3	2
5	5	4	3
6	6	5	4
7	7	6	5
8	8	7	6
9	9	10	7
10	10	11	8
11	11	12	9
12	12	13	12
13	13	14	13
14	14	15	14
15	15	16	15
16	16	17	16
17	17	18	17
18	18	19	18
19	19	20	19
20	20	21	20
21	21	22	11
22	22	17	3
23	23	17	1
24	24	23	19
25	25	23	18
26	26	23	14

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - PHONE
 - PHONEXEMPLOYEE
 - ID_PHONEXEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types

Reports

TYPE

4_total_number_of_phones_per_person.sql

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies Details Partitions Indexes SQL

ID_TYPE	NAME
1	HOME
2	CELLULAR_PHONE
3	OFFICE
4	OTHER

Oracle SQL Developer: C:\Users\david\scripts2\4_total_number_of_phones_per_person.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - PHONE
 - PHONEXEMPLOYEE
 - ID_PHONEXEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Database Links
- Public Database Links
- Directories
- Editions
- Application Express
- Java
- XML Schemas
- XML DB Repository
- Scheduler
- Property Graph
- Recycle Bin
- Other Users
- system
- Database Schema Service Connections

Reports

TYPE

4_total_number_of_phones_per_person.sql

SQL Worksheet History

Worksheet Query Builder

```

SELECT e.id_employee, e.first_name, COUNT(pxe.id_phonexemployee) AS count_phones
FROM employee e
INNER JOIN phonexemployee pxe
ON e.id_employee = pxe.id_employee
GROUP BY e.id_employee, e.first_name;

```

Script Output

Query Result

All Rows Fetched: 19 in 0.078 seconds

ID_EMPLOYEE	FIRST_NAME	COUNT_PHONES
1	3 Amanda	2
2	14 Efrain	2
3	12 Placido	1
4	15 Aaron	1
5	19 Fidel	2
6	11 Benita	3
7	18 Lidia	2
8	8 Segismundo	1
9	9 Brandon	1
10	17 Arsenio	1
11	4 Amilcar	1
12	13 Angelica	1
13	2 Elena	1
14	5 betsy	1
15	6 Arcelia	1
16	7 Pili	1
17	16 Ceferino	1
18	1 Diego	2
19	20 David	1

5. All people who have a phone type 'Home'

Oracle SQL Developer: C:\Users\david\scripts2\5_people_with_home_phone.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - PHONE
 - ID_PHONE
 - PHONE_NUMBER
 - ID_TYPE
 - PHONEXEMPLOYEE
 - ID_PHONEXEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
 - ID_TYPE
 - NAME
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users

Reports

5_people_with_home_phone.sql

PHONEXEMPLOYEE

SQL Worksheet History

Worksheet Query Builder

```

SELECT e.id_employee, e.first_name, e.first_lastname, p.phone_number, p.id_phone
FROM employee e
INNER JOIN phonexemployee px
ON e.id_employee = px.id_employee
INNER JOIN phone p
ON px.id_phone = p.id_phone
INNER JOIN type t
ON p.id_type = t.id_type
WHERE t.name = 'HOME';
  
```

Query Result

All Rows Fetched: 7 in 0.015 seconds

ID_EMPLOYEE	FIRST_NAME	FIRST_LASTNAME	PHONE_NUMBER	ID_PHONE
1	11 Benita	Sola	22987867	8
2	6 Arcelia	Gibert	22780909	7
3	19 Fidel	Casanovas	20833922	20
4	11 Benita	Sola	27087692	22
5	19 Fidel	Casanovas	23872922	23
6	18 Lidia	Anglada	23872922	23
7	14 Efrain	Arnal	23872922	23

6. Everyone who earns less than \$3,000

Oracle SQL Developer: C:\Users\david\scripts2\6_people_who_earn_less_than_3000.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Oracle Connections
 - ad
 - ge
 - se
 - Tables (Filtered)
 - EMPLOYEE
 - ID_PHONE
 - ID_PHONE
 - PHONE_NUMBER
 - ID_TYPE
 - PHONEXEMPLOYEE
 - ID_PHONEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
 - ID_TYPE
 - NAME
 - Views
 - EMPLOYEE_SALARY
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin

Reports

- 10_LIST_PURCHASE_BY_CUSTOMER.sql
- SE_SCHEME.sql
- 6_people_who_earn_less_than_3000.sql
- EMPLOYEE_SALARY

SQL Worksheet History

Worksheet Query Builder

```
CREATE VIEW employee_salary
AS
SELECT id_employee, first_name, first_lastname, salary
FROM employee
WHERE salary < 3000
ORDER BY id_employee;
```

Script Output

Task completed in 0.206 seconds

View EMPLOYEE_SALARY created.

Chat

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - EMPLOYEE
 - ID_PHONE
 - PHONE_NUMBER
 - ID_TYPE
 - PHONE
 - PHONEXEMPLOYEE
 - ID_PHONEXEMPLOYEE
 - ID_PHONE
 - ID_EMPLOYEE
 - TYPE
 - ID_TYPE
 - NAME
 - Views
 - EMPLOYEE_SALARY
 - ID_EMPLOYEE
 - FIRST_NAME
 - FIRST_LASTNAME
 - SALARY
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas

Reports

Columns Data Grants Dependencies Details Triggers SQL Errors

ID_EMPLOYEE	FIRST_NAME	FIRST_LASTNAME	SALARY
1	Diego	Mora	2000
2	Elena	Diaz	2780
3	Amanda	Diaz	2999
4	Arcelia	Gibert	840
5	Pili	Torre	2000
6	Efrain	Arnal	1000
7	Aaron	Bou	895
8	Fidel	Casanovas	1780

7. The top 3 people with the highest salary

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

- Oracle Connections
 - ad
 - Tables (Filtered)
 - Views
 - EMPLOYEE_SALARY
 - ID_EMPLOYEE
 - FIRST_NAME
 - FIRST_LASTNAME
 - SALARY

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

Materialized Views

Materialized View Logs

Synonyms

Public Synonyms

Database Links

Public Database Links

Directories

Editions

Application Express

Java

XML Schemas

XML DB Repository

Scheduler

Property Graph

Recycle Bin

Other Users

system

Database Schema Service Connections

Reports

- 10_LIST_PURCHASE_BY_CUSTOMER.sql
- 7_TOP_3_SALARY.sql

SQL Worksheet: History

Worksheet

Query Builder

```
-- First Query
CREATE VIEW top_3
AS
SELECT rownum AS id,
       first_name || ' ' || first_lastname AS nombre,
       salary
FROM (SELECT first_name, first_lastname, salary
      FROM employee
      ORDER BY salary DESC)
WHERE rownum <= 3;

-- Second Query
CREATE VIEW top_3_2
AS
SELECT first_name || ' ' || first_lastname AS nombre, salary
FROM (
  SELECT first_name, first_lastname, salary, RANK() OVER (ORDER BY salary DESC) AS salary_rank
  FROM employee
)
WHERE salary_rank <= 3;

-- Question
-- The first query uses a subquery as a FROM declaration in which the table of employees is
```

Script Output X

Task completed in 0.072 seconds

Error report -

ORA-00904: "LAST_NAME": invalid identifier

00904. 00000 - "%s: invalid identifier"

*Cause:

*Action:

View TOP_3 created.

View TOP_3_2 created.

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - Views
 - EMPLOYEE_SALARY
 - TOP_3
 - TOP_3_2
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- system

Database Schema Service Connections

Reports

- 10_LIST_PURCHASE_BY_CUSTOMER.sql
- 7_TOP_3_SALARY.sql
- TOP_3

Columns Data Grants Dependencies Details Triggers SQL Errors

Sort.. Filter:

ID	NOMBRE	SALARY
1	1 Arsenio Angel	345000
2	2 Ceferino Naranjo	21000
3	3 David Centeno	20000

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- se
 - Tables (Filtered)
 - Views
 - EMPLOYEE_SALARY
 - TOP_3
 - TOP_3_2
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- system

Database Schema Service Connections

Reports

10_LIST_PURCHASE_BY_CUSTOMER.sql 7_TOP_3_SALARY.sql TOP_3_2

Columns Data Grants Dependencies Details Triggers SQL Errors

Sort.. Filter:

	NOMBRE	SALARY
1	Arsenio Angel	345000
2	Ceferino Naranjo	21000
3	David Centeno	20000

8. See the total number of customers who have purchases

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
- Tables (Filtered)
 - CUSTOMER
 - ID_CUSTOMER
 - ID_PERSON
 - ENTRY_DATE
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - ID_PURCHASE
 - ID_CUSTOMER
 - ENTRY_DATE
 - TYPE
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Database Links
- Public Database Links
- Directories
- Editions
- Application Express
- Java
- XML Schemas
- XML DB Repository
- Scheduler
- Property Graph

Reports

- 6_people_who_earn_less_than_3000.sql
- 8_COUNT_CUSTOMER_WITH_PURCHASE.sql
- PURCHASE

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies Details Partitions Indexes SQL

Sort... Filter:

ID_PURCHASE	ID_CUSTOMER	ENTRY_DATE
1	1	10 22-FEB-23
2	2	2 10-NOV-20
3	3	7 15-DEC-18
4	4	3 01-SEP-22
5	5	15 01-JAN-20
6	6	11 20-JAN-23
7	7	8 22-FEB-23
8	8	8 22-FEB-23
9	9	8 02-MAR-23
10	10	15 01-JAN-22
11	11	11 20-JAN-23
12	12	15 29-JAN-23
13	13	11 20-JAN-23
14	14	11 20-FEB-23
15	15	2 10-NOV-20
16	16	2 10-OCT-21
17	17	2 10-SEP-22
18	18	2 30-JUL-22
19	19	3 01-NOV-22
20	20	3 24-DEC-22
21	21	3 25-DEC-22
22	22	3 31-JAN-23

Oracle SQL Developer: C:\Users\david\scripts2\8_COUNT_CUSTOMER_WITH_PURCHASE.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

ad

ge

Tables (Filtered)

- CUSTOMER
 - ID_CUSTOMER
 - ID_PERSON
 - ENTRY_DATE
- EMPLOYEE
- PERSON
- PHONE
- PHONEXEMPLOYEE
- PRODUCT
- PRODUCTXPURCHASE
- PURCHASE
 - ID_PURCHASE
 - ID_CUSTOMER
 - ENTRY_DATE
- TYPE

Views

Indexes

Packages

Procedures

Functions

Operators

Queues

Queues Tables

Triggers

Types

Sequences

Materialized Views

Materialized View Logs

Synonyms

Public Synonyms

Database Links

Public Database Links

Directories

Editions

Application Express

Java

XML Schemas

XML DB Repository

Scheduler

Property Graph

Reports

6_people_who_earn_less_than_3000.sql

8_COUNT_CUSTOMER_WITH_PURCHASE.sql

PURCHASE

SQL Worksheet History

Worksheet Query Builder

```
SELECT COUNT(DISTINCT id_customer) AS total_customers
FROM purchase;
```

Query Result

SQL All Rows Fetched: 1 in 0.017 seconds

TOTAL_CUSTOMERS	
1	7

9. Query the total number of customers that exist

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
 - Tables (Filtered)
 - CUSTOMER
 - ID_CUSTOMER
 - ID_PERSON
 - ENTRY_DATE
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEXEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- se

Reports

6_people_who_earn_less_than_3000.sql CUSTOMER 9_TOTAL_CUSTOMERS.sql

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies Details Partitions Indexes SQL

	ID_CUSTOMER	ID_PERSON	ENTRY_DATE
1	1	3	15-DEC-15
2	2	5	10-NOV-20
3	3	1	01-SEP-22
4	4	4	01-APR-21
5	5	6	15-JAN-23
6	6	7	28-MAR-19
7	7	8	15-DEC-18
8	8	10	22-FEB-23
9	9	11	30-NOV-17
10	10	15	15-DEC-11
11	11	16	20-OCT-23
12	12	20	30-MAY-22
13	13	18	11-SEP-21
14	14	17	30-AUG-22
15	15	19	01-JAN-20

Oracle SQL Developer : C:\Users\david\scripts2\9_TOTAL_CUSTOMERS.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
 - Tables (Filtered)
 - CUSTOMER
 - ID_CUSTOMER
 - ID_PERSON
 - ENTRY_DATE
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEXEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- se

Reports

- 6_people_who_earn_less_than_3000.sql
- CUSTOMER
- 9_TOTAL_CUSTOMERS.sql

SQL Worksheet History

Worksheet Query Builder

```
SELECT COUNT(1) AS TOTAL_CUSTOMERS
FROM customer;
```

Query Result

All Rows Fetched: 1 in 0.044 seconds

TOTAL_CUSTOMERS
15

10. List of products purchased by a customer grouped by customer

Oracle SQL Developer : CAUsers\david\scripts2\10_LIST_PURCHASE_BY_CUSTOMER.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

- ad
 - ge
 - Tables (Filtered)
 - CUSTOMER
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEXEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
 - se
 - Tables (Filtered)
 - Views
 - Indexes

10_LIST_PURCHASE_BY_CUSTOMER.sql PURCHASE

SQL Worksheet History

Worksheet Query Builder

```

SELECT c.id_customer, p.first_name ,s.id_purchase,r.id_product, t.name AS name_product
FROM person p
INNER JOIN customer c
ON p.id_person = c.id_person
INNER JOIN purchase s
ON c.id_customer = s.id_customer
INNER JOIN productxpurchase r
ON s.id_purchase = r.id_purchase
INNER JOIN product t
ON r.id_product = t.id_product
ORDER BY c.id_customer;

```

Query Result x

All Rows Fetched: 22 in 0.004 seconds

ID_CUSTOMER	FIRST_NAME	ID_PURCHASE	ID_PRODUCT	NAME_PRODUCT
1	2 Pilar	15	9	Milk
2	2 Pilar	2	4	Conditioner
3	2 Pilar	17	5	Onion
4	2 Pilar	18	4	Conditioner
5	2 Pilar	16	15	tomato
6	3 Antonio	4	11	Apple
7	3 Antonio	21	3	macaroni
8	3 Antonio	22	6	Popcorn
9	3 Antonio	20	1	Bread
10	3 Antonio	19	2	Cereal
11	7 Carlos	3	5	Onion
12	8 Irene	7	12	Cookie
13	8 Irene	9	6	Popcorn
14	8 Irene	8	10	Cheese
15	10 Brandon	1	1	Bread
16	11 Carolina	11	7	Pork Meat
17	11 Carolina	14	13	Chocolate
18	11 Carolina	13	10	Cheese
19	11 Carolina	6	15	tomato
20	15 Andrea	10	3	macaroni
21	15 Andrea	12	11	Apple

11. All customers who have more than 2 purchases.

Oracle SQL Developer: C:\Users\david\scripts2\11_CUSTOMERS_MORE_TWO_PURCHASE.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

Oracle Connections

- ad
- ge
 - Tables (Filtered)
 - CUSTOMER
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - TYPE
 - Views
 - Indexes
 - Packages
 - Procedures
 - Functions
 - Operators
 - Queues
 - Queues Tables
 - Triggers
 - Types
 - Sequences
 - Materialized Views
 - Materialized View Logs
 - Synonyms
 - Public Synonyms
 - Database Links
 - Public Database Links
 - Directories
 - Editions
 - Application Express
 - Java
 - XML Schemas
 - XML DB Repository
 - Scheduler
 - Property Graph
 - Recycle Bin
 - Other Users
- se
 - Tables (Filtered)
 - Views
 - Indexes

Reports

10_LIST_PURCHASE_BY_CUSTOMER.sql PURCHASE 11_CUSTOMERS_MORE_TWO_PURCHASE.sql

SQL Worksheet History

Worksheet Query Builder

```
SELECT c.id_customer, p.first_name
FROM person p
INNER JOIN customer c
ON p.id_person = c.id_person
INNER JOIN purchase s
ON c.id_customer = s.id_customer
GROUP BY c.id_customer, p.first_name
HAVING COUNT(1) >2;
```

Query Result x

SQL | All Rows Fetched: 5 in 0.027 seconds

ID_CUSTOMER	FIRST_NAME
1	2 Pilar
2	3 Antonio
3	11 Carolina
4	15 Andrea
5	8 Irene

Oracle SQL Developer : Table GE.PURCHASE@ge

File Edit View Navigate Run Team Tools Window Help

Connections

Oracle Connections

- ad
 - Tables (Filtered)
 - CUSTOMER
 - EMPLOYEE
 - PERSON
 - PHONE
 - PHONEXEMPLOYEE
 - PRODUCT
 - PRODUCTXPURCHASE
 - PURCHASE
 - TYPE
- Views
- Indexes
- Packages
- Procedures
- Functions
- Operators
- Queues
- Queues Tables
- Triggers
- Types
- Sequences
- Materialized Views
- Materialized View Logs
- Synonyms
- Public Synonyms
- Database Links
- Public Database Links
- Directories
- Editions
- Application Express
- Java
- XML Schemas
- XML DB Repository
- Scheduler
- Property Graph
- Recycle Bin
- Other Users

- se
- Tables (Filtered)
- Views
- Indexes

Reports

10_LIST_PURCHASE_BY_CUSTOMER.sql

PURCHASE

Columns Data Model Constraints Grants Statistics Triggers Flashback Dependencies Det

Sort.. Filter:

	ID_PURCHASE	ID_CUSTOMER	ENTRY_DATE
1	1	10	22-FEB-23
2	2	2	10-NOV-20
3	3	7	15-DEC-18
4	4	3	01-SEP-22
5	5	15	01-JAN-20
6	6	11	20-JAN-23
7	7	8	22-FEB-23
8	8	8	22-FEB-23
9	9	8	02-MAR-23
10	10	15	01-JAN-22
11	11	11	20-JAN-23
12	12	15	29-JAN-23
13	13	11	20-JAN-23
14	14	11	20-FEB-23
15	15	2	10-NOV-20
16	16	2	10-OCT-21
17	17	2	10-SEP-22
18	18	2	30-JUL-22
19	19	3	01-NOV-22
20	20	3	24-DEC-22
21	21	3	25-DEC-22
22	22	3	31-JAN-23