

MyTrip

Acceptance Test Report

Budget Road Trip Planner

CS 4398 –Software Engineering Project

Texas State University

Summer 2026

Prepared by:

Mustafa Al Azzawi

Angelica Alvarado

William Parker

Acceptance Test Summary

The following table lists the acceptance tests prepared for final system verification.

Test ID	Acceptance Test	Expected Outcome	Status
AT-01	Traveler Logs In	The traveler logs in using a demonstration account and the account information is displayed.	Pass
AT-02	Traveler Creates and Calculates a Trip	The system accepts valid trip data, displays the route, and calculates the trip costs.	Pass
AT-03	Traveler Saves a Trip	The logged-in traveler successfully saves the current trip plan.	Pass
AT-04	Saved Trip Remains After Page Refresh	The saved trip remains available after the browser page is refreshed.	Pass
AT-05	Traveler Reopens a Saved Trip	The traveler opens a previously saved trip and its information is restored.	Pass
AT-06	Traveler Deletes a Trip	The selected trip is removed from the traveler's saved-trip list.	Pass
AT-07	Invalid Mileage Is Rejected	The system rejects missing, zero, negative, or nonnumeric mileage and displays a validation message.	Pass
AT-08	Invalid Budget Is Rejected	The system rejects missing, zero, negative, or nonnumeric budget values and displays a validation message.	Pass
AT-09	Logged-Out User Cannot Save	A guest user is prevented from saving a trip and is asked to log in.	Pass
AT-10	Trips Are Filtered by Traveler Email	Each logged-in traveler sees only the trips saved under that traveler's email address.	Pass

AT-01 — Traveler Logs In

Test ID	AT-01
Test Name	Traveler Logs In

Requirement

The system shall allow a traveler to log in using a demonstration traveler account.

Test Objective

Verify that a traveler can log in and that the system displays the traveler's account information.

Preconditions

- The MyTrip application is running.
- The traveler is currently logged out.
- The Account page is available.

Test Input

- Email: traveler@example.com
- Password: Demonstration password


Numbered Test Steps

- Open the MyTrip application.
- Select the Account page.
- Enter traveler@example.com in the email field.
- Enter the demonstration password.
- Select the Log In button.
- Review the account information displayed after login.

Expected Result

The traveler is logged in successfully. The Account page displays the traveler's name and email address, and the application no longer identifies the user as a guest.

Actual Result	<i>The traveler logged in successfully. The account page displayed the traveler name, email address, verified account status, and logout button.</i>
Status	Pass



AT-02 — Traveler Creates and Calculates a Trip

Test ID	AT-02
Test Name	Traveler Creates and Calculates a Trip

Requirement

The system shall allow a traveler to enter valid trip information, display a route, and calculate estimated trip costs.

Test Objective

Verify that the traveler can create a valid trip and view its calculated route and cost information.

Preconditions

- The MyTrip application is running.
- The trip-planning page is available.

Test Input

- Starting location: Austin, Texas
- Destination: San Antonio, Texas
- Mileage: A valid positive mileage value

Vehicle MPG: A valid value greater than zero

Fuel price: A valid positive dollar amount

Budget: A valid positive dollar amount

Numbered Test Steps

Open the trip-planning page.

Enter Austin, Texas as the starting location.

Enter San Antonio, Texas as the destination.

Enter a valid route mileage.

Select a vehicle type or enter a valid MPG value.

Enter or verify the fuel price.

Enter a valid trip budget.


Select the button to calculate or generate the trip.

Review the displayed map, estimated fuel cost, drive time, total estimated cost, and budget result.

Expected Result

The system accepts the valid trip information, displays the route, estimates the fuel cost and drive time, calculates the total trip cost, and shows whether the trip is within the traveler's budget.

AT-02 Results and Evidence

Actual Result	The system calculated a fuel cost and total estimated cost of \$9.89 and showed that the trip was within the \$200.00 budget.
Status	Pass
Screenshot	

AT-03 — Traveler Saves a Trip

Test ID	AT-03
Test Name	Traveler Saves a Trip

Requirement

The system shall allow a logged-in traveler to save a completed trip plan.

Test Objective

Verify that a logged-in traveler can save the current trip successfully.

Preconditions

- The traveler is logged in.
- A valid trip has been created and calculated.

Test Input

A completed trip plan containing valid route, mileage, budget, and cost information.


Numbered Test Steps

- Log in using the demonstration traveler account.

Create and calculate a valid trip.
 Open the trip summary.
 Select Save Trip Plan.
 Open the traveler's saved-trip list.
 Locate the newly saved trip.

Expected Result

The system confirms that the trip was saved and displays it in the logged-in traveler's saved-trip list.

Actual Result	<i>The trip was saved successfully and appeared under My Saved Trip Plans with a budget of \$200.00, an estimated total of \$9.89, and Trip ID #2.</i>
Status	Pass
Screenshot	 The screenshot shows the 'MyTrip' application interface. At the top, there is a navigation bar with links: Home, Plan Route, Route Options, Summary, Account, and Admin Portal. A user profile section on the left identifies the user as 'TRAVELER' with email 'traveler@example.com' and a 'VERIFIED ACCOUNT' status. A 'Log Out' button is visible. On the right, the 'My Saved Trip Plans' section displays a single trip plan: 'Austin to New Braunfels, TX to San Antonio' with a budget of \$200.00 and an estimated total of \$9.89. This trip is identified as 'Trip #2'. Action buttons 'Open', 'Edit', and 'Delete' are provided for this trip. A status bar at the top right indicates 'US Gas Avg: \$3.42/gal'.

AT-04 — Saved Trip Remains After Page Refresh

Test ID	AT-04
Test Name	Saved Trip Remains After Page Refresh

Requirement

The system shall retain saved trips through H2 database persistence after the browser page is refreshed.

Test Objective

Verify that a saved trip is not lost when the application page is refreshed.

Preconditions

- The traveler is logged in.
- At least one trip has been saved successfully.

Test Input


- A trip previously saved under the traveler's email address.

Numbered Test Steps

- Open the traveler’s saved-trip list.
- Confirm that the saved trip is visible.
- Refresh the browser page.
- Return to the Account or Saved Trips section.
- Review the saved-trip list.

Expected Result

The previously saved trip remains available after the page refresh and displays the same saved trip information.

Actual Result	After refreshing the Account page, Trip #2 remained visible under My Saved Trip Plans with the same route, budget, and estimated total.
Status	Pass
Screenshot	

AT-05 — Traveler Reopens a Saved Trip

Test ID	AT-05
Test Name	Traveler Reopens a Saved Trip

Requirement

The system shall allow a traveler to reopen a previously saved trip.

Test Objective

Verify that the information from a saved trip is restored when the traveler opens it.

Preconditions

- The traveler is logged in.
- At least one trip is saved under the traveler’s email.

Test Input


- A previously saved trip.

Numbered Test Steps

Open the Account or Saved Trips page.
 Locate a previously saved trip.
 Select the option to open or view the trip.
 Review the restored trip details.

Expected Result

The system reopens the selected trip and restores its starting location, destination, mileage, budget, cost information, and other saved details.

Actual Result	<i>The saved trip reopened successfully. The Route Options page displayed the Austin–New Braunfels–San Antonio route, 81.9 miles, an estimated drive time of about 1 hour 29 minutes, and the calculated fuel cost.</i>
Status	Pass
Screenshot	 The screenshot shows the 'MyTrip' application interface. At the top, there's a navigation bar with 'MyTrip', 'AUTO BUDGET', and links to 'Home', 'Plan Route', 'Route Options' (which is active), 'Summary', 'Account', and 'Admin Portal'. A status bar indicates 'US Gas Avg: \$3.38/gal' and 'TRAVELER'. The main content area features a map of Central Texas with a blue route line connecting Austin, Texas, New Braunfels, TX, and San Antonio. A callout box on the map shows '1 hr 29 min' and '81.9 miles'. Below the map, a summary box titled 'Austin to New Braunfels, TX to San Antonio' displays the route distance as 81.9 miles, an estimated drive time of 1 hr 29 min at a 55 MPH average, and a fuel cost of \$9.89. There are 'Update' and 'Open Directions in Google Maps' buttons.

AT-06 — Traveler Deletes a Trip

Test ID	AT-06
Test Name	Traveler Deletes a Trip

Requirement

The system shall allow a traveler to delete a saved trip.

Test Objective

Verify that a selected trip can be removed from the traveler's saved-trip list.

Preconditions

The traveler is logged in.

At least one saved trip is available.

Test Input


A saved trip selected for deletion.

Numbered Test Steps

- Open the traveler's saved-trip list.
- Locate the trip selected for deletion.
- Select the Delete option.
- Confirm the deletion if a confirmation message appears.
- Review the saved-trip list.

Expected Result

The selected trip is deleted and no longer appears in the traveler's saved-trip list.

Actual Result	<i>The system displayed the message "Trip #2 was deleted successfully." The saved-trips section then showed that no saved trip plans remained.</i>
Status	Pass
Screenshot	 A screenshot of the MyTrip application interface. The top navigation bar includes 'MyTrip', 'AUTO BUDGET', and links for 'Home', 'Plan Route', 'Route Options', 'Summary', 'Account', and 'Admin Portal'. On the right, it shows 'US Gas Avg: \$3.42/gal' and a 'TRAVELER' button. The main content area has a yellow background with a message: 'Trip #2 was deleted successfully.' Below this, there are two white boxes. The left box is the traveler's profile, showing 'TRAVELER', 'traveler@example.com', a 'VERIFIED ACCOUNT' badge, and a 'Log Out' button. The right box is titled 'My Saved Trip Plans' and contains the text 'No saved trip plans yet.'

AT-07 — Invalid Mileage Is Rejected

Test ID	AT-07
Test Name	Invalid Mileage Is Rejected

Requirement

The system shall reject invalid mileage values.

Test Objective

Verify that the trip cannot be calculated when the mileage is missing, zero, negative, or not numeric.

Preconditions

The MyTrip application is running.

The trip-planning page is open.

Test Input


Tested invalid value: -10

Numbered Test Steps

- Enter valid starting and destination locations.
- Enter a valid budget and other required information.
- Enter an invalid mileage value.
- Select the button to calculate the trip.
- Review the system response.

Expected Result

The system rejects the invalid mileage, does not complete the trip calculation, and displays a clear validation or error message.

Actual Result	After entering -10 , the system displayed "Enter a valid route distance greater than zero." The fuel cost was not calculated.
Status	Pass
Screenshot	

AT-08 — Invalid Budget Is Rejected

Test ID	AT-08
Test Name	Invalid Budget Is Rejected

Requirement

The system shall reject invalid trip-budget values.

Test Objective

Verify that the system does not calculate or save a trip with an invalid budget.

Preconditions

- The MyTrip application is running.
- The trip-planning page is open.

Test Input

Tested invalid value: -50

Numbered Test Steps

- Enter valid starting and destination locations.
- Enter valid mileage and vehicle information.
- Enter an invalid budget value.
- Select the button to calculate the trip.
- Review the system response.

Expected Result

The system rejects the invalid budget, does not complete the trip calculation, and displays a clear validation or error message.

Actual Result	After entering <i>-50</i> , the system displayed “Error: Invalid target budget.” The route calculation did not proceed.
Status	Pass
Screenshot	

AT-09 — Logged-Out User Cannot Save

Test ID	AT-09
---------	-------

Test Name	Logged-Out User Cannot Save
------------------	-----------------------------

Requirement

The system shall require a traveler to log in before saving a trip.

Test Objective

Verify that a guest user cannot save a trip to an account.

Preconditions

The MyTrip application is running.

The user is logged out.

A valid trip has been created.

Test Input

A valid completed trip created while browsing as a guest.

Numbered Test Steps

Confirm that the user is logged out and identified as Guest.

Create and calculate a valid trip.


Open the trip summary.

Select Save Trip Plan.

Review the system response.

Expected Result

The system prevents the guest user from saving the trip and displays a message instructing the user to log in.

Actual Result	<i>After logging out, the Account page showed the user as Guest and displayed the message requiring sign-in to save and sync trip plans. No saved trips were available.</i>
Status	Pass
Screenshot	 The screenshot shows the 'MyTrip' application interface. At the top, there's a navigation bar with links: Home, Plan Route, Route Options, Summary, Account (highlighted), and Admin Portal. On the right, it shows 'US Gas Avg: \$3.46/gal' and 'Guest'. The main content area is divided into two sections. The left section, titled 'Optional Account Sign-In', contains a message: 'Browsing as Guest. Sign in to save and sync trip plans across devices.' Below this are input fields for 'EMAIL ADDRESS' (containing 'traveler@example.com') and 'PASSWORD' (masked with dots). A dark blue button labeled 'Log In to Account' is below the password field. At the bottom of this section, there's a 'QUICK DEMO SIGN-IN' area with two buttons: 'Demo Traveler' and 'Demo Vendor'. The right section, titled 'My Saved Trip Plans', shows the message 'No saved trip plans yet.'

AT-10 — Trips Are Filtered by Traveler Email

Test ID	AT-10
Test Name	Trips Are Filtered by Traveler Email

Requirement

The system shall associate saved trips with the email of the traveler who created them.

Test Objective

Verify that one traveler cannot view trips saved under another traveler's email address.

Preconditions

Two demonstration traveler email accounts are available.

At least one trip has been saved under the first email account.

Test Input

Traveler email 1: traveler@example.com

Traveler email 2: traveler2@example.com

Numbered Test Steps

Log in using traveler1@example.com.

Create and save a trip.

Confirm that the trip appears in the first traveler's saved-trip list.

Log out.

Log in using traveler2@example.com.

Open the saved-trip list.

Review the trips displayed for the second traveler.

Expected Result

The trip saved under traveler@example.com is not displayed under traveler2@example.com. Each traveler sees only the trips associated with that traveler's email address.

Actual Result	<i>After logging in as TRAVELER2 using traveler2@example.com, the My Saved Trip Plans section showed no saved trips. Trips created under traveler@example.com were not displayed.</i>
Status	Pass

Screenshot

