

15 - MULTIVALUE ROUTING POLICY COM HEALTH CHECK

MULTIVALUE ANSWER ROUTING POLICY

- O rota 53 usando o simple route não consegue identificar quando uma região cai, logo ele continua enviando requisições.

- A solução seria pegar o simple route e ADD o HEALTH CHECK

- So que quando fazemos isso ele se torna o MULTIVALUE ANSWER ROUTING POLICY

service>route53>hostedzones

- Vamos criar um record set para a região de londres

Create Record Set

Name: clubcloudbrasil.com.

Type: A – IPv4 address ▼

Alias: ☐ Yes ☒ No

TTL (Seconds): 300

Value: 3.8.144.74

IPv4 address.
Example:
192.0.2.235

Routing Policy: Multivalue Answer ▼

Route 53 responds to DNS queries with up to eight healthy records selected at random. [Learn More](#)

Set ID: London

Description of this record set that is unique within the group of multivalue answer sets.
Example:
Route to Seattle data center

Associate with Health Check: ☒ Yes ☐ No ⚠

When responding to queries, Route 53 can omit resources that fail health checks. [Learn More](#)

Health Check to Associate: HC-London ▼

Create

- Ira fazer o mesmo que o simple route, mas agora ele identifica a disponibilidade da regioao.