

## Insert **False**

API-IBIK

This collection is empty

[Add a request](#) to start working.

program\_study

programs

student

**POST** Insert

**PUT** Update

**GET** Find by id

**GET** Find all programs

**DEL** Delete

**POST**

localhost:8080/api/student

Params

Authorization

Headers (8)

**Body**

Pre-request Script

Test

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ C

```
1 {
2   "npm": "242",
3   "firstname": "Mat",
4   "middlename": "Lic",
5   "lastname": "Loe",
6   "program_id": 10,
7   "departement_id": 3
8 }
```

**Body**

Cookies

Headers (4)

Test Results

**Pretty**

Raw

Preview

Visualize

JSON

⌵

```
1 {
2   "result": false,
3   "message": [
4     "Id is required"
5   ],
6   "data": null
7 }
```

## Insert *True*

API-IBIK

This collection is empty  
[Add a request](#) to start working.

program\_study

programs

student ☆ ...

POST Insert

PUT Update

GET Find by id

GET Find all programs

DEL Delete

POST localhost:8080/api/student

Params Authorization Headers (8) **Body** F

● none ● form-data ● x-www-form-urlencoded

```
1 {
2   "id": 2,
3   "npm": "242",
4   "firstname": "Mat",
5   "middlename": "Lic",
6   "lastname": "Loe",
7   "program_id": 10,
8   "departement_id": 3
9 }
```

Body Cookies Headers (5) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "result": true,
3   "message": [],
4   "data": [
5     {
6       "id": 9,
7       "npm": "242",
8       "firstname": "Mat",
9       "middlename": "Lic",
10      "lastname": "Loe",
11      "program_id": 10,
12      "departement_id": 3
13     }
14   ]
15 }
```

## Update **False**

API-IBIK

This collection is empty

[Add a request](#) to start working.

program\_study

programs

student

**POST** Insert

**PUT** Update

**GET** Find by id

**GET** Find all programs

**DEL** Delete

PUT

localhost:8080/api/student

Params

Authorization

Headers (8)

Body

☐ none ☐ form-data ☐ x-www-form-urlencoded

```
1 {  ... "firstname" : "Mat", ...
2   ... "middlename" : "Lic", ...
3   ... "lastname" : "Loe", ...
4   ... "program_id" : 10,
5   ... "departement_id" : 3
6 }
```

Body

Cookies

Headers (4)

Test Results

Pretty

Raw

Preview

Visualize

```
1 {
2   "result": false,
3   "message": [
4     "Id is required",
5     "NPM is required"
6   ],
7   "data": null
8 }
```

## Update *True*

API-IBIK

This collection is empty

[Add a request](#) to start working.

program\_study

programs

student

**POST** Insert

**PUT** Update

**GET** Find by id

**GET** Find all programs

...

**DEL** Delete

PUT

localhost:8080/api/student

Params

Authorization

Headers (8)

Body

☐ none

☐ form-data

☒ x-www-form-urlencoded

```
1 { ...
2   "id": 2,
3   "npm": "2421",
4   "firstname": "Mat",
5   "middlename": "Lic",
6   "lastname": "Loe",
7   "program_id": 10,
8   "departement_id": 3
9 }
```

Body

Cookies

Headers (5)

Test Results

Pretty

Raw

Preview

Visualize

```
1 {
2   "result": true,
3   "message": [],
4   "data": [
5     {
6       "id": 10,
7       "npm": "2421",
8       "firstname": "Mat",
9       "middlename": "Lic",
10      "lastname": "Loe",
11      "program_id": 10,
12      "department_id": 3
13    }
14  ]
15 }
```

## Select by id **False**

API-IBIK

This collection is empty  
[Add a request](#) to start working.

program\_study

programs

student

POST

 Insert

PUT

 Update

GET

 Find by id

GET

 Find all programs

DEL

 Delete

GET

localhost:8080/api/student/3|

Params

Authorization

Headers (6)

Body

Pre-req

Query Params

	KEY
	Key

Body

Cookies

Headers (4)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

{

"result": false,

"message": [

"No value present"

],

"data": null

}

Select by id *True*

API-IBIK

This collection is empty  
[Add a request](#) to start working.

program\_study

programs

student

POST Insert

PUT Update

GET Find by id

GET Find all programs

DEL Delete

GETlocalhost:8080/api/student/1

ParamsAuthorizationHeaders (6)BodyPre

Query Params

	KEY
	Key

BodyCookiesHeaders (5)Test Results

PrettyRawPreviewVisualizeJSON

12

```
"result": true,
"message": null,
"data": [
  {
    "id": 1,
    "npm": "12001",
    "firstname": "Mahardika",
    "middlename": "Rech",
    "lastname": "Michael",
    "program_id": 11,
    "department_id": 0
```

## Select all programs *True*

✓ API-IBIK

This collection is empty  
[Add a request](#) to start working.

> program\_study

> programs

✓ student

POST Insert

PUT Update

GET Find by id

GET Find all programs

DEL Delete

GET

localhost:8080/api/student/

Params

Authorization

Headers (6)

Body

Pre

Query Params

KEY
Key

Body

Cookies

Headers (5)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "result": true,
3    "message": null,
4    "data": [
5      {
6        "id": 1,
7        "npm": "12001",
8        "firstname": "Mahardika",
9        "middlename": "Rech",
10       "lastname": "Michael",
11       "program_id": 11,
12       "department_id": 0
```

Delete *False*

API-IBIK

This collection is empty

Add a request to start working.

program\_study

programs

student

POST Insert

PUT Update

GET Find by id

GET Find all programs

DEL Delete

DELETElocalhost:8080/api/student/10

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Query Params

	KEY	VALUE	DESCRIPTION
	Key	Value	Description

BodyCookiesHeaders (4)Test Results

PrettyRawPreviewVisualizeJSON

```
1  {}
2  |
3  |   "result": false,
4  |   "message": [
5  |     | "No class com.ibik.academic.services.academic.services.students.Student entity with id 10 exists!"
6  |   ],
7  |   "data": null
8  | }
```

Status: 400 Bad Request



## Delete *True*

### API-IBIK

This collection is empty  
[Add a request](#) to start working.

> program\_study

> programs

### student

POST Insert

PUT Update

GET Find by id

GET Find all programs

DEL Delete

DELETE

localhost:8080/api/student/9

Params

Authorization

Headers (6)

Body

### Query Params

KEY

Key

Body

Cookies

Headers (5)

Test Results

Pretty

Raw

Preview

Visualize

JSC

```
1  {}
2    "result": true,
3    "message": [
4      |   "Successfully removed"
5    ],
6    "data": null
7  }
```