

Senza Firewall

```
(kali@kali)-[~]  
$ nmap -sV 192.168.50.104  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-01-29 12:40 CET  
Nmap scan report for 192.168.50.104  
Host is up (0.00017s latency).  
Not shown: 997 closed tcp ports (conn-refused)  
PORT      STATE SERVICE      VERSION  
135/tcp   open  msrpc        Microsoft Windows RPC  
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn  
445/tcp   open  microsoft-ds Microsoft Windows XP microsoft-ds  
Service Info: OSs: Windows, Windows XP; CPE: cpe:/o:microsoft:windows, cpe:/o:microsoft:windows_xp  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 20.49 seconds
```

Con il Firewall

```
(kali@kali)-[~]  
$ nmap -sV 192.168.50.104  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-01-29 12:41 CET  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.12 seconds
```

Facendo una scansione con nMap con il firewall del sistema operativo attivo, riscontreremo che la scansione non andrà a buon fine per diversi motivi.

Blocco delle porte

Regole del firewall:

Politiche di sicurezza: