Arrange Block Test Cases

Below Top, Taller Than Page (AKA No Fit)

Each block starts below the top of a page and is larger than the page, therefore the parent block always breaks.

Admonitions, Below Top, Taller Than Page

Pay attention to me right NOW!!!

fantastically, and fiercely important! This is content. This is

Admonition, below top, no fit, with anchor and title. This is fabulously,

IMPORTANT

content. This is content. End of admonition.

Masquerading Admonition Blocks, Below Top, Taller Than Page

This is fabulously, fantastically, and fiercely important!

Masquerading admonition, at top, no fit, with anchor and title. Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

WARNING

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a masquerading admonition. This is content. This is content.

Title of masquerading admonition block with nested blocks. This is title content. This title content is bold on purpose! End of long title.

Masquerading admonition, below top, no fit, with anchor, long title, and nested blocks. Paragraph in a masquerading admonition. This is content. This is content.

NOTE

Paragraph in a masquerading admonition. This is content. This is content.

Paragraph in a delimited example block nested in a masquerading admonition block. This is content. This is content.

Paragraph in a delimited example block. This is content. This is content.

Table 1. Title of table block with nested blocks

Column Name	Column Name
Table, below top, fits, with a title and blocks in cells.	This is content. This is content. This is content.

This cell spans two columns (2+). Its content is horizontally centered (^).

Title of delimited sidebar

This is a delimited sidebar block that spans two columns!

Paragraph in sidebar block. This is content. This is content. This is content. This is content.

IMPORTANT This is an admonition nested in a sidebar nested in a table cell that spans two columns. End of admonition.

This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar.

Column Name	Column Name
This is bold content. This is bold	End of table.
content. This bold content. This is	
content. This is content. This is content.	
This is content. This is content.	

Paragraph in a masquerading admonition block. This is content. This is con

Example Blocks, Below Top, No Fit

Example 1. Title of delimited example block

Paragraph in a delimited example block. Example, below top, no fit, with an anchor and a title. This is content. This is content.

- List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item
 - List item



- · List item
- · List item
- List item
- · List item
- Last list item of list 1

Paragraph in a delimited example block. This is content. This is

content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Title of list 2

- 1. List item
 - a. List item
 - i. List item
 - b. List item
 - i. List item
 - ii. List item
 - A. List item
 - B. List item
 - I. Last list item of list 2

Paragraph in a delimited example block. This is content. This is content.

Example 2. Title of delimited example block with nested blocks

Example, below top, no fit, with anchor, title, and nested blocks. Paragraph in a delimited example block. This is content. This is content.

Title of delimited sidebar block nested in an example block

Paragraph 1 in a delimited sidebar block. This is content. This is content.

This is content. This is content.

Title of delimited source block with callouts

```
/** This is a delimited source block with a title, syntax highlighting, and
callouts that's nested in a sidebar that's nested in an example. */

function createExtensionRegistry (Asciidoctor, callbacks) { ①
   const registry = Asciidoctor.Extensions.create()
   registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
   return registry ②
}

module.exports = createExtensionRegistry ③

/** End of source. */
```

- ① Source callout 1 content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! Who loves disco? We love disco! End of source callout 3.

Title of delimited literal block with callouts

```
This is a delimited literal block with a title and callouts that's nested in a sidebar that's nested in an example.

This is content. ①

This is content. ②

End of nested literal.
```

- ① Literal callout 1 content. End of literal callout 1.
- ② Literal callout 2 content. Callout 2 content. Callout 2 content. End of literal callout 2.

Paragraph in a delimited sidebar block. This is content. This is content.

This is content. This is content. This is content. This is content.

Paragraph in a nested delimited example block.

Paragraph in a nested delimited example block. This is content. This is content. End of nested example.

Paragraph in a delimited sidebar block. This is content. This is content.

Paragraph 2 in a delimited example block. This is content. End of example.

Listing, Below Top, No Fit

Title of delimited listing block

```
Listing, below top, no fit, with an anchor and title.
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
```

```
This is a delimited listing block.
     This is content.
     This is content.
            This is content.
            This is content.
End of listing.
```

```
Title of delimited listing block with callouts
  Listing, below top, no fit, with an anchor, title, and callouts.
 This is a delimited listing block.
       This is content. ①
       This is content.
              This is content.
              This is content.
 This is a delimited listing block. ②
       This is content. ③
       This is content.
              This is content.
              This is content.
  This is a delimited listing block.
       This is content.
       This is content.
              This is content.
              This is content.
 This is a delimited listing block.
       This is content.
       This is content.
              This is content.
              This is content.
```

```
This is a delimited listing block.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.
```

- ① Callout 1 content. Callout content. Ca
- ② Callout 2 content. Callout content. Ca
- 3 Callout 3 content for the big disco WIN! Who loves disco? We love disco! End of callout 3.
- 4 Callout 4 content. End of callout 4.

Source, Below Top, No Fit

Title of delimited source block with an anchor and title

```
<!-- Source, below top, no fit, with an anchor and title. This is a delimited source
block with an anchor, title, and syntax highlighting. -->
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>My Stuff</title>
<link rel="stylesheet" href="./assets/subfont/fonts-bdb05d6309.css">
k rel="stylesheet" href="./assets/css/main.css">
k rel="canonical" href="https://example.org/">
<meta property="og:url" content="https://example.org/">
<meta name="description" content="So much stuff!">
<meta property="og:description" content="So much stuff!">
<meta property="og:site name" content="example.org">
<meta property="og:type" content="article">
<meta name="author" content="Me">
<meta name="og:article:author" content="Me">
<meta property="og:title" content="Stuff">
<meta name="twitter:card" content="summary_large_image">
<meta property="og:image" content="https://example.org/assets/img/stuff.png">
<meta property="og:image:height" content="1250">
<meta property="og:image:width" content="2500">
<link rel="apple-touch-icon" sizes="180x180" href="/assets/img/stuff-logo-apple-touch-</pre>
180.png">
rel="icon" type="image/png" sizes="196x196" href="/assets/img/stuff-logo-
196.png" />
rel="icon" type="image/png" sizes="192x192" href="/assets/img/stuff-logo-
192.png" />
rel="icon" type="image/png" sizes="128x128" href="/assets/img/stuff-logo-
128.png" />
k rel="icon" type="image/png" sizes="96x96" href="/assets/img/stuff-logo-96.png"
rel="icon" type="image/png" sizes="64x64" href="/assets/img/stuff-logo-64.png"
/>
rel="icon" type="image/png" sizes="32x32" href="/assets/img/stuff-logo-32.png"
/>
<link rel="icon" type="image/svg+xml" href="/assets/img/stuff-logo.svg">
rel="icon" type="image/png" href="/assets/img/stuff-logo-48.png">
<link rel="shortcut icon" href="/assets/img/favicon.ico">
k rel="manifest" href="/manifest.json">
rel="mask-icon" href="/assets/img/stuff-logo-mask.svg" color="#1f8197">
```

```
<meta name="msapplication-TileColor" content="#1f8197">
<meta name="theme-color" content="#1f8197">
</head>
<article>
 <div>
    <main>
      <!-- This is awesome! -->
      <!-- This is comment content. -->
      <div>
        <address>
          <!-- This is comment content. -->
        </address>
      </div>
      <div>
        <section>
          <!-- This is comment content. -->
          <!-- This is comment content. -->
        </section>
      </div>
    </main>
 </div>
</article>
<!-- End of source. -->
```

Title of delimited source block with callouts

```
/** Source block, below top, no fit, with anchor, title, and callouts. */
/** This is a delimited source block with an anchor, title, syntax highlighting, and
callouts. */

(function () {
  function init$5() {
    const e = document.querySelector('.header > nav > .navbar-mobile'),
    t = e.querySelector(':scope > .close'),
```

```
n = e.querySelector(':scope > .open'),
  r = document.querySelector('.header > nav > .menu');
  t.addEventListener('click', (() =>{
    r.classList.remove('is-active'),
    e.classList.remove('navbar-open')
  })),
  n.addEventListener('click', (() =>{
    r.classList.add('is-active'),
    e.classList.add('navbar-open')
 }))
}
function init$4() {
  const e = window.location.hash;
  function t(e) {
    const t = this.tab,
    r = this.pane,
    i = this.id,
    a = this.tabset;
    if (i && a) {
      const e = a.querySelector('.select > select');
      e && (e.value = i)
    n(':scope > .tabs li', this.tabset).forEach((function (e) {
     e === t ? e.classList.add('is-active') : e.classList.remove('is-active') ①
    n(':scope > .content > .tab-pane', this.tabset).forEach((function (e) {
      e === r ? e.classList.add('is-active') : e.classList.remove('is-active')
    e.preventDefault()
  }
  function n(e, t) {
    return Array.prototype.slice.call((t || document).querySelectorAll(e))
  }
  function r(e, t) {
    return n('.tab-pane', t).find((function (t) {
      return t.getAttribute('aria-labelledby') === e
    }))
  }
  n('.tabset').forEach((function (i) {
    const o = i.querySelector('.tabs');
    if (0) {
     let s;
      n('li', o).forEach((function (n, o) {
        const l = (n.querySelector('a[id]') || n).id;
        if (!1) return;
        const c = r(1, i);
        o || (s = {
          tab: n,
          pane: c
        }),
```

```
!a && e === '#' + l && (a = !0) ? (n.classList.add('is-active'), c && c
.classList.add('is-active')) : o || (n.classList.remove('is-active'), c && c.
classList.remove('is-active')), ②
          n.addEventListener('click', t.bind({ 3
            tabset: i,
            tab: n,
            pane: c,
            id: 1
         }))
        })),
        !a && s && (s.tab.classList.add('is-active'), s.pane && s.pane.classList.add(
'is-active'))
     }
/** This is comment content.
* This is comment content.
*/
/** End of source. */
```

- ① Source callout 1 content. Callout cont
- ② Source callout 2 content. Callout cont
- ③ Source callout 3 content for the big disco WIN! Callout content. Who loves disco? We love disco! Who loves disco? We love disco! End of source callout 3.

Literal, Below Top, No Fit

Title of delimited literal block

```
Literal, below top, no fit, with an anchor and title.
This is content.
                                                         Content that's taking a trip
around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.
WARN - ctionSystem.impl.ActionUpdater - 447 ms to grab EDT for
ToggleSoftWrapsAction#update (org.stuff.something.actions.stuff.ToggleSoftWrapsAction)
WARN: Do not use URL connection as JarURLConnection
HAMMER TIME!
WARN: Do not use URL connection as JarURLConnection
HAMMER TIME!
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
```

```
WARN: Do not use URL connection as JarURLConnection
HAMMER TIME!
WARN: Do not use URL connection as JarURLConnection
End of literal.
```

WARN: Do not use URL connection as JarURLConnection WARN: Do not use URL connection as JarURLConnection WARN: Do not use URL connection as JarURLConnection WARN: Do not use URL connection as JarURLConnection

```
Title of delimited literal block with callouts and nested blocks
  Literal, below top, no fit, with an anchor, title, callouts, and nested blocks.
  This is content.
                                                           Content that's taking a trip
  around, and around, and around, and around, and around, and around, and
  around, and around, and around the proverbial block. ①
 WARN: Do not use URL connection as JarURLConnection 2
 WARN: Do not use URL connection as JarURLConnection
 WARN: Do not use URL connection as JarURLConnection
```

```
WARN: Do not use URL connection as JarURLConnection

---
This is a delimited listing block in a literal block.
It's getting weird in here.

****

This is a delimited sidebar block nested in a listing block that's nested in a literal block.

Now it's just awkward. ③

End of nested sidebar.

****

End of listing.
----
End of literal.
```

- ① Literal callout 1 content. Callout con
- ② Literal callout 2 content. Callout content. Callout content. Callout content. Callout content. End of literal callout 2.
- ③ Literal callout 3 content. Callout content. Callout content. Callout content. Callout content. End of literal callout 3.

Open, Below Top, No Fit

Title of delimited open block

Open, below top, no fit, with an anchor, title, and nested blocks.

Paragraph in a delimited open block with nested blocks. And an ordered list.

- 1. List item
 - a. List item
 - i. List item
 - A. List item with a lot of content. A lot of con
- 2. List item
 - a. List item
 - i. Last list item

Example 3. Title of delimited example block nested in open block

Paragraph in a delimited example block nested in an open block with a nested quote block and an admonition.

This is a nested quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

It makes a lot of content over and over

Are we there yet? End of nested quote.

Paragraph in a delimited example block nested in an open block. This is content. This is content.



TIP

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph in a delimited example block nested in an open block. This is content. End of nested example.

Paragraph in a delimited open block. This is content. Thi

Quote Blocks, Below Top, No Fit

Quote, below top, no fit.

This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This

is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Are we there yet? End of quote.

Title of delimited quote block with wrapping metadata

Quote, below top, no fit, with an anchor, title, and wrapping metadata.

This is a delimited quote block with wrapping metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite

loop make when baked at 350 degrees?

It makes a lot of content over and over.

Paragraph in a delimited quote block. This is content. This is content.

Paragraph in a delimited quote block. This is content. This is content.

Paragraph in a delimited quote block. This is content. This is content.

content. This is content.

Have you seen my fish?

Paragraph in a delimited quote block. This is content. This is content.

Are we there yet? End of quote.

— Who Said This? No one knows for sure. (Are you sure? Really, I think I'm sure. You think?) But we think their name begins with a backwards Z., When and where did they say it? They said it a very, very, very, very, very, very long time ago in a jungle with a lot of birds and ants on a cool spring day in the not southern hemisphere of a little pink planet. Or was it orange?

Sidebar Blocks, Below Top, No Fit

Title of a delimited sidebar block. This is title content. This is title content. This is title content. End of title.

Sidebar, below top, no fit, with an anchor and title. Paragraph 1 in a delimited sidebar block. This is content. This is cont

• Paragraph 2 in a delimited sidebar block. This is content. This is content.

Paragraph 3 in a delimited sidebar block. This is content. This is content.

• Paragraph 4 in a delimited sidebar block. This is content. This is content.

Paragraph 5 in a delimited sidebar block. This is content. This is content

is content. This is content.

• Paragraph 6 in a delimited sidebar block. This is content. This is title content.

End of sidebar.

Title of delimited sidebar block with nested blocks

Sidebar, below top, no fit, with an anchor, title, nested blocks and description list.

Paragraph in a delimited sidebar block.

Example 4. Title of nested delimited example block

This is a delimited example block nested in a sidebar. It has an anchor, is nested in a delimited sidebar block, and has a nested delimited quote block and an admonition.

Title of nested delimited quote block

This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

It makes a lot of content over and over.

Are we there yet? End of nested quote.

TIP

This is an admonition nested in an example block that Is nested in a sidebar block. The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

End of nested example.

Paragraph in a delimited sidebar block. This is content. This is content. This is content.

term 1

Description of term 1. This is content. The following admonition is attached using a list continuation.

IMPORTANT

This is an admonition attached to the description of term 1 using a list continuation. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. End of admonition.

This content is attached to the description of term 1 using a list continuation. This is content. This is content. End of term 1 description.

term 2

WARNING

The description of term 2 starts with this admonition. The entire description of term 2 is attached to the term using an open block. Admonition content. End of admonition.

Description of term 2, paragraph 1, that's attached to the term using an open block.

- Title of nested delimited example block
- Title of nested delimited quote block
- Title of delimited sidebar block with nested blocks



Description of term 2, paragraph 2. End of term 2 description and enclosing open block.

Paragraph in a delimited sidebar block. End of sidebar.

Tables, Below Top, No Fit

Table 2. Title of table block

Column 1, header row	Column 2, header row	Column 3, header row	Column 4, header row
Table, below top, no fit, with an anchor and title. Cell in column 1, row 2.	Cell in column 2, row 2	Cell in column 3, row 2	Cell in column 4, row 2
Cell in column 1, row 3	Cell in column 2, row 3. This is content.	Cell in column 3, row 3	Cell in column 4, row 3
Cell in column 1, row 4. This is content.	Cell in column 2, row 4	Cell in column 3, row 4. This is content.	Cell in column 4, row 4

Column 1, header row	Column 2, header row	Column 3, header row	Column 4, header row
Cell in column 1, row 5. This is content.		Cell in column 3, row 5	Check anchor of this table. Cell in column 4, row 5.
Cell in column 1, row 6	Cell in column 2, row 6	Cell in column 3, row 6	Cell in column 4, row 6
Cell in column 1, row 7	Cell in column 2, row 7	Cell in column 3, row 7	Cell in column 4, row 7
Cell in column 1, row 8	Cell in column 2, row 8	Cell in column 3, row 8	Cell in column 4, row 8
Cell in column 1, row 9	Cell in column 2, row 9	Cell in column 3, row 9	Cell in column 4, row 9
Cell in column 1, row 10	Cell in column 2, row 10	Cell in column 3, row 10	Cell in column 4, row 10. End of table.

Table 3. Title of table block with nested blocks

Column Name	Column Name	Column Name
Table, below top, no fit, with a title, anchor, and blocks in cells.	Check out this source code.	Figure 1. Title of image in a table
	Delimited source<br block nested in table cell>	cell
	<article></article>	
	This is awesome!	
	End of source	
	This is content. This is content. This is content.	

Column Name	Column Name	Column Name
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.	This is content.

This cell spans three columns, and its content is horizontally centered.

Title of delimited sidebar

This is a delimited sidebar block that spans three columns! This is content. This is content.

Paragraph in sidebar block. This is content. This is content.

This is a masquerading admonition block nested in a sidebar nested in a table cell that spans three columns.

IMPORTANT

This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar directly following admonition closing delimiter.

Column Name	Column Name	Column Name	
This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .> operator. This is a delimited quote block nested in	This is bold content. This is bold content. This is content. This is content. This is content. This is content. This is content. This is content.	1. List item a. List item i. List item A. List item with a lot of content.	
a table cell.		a. List item i. Last list item	
This is content. End of quote. — Who said this?, Where and when did they say it?	Have you seen my duck?	End of table.	

Block Images, Below Top, No Fit

Block image, below top, no fit. pdfwidth = 120mm.

Block image, below top, no fit, with an anchor. pdfwidth = 120mm, centered.

Block image, below top, no fit, with an anchor and title. pdfwidth = 120mm, aligned right. Check anchor of previous image (block image with anchor).




Figure 2. This is a block image with an anchor and a title

Block image, below top, no fit, with a title. pdfwidth = 120mm. Check anchor of "This is a block image with an anchor and a title".	






Figure 3. This is a block image with a title. This is title content. End of title.

Block image, below top, no fit, nested in example block. pdfwidth = 120mm.





Block image, below 120mm.	top, no fit, wit	h anchor and tit	le, nested in sideba	r block. pdfwidth =

