

Arrange Block Test Cases

At Top, Fits

Each block is at the top of page and fits on that page.

Admonitions, At Top, Fits, See Next Page

Admonition, at top, fits.

[illegible]

IMPORTANT

[illegible]

Every single light, whistle, bell, and whirlygig is at full tilt.

Admonition, at top, fits, with anchor and title. Do not press the red button,
Sarah. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. Check anchor of
previous important admonition. Seriously, don't press it! End of admonition.

WARNING

IMPORTANT

Pay attention to me right NOW!!!

Admonition, at top, fits, with title. This is fabulously, fantastically, and fiercely important! This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. [Check anchor of previous warning admonition.](#) End of admonition.

Masquerading Admonition Blocks, At Top, Fits, See Next Page

Masquerading admonition, at top, fits.

NOTE

Paragraph 2 in a masquerading admonition. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This little note is a masquerade. Are you going to the party, too?

Paragraph 3 in a masquerading admonition. End of masquerading admonition.

Masquerading admonition, at top, fits, with anchor. Paragraph 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This little note is a masquerade. Are you going to the party, too?

Masquerading admonition, at top, fits, with anchor. Paragraph 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This little note is a masquerade. Are you going to the party, too?

IMPORTANT

This is fabulously, fantastically, and fiercely important!

Masquerading admonition, at top, fits, with anchor and title. Paragraph 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 2 in a masquerading admonition. [Check anchor of previous masquerading note admonition.](#) End of masquerading admonition.

IMPORTANT

This is fabulously, fantastically, and fiercely important!


Masquerading admonition, at top, fits, with title. Paragraph 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 2 in a masquerading admonition. [Check anchor of previous masquerading important admonition](#). End of masquerading admonition.

Masquerading admonition, at top, fits, with anchor and nested blocks

Paragraph 1. This is content. This is content. This is content. This is content.

Paragraph 1 in a delimited example block nested in a masquerading admonition block.



This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

```
<!-- This is a delimited source block with an anchor and
syntax highlighting. -->
```

```
<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>
```

```
<!-- End of nested source block. -->
```

Paragraph 2 in a delimited example block nested in masquerading admonition block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. *End of nested example block.*

Paragraph 2 in a masquerading admonition block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of masquerading admonition.

IMPORTANT

Masquerading admonition, at top, fits, with anchor, title, and nested blocks

Paragraph 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 1 in a delimited example block. . This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

```
<!-- This is a delimited source block with an anchor and
syntax highlighting. -->

<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>

<!-- End of nested source block. -->
```

Paragraph 2 in a delimited example block. This is content. This is content. This is content. This is content. End of nested example block.

Paragraph 2 in a masquerading admonition block. This is content. This is content. This is content. This is content. [Check anchor of previous masquerading important admonition with nested blocks.](#) [Check nested source block in previous masquerading admonition.](#) End of masquerading admonition.

IMPORTANT

Title of masquerading admonition block with nested blocks

Masquerading admonition, at top, fits, with title and nested blocks. Paragraph 1 in a masquerading admonition block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 1 in a delimited example block nested in masquerading admonition block. [Check anchor of previous masquerading admonition with nested blocks.](#) [Check nested source block in previous masquerading admonition.](#)

```
<!-- This is a delimited source block with syntax highlighting. -->

<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>

<!-- End of nested source block. -->
```

Paragraph 2 in a nested delimited example block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. [Check the next admonition block's anchor.](#) End of nested example block.

Paragraph 2 in a masquerading admonition block. This is content. This is content. This is content. This is content. End of masquerading admonition.

NOTE

CAUTION

*Title of masquerading admonition block. This is title content. **This title content is bold on purpose! This title content is bold on purpose! This title content is bold on purpose! This title content is bold on purpose! This title content is bold on purpose! End of long title.***

Masquerading admonition, at top, fits, with anchor and too-long title. Paragraph 1.

Paragraph 2 in a masquerading admonition. End of masquerading admonition.

Example Blocks, At Top, Fits, See Next Page

Example, at top, fits. Paragraph 1 in a delimited example block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 2. This is content. End of example.

Paragraph 1 in a delimited example block. **Example, at top, fits, with anchor.**

Title of list

- List item
 - List item
 - List item
 - List item
- List item
 - List item
 - Last list item of list 1

Paragraph 2. This is content. This is content. This is content. This is content. This is content.
This is content. This is content. This is content. This is content. This is content. This is content.
This is content. This is content. End of example.

Example 1. Title of delimited example block with list

Paragraph 1 in a delimited example block. **Example, at top, fits, with anchor and title.** This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Title of list

- List item
- List item
 - a. List item
 - i. List item
- List item
- Last list item and end of example block

[illegible]

- List item
- List item
- List item
- Last list item of list 1

[illegible]

Title of list 2

1. List item
 - a. List item
 - i. List item
 - b. List item
 - i. List item
 - ii. List item
 - A. List item
 - B. List item
 - I. Last list item of list 2

[illegible]

Example, at top, fits, with nested blocks. Delimited example block ends directly after nested sidebar ends.

Title of delimited sidebar block

Title of delimited source block with callouts

```
/** This is a delimited source block with an anchor, title, syntax
highlighting, and callouts that's nested in a sidebar that's nested in an
example. */
```

```
function createExtensionRegistry (Asciidoctor, callbacks) { ❶
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry ❷
}
```

```
module.exports = createExtensionRegistry ③
```

```
/** End of source. */
```

[illegible]

② Source callout 2 content. End of source callout 2.

③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 3.

Paragraph in a delimited sidebar block. This is content. This is content. This is content.
This is content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is content.



Paragraph in a delimited sidebar block. This is content. This is content. This is content.
This is content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is content.
This is content. This is content. This is content. This is content. This is content. This is
content. This is content. This is content. This is content. This is content. This is content.
This is content. [Check anchor of nested sidebar.](#) [Check anchor of nested source block.](#)
End of nested sidebar.

Example, at top, fits, with anchor and nested blocks. Paragraph 1 in a delimited example block.

Title of delimited sidebar block nested in an example block



Paragraph 1 in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content.

Title of delimited source block with callouts

```
/** This is a delimited source block with a title, syntax highlighting, and  
callouts that's nested in a sidebar that's nested in an example. */
```

```
function createExtensionRegistry (Asciidoctor, callbacks) { ①  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry ②  
}
```

```
/** End of source. */
```

- ① Source callout 1 content. Callout content. Callout content. Callout content. Callout content. Callout content. End of source callout 1.
- ② Source callout 2 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 2.

Nested delimited example block. This is content. This is content. This is content. [Check anchor of parent example block](#). End of nested example.

Title of delimited literal block with callouts

This is a delimited literal block with an anchor, title, and callouts that's nested in a sidebar that's nested in an example. ①

End of nested literal.

- ① Literal callout content. **End of literal callout.**

Paragraph 2 in a delimited sidebar block. End of nested sidebar.

Paragraph 2 in a delimited example block. This is content. This is content. This is content. This is content. End of example.

Example, at top, fits, with anchor and title and nested blocks. Paragraph 1 in a delimited example block.

Title of delimited sidebar block nested in an example block

Paragraph 1 in a delimited sidebar block. Sidebar block has an anchor, title, and nested blocks. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Title of delimited literal block with callouts

This is a delimited literal block with an anchor, title, and callouts that's nested in a sidebar that's nested in an example.

This is content. ①
This is content. ②

End of literal.

① Literal callout 1 content. End of literal callout 1.

② Literal callout 2 content. Callout 2 content. Callout 2 content. End of literal callout 2.

Paragraph 2 in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 1 in a delimited example block nested in a sidebar nested in another example block.



Paragraph 2 in a nested delimited example block. End of nested example.

Paragraph 3 in a delimited sidebar block. End of nested sidebar.

Paragraph 2 in a delimited example block. [Check nested literal anchor](#). [Check nested sidebar anchor](#). Check [Title of delimited example block with nested blocks](#). This is content. This is content. End of example.

Example, at top, fits, with title and nested blocks. Delimited example block ends directly after nested sidebar ends.

Title of delimited sidebar block with an anchor that's nested in example block

Title of delimited source block with callouts

```
/** This is a delimited source block with a title, syntax highlighting, and
callouts that's nested in a sidebar that's nested in an example. */

function createExtensionRegistry (Asciidoctor, callbacks) { ①
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry ②
}

module.exports = createExtensionRegistry ③

/** End of source. */
```

- ① Source callout 1 content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! **Who loves disco? We love disco!** End of source callout 3.

Check [Title of delimited sidebar block with an anchor that's nested in example block](#). Paragraph 1 in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of nested sidebar. End of example block directly following.

Listing Blocks, At Top, Fits, See Next Page

Listing, at top, fits.

This is a delimited listing block.
This is content.

This is content.
This is content.

This is content.

End of listing.

Listing, at top, fits, with an anchor.

This is a delimited listing block.
This is content.

This is content.
This is content.

This is content.

End of listing.

Title of delimited listing block

Listing, at top, fits, with an anchor and title.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

 This is content.

End of listing.

Title of delimited listing block

Listing, at top, fits, with a title.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

 This is content.

End of listing.

Listing, at top, fits, with nested block.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

[source,javascript]

/** This is a delimited source block nested in a listing block. */

const IncludeProcessor = require('./include/include-processor')

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

module.exports = createExtensionRegistry

/** End of nested source. */

End of listing.

Listing, at top, fits, with an anchor and nested block.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

[source,javascript]

/** This is a delimited source block nested in a listing block. */

const IncludeProcessor = require('./include/include-processor')

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

module.exports = createExtensionRegistry

/** End of nested source. */

End of listing.

Title of delimited listing block

Listing, at top, fits, with an anchor, title, and nested block.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

[source,javascript]

/** This is a delimited source block nested in a listing block. */

const IncludeProcessor = require('./include/include-processor')

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

module.exports = createExtensionRegistry

/** End of nested source. Parent listing ends directly following closing delimiter.*/

Title of delimited listing block

Listing, at top, fits, with a title and nested block.

This is a delimited listing block.

 This is content.

 This is content.

 This is content.

[source,javascript]

/** This is a delimited source block nested in a listing block. */

const IncludeProcessor = require('./include/include-processor')

```
function createExtensionRegistry (Asciidoctor, callbacks) {  
  const registry = Asciidoctor.Extensions.create()  
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))  
  return registry  
}
```

module.exports = createExtensionRegistry

/** End of nested source. Parent listing ends directly following closing delimiter.*/

Source Blocks, At Top, Fits, See Next Page

```
<!-- Source, at top, fits.-->
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
```

```
  </div>
```

```
</article>
```

```
<!-- End of nested source block. -->
```

```
<!-- Source, at top, fits, with anchor. -->
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
```

```
  </div>
```

```
</article>
```

```
<!-- End of nested source block. -->
```

Title of delimited source block

```
/** Source, at top, fits, with anchor and title. */

const IncludeProcessor = require('./include/include-processor')

/** This is content.
 * This is content.
 */

function createExtensionRegistry (Asciidoctor, callbacks) {
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry
}

/** This is content.
 * This is content.
 */

module.exports = createExtensionRegistry

/** End of source. */
```


Title of delimited source block with callouts

```
/** Source, at top, fits, with and anchor, title, and callouts. */

const IncludeProcessor = require('./include/include-processor')

/** This is content.
 * This is content.
 */

function createExtensionRegistry (Asciidoctor, callbacks) { ①
  const registry = Asciidoctor.Extensions.create()
  registry.includeProcessor(IncludeProcessor.$new(callbacks.onInclude))
  return registry ②
}

/** This is content.
 * This is content.
 */

module.exports = createExtensionRegistry ③

/** End of source. */
```

- ① Source callout 1 content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. Callout content. End of source callout 1.
- ② Source callout 2 content. End of source callout 2.
- ③ Source callout 3 content for the big disco WIN! Who loves disco? We love disco! Who loves disco? We love disco! Who loves disco? We love disco! Who loves disco? We love disco! Who loves disco? We love disco! **Who loves disco? We love disco!** Who loves disco? We love disco! Who loves disco? We love disco! End of source callout 3.

Title of delimited source block

```
<!-- Source, at top, fits, with title. -->
```

```
<article>
```

```
  <div>
```

```
    <main>
```

```
      <!-- This is awesome! -->
```

```
    </main>
```

```
  </div>
```

```
</article>
```

```
<!-- End of source. -->
```

Source, at top, fits, with nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

This is a quote block.

Oh, my, goodness! _Is this really a thing?_

This is really a thing, my friend. End of nested quote.

Paragraph 2 of a masquerading admonition block. End of masquerading admonition. Source block ends directly after admonition block.

====

Source, at top, fits, with an anchor and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

This is a quote block.

Oh, my, goodness! _Is this really a thing?_

This is really a thing, my friend. End of nested quote.

Paragraph 2 of a masquerading admonition block. End of masquerading admonition. Source block ends directly after admonition block.

====

Title of delimited source block with nested blocks

Source, at top, fits, with an anchor, title, and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

This is a quote block.

Oh, my, goodness! _Is this really a thing?_

This is really a thing, my friend. End of nested quote.

Paragraph 2 of a masquerading admonition block. End of masquerading admonition.

====

End of source.

Title of delimited source block with nested blocks

Source, at top, fits, with an anchor, title, callouts, and nested blocks.

[IMPORTANT]

=====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc. ①

[quote]

— — — —

This is a quote block.

Oh, my, goodness! _Is this really a thing?_

This is really a thing, my friend. ②

End of nested quote.

— — — —

Paragraph 2 of a masquerading admonition block. End of masquerading admonition. Source block ends directly after admonition block.

=====

- ① Source callout 1 content. Callout content. Callout content. Callout content. Callout content.
Callout content. Callout content. Callout content. Callout content. Callout content. Callout
content. Callout content. Callout content. Callout content. Callout content. Callout content.
Callout content. End of source callout 1.
- ② Source callout 2 content. Callout content. Callout content. Callout content. Callout content.
Callout content. Callout content. End of source callout 2.

Title of delimited source block with nested blocks

Source, at top, fits, with a title and nested blocks.

This is a delimited source block. More content. This is content. This is content. This is content.

[IMPORTANT]

====

Paragraph 1 of a masquerading admonition block nested in a source block. This happens when I document AsciiDoc with AsciiDoc.

[quote]

This is a quote block.

Oh, my, goodness! _Is this really a thing?_

This is really a thing, my friend. End of nested quote.

Paragraph 2 of a masquerading admonition block. End of masquerading admonition.

====

End of source.

Literal Blocks, At Top, Fits, See Next Page

Literal, at top, fits.

A delimited literal block.
This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

End of literal.

Literal, at top, fits, with anchor.

A delimited literal block.
This is content.

End of literal.

Title of a delimited literal block

Literal, at top, fits, with anchor and title.

A delimited literal block.

This is content hanging around the middle.

End of literal.

Title of a delimited literal block with callouts

Literal, at top, fits, with an anchor, title, and callouts. ①
This is content.

Content that's taking a trip around, and around,
and around, and around, and around, and around, and around, and around,
and around the proverbial block.

One more time for good measure. ②

End of literal. ③

- [illegible]

*Title of delimited literal block. This title is very long. This title is very long. This title is very long. This title is
very long. This title is very long. This title is very long. This title is very long. This title is very long. This title
is very long. This title is very long. This title is very long. This title is very long. This title is very long. This
title is very long. This title is very long. This title is very long. This title is very long. This title is very long.
End of title.*

Literal, at top, fits, with an anchor and long title.
This is content.

One more time for good measure.

One more time for good measure.

One more time for good measure.

Okay, that was actually three times.

End of literal.

Title of a delimited literal block

Literal, at top, fits, with a title.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

End of literal.

Literal, at top, fits, with nested blocks.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

This is a delimited listing block in a literal block.
It's getting weird in here.

This is a delimited sidebar block nested in a listing block that's nested in a literal
block.

Now it's just awkward.

End of nested sidebar.

End of listing.

End of literal.

Literal, at top, fits, with an anchor and nested blocks.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

This is a delimited listing block in a literal block.
It's getting weird in here.

This is a delimited sidebar block nested in a listing block that's nested in a literal
block.

Now it's just awkward.

End of nested sidebar.

End of listing.

End of literal.

Title of delimited literal block with nested blocks

Literal, at top, fits, with an anchor, title, and nested blocks.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

This is a delimited listing block in a literal block.
It's getting weird in here.

This is a delimited sidebar block nested in a listing block that's nested in a literal
block.

Now it's just awkward.

End of nested sidebar.

End of listing.

End of literal.

Title of delimited literal block with callouts and nested blocks

Literal, at top, fits, with an anchor, title, callouts, and nested blocks.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block. ①

This is a delimited listing block in a literal block.
It's getting weird in here.

This is a delimited sidebar block nested in a listing block that's nested in a literal
block.

Now it's just awkward. ②

End of nested sidebar.

End of listing.

End of literal.

- ① Literal callout 1 content. Callout content. Callout content. Callout content. Callout content.
Callout content. Callout content. Callout content. Callout content. Callout content. Callout
content. Callout content. Callout content. Callout content. Callout content. Callout content.
Callout content. End of literal callout 1.
- ② Literal callout 2 content. Callout content. Callout content. Callout content. Callout content. End of
literal callout 2.

Title of delimited literal block with nested blocks

Literal, at top, fits, with a title and nested blocks.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

This is a delimited listing block in a literal block.
It's getting weird in here.

This is a delimited sidebar block nested in a listing block that's nested in a literal
block.

Now it's just awkward.

End of nested sidebar.

End of listing. End of literal directly after listing.

Open Blocks, At Top, Fits, See Next Page

Open, at top, fits.

[illegible][illegible]

End of open.

Open, at top, fits, with an anchor.

[illegible][illegible]

End of open.

Title of delimited open block

Open, at top, fits, with an anchor and title.

[illegible]

This is a delimited open block. This is content. Check [Title of delimited open block](#).

End of open.

Title of delimited open block

Open, at top, fits, with a title.

[illegible][illegible]

End of open.

Open, at top, fits, with nested blocks.

Paragraph 1 in a delimited open block with nested blocks. And an ordered list.

- 1. List item
 - a. List item
 - i. List item
 - A. List item with a lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content.
- 2. List item
 - a. List item
 - i. Last list item

Paragraph 1 in a delimited example block nested in an open block with a nested quote block and an admonition.

This is a nested quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of nested quote.

— Who Said This?, When and where did they say it?

Paragraph 2 in a delimited example block nested in an open block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

TIP

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 3 in a delimited example block nested in an open block. This is content. End of nested example.

Paragraph 2 in a delimited open block. [Check nested example block anchor](#). End of open.

Open, at top, fits, with an anchor, nested blocks, and list. Paragraph 1 in a delimited open block.

1. List item
 - a. List item
 - i. List item
 - A. List item
2. List item
 - a. List item
 - i. Last list item

Paragraph 2 in a delimited open block.

Paragraph 1 in a delimited example block nested in an open block with a nested quote block and an admonition.

This is a nested quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of nested quote.



Paragraph 2 in a delimited example block nested in an open block. This is content. This is content.

TIP

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 3 in a delimited example block nested in an open block. This is content. [Check nested quote block anchor](#). [Check parent open block anchor](#). End of nested example. End of open block directly following end of nested example block.

Title of delimited open block with nested blocks and description list

Open, at top, fits, with an anchor, title, nested blocks, and description list. This is a delimited open block.

term 1

Description of term 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of term 1 description.

term 2

Description of term 2.  End of term 2 description.

Example 5. Title of delimited example block nested in an open block

TIP

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 1 in a delimited example block nested in an open block with a nested quote block and an admonition.

Title of delimited quote block nested in example nested in open

This is a nested quote block with an anchor and title.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of nested quote.

Paragraph 2 in a delimited example block nested in an open block. This is content. End of nested example.

[Title of delimited quote block nested in example nested in open. Check parent open block anchor.](#)
End of open.

Open, at top, fits, with an anchor, title, nested blocks, and list.

1. List item
 - a. List item
 - i. List item
 - A. List item with a lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content. A lot of content.
2. List item
 - a. List item
 - i. Last list item

This is a delimited open block with a nested example block.

[illegible]

This is a nested quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

It makes a lot of content over and over and over and over and over and
over and over and over and over and over and over and over and over
and over and over and over and over and over and over and over and
over and over and over and over and over and over.

Are we there yet? End of nested quote.

TIP

The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

Paragraph 3 in a delimited example block nested in an open block.

End of nested example. End of open block directly after example closing delimiter.

Quote Blocks, At Top, Fits, See Next Page

Quote, at top, fits. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

Quote, at top, fits, with metadata. This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?

Quote, at top, fits, with an anchor. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

Quote, at top, fits, with an anchor and metadata. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? [Check previous quote block anchor](#). End of quote.

— Who Said This?, When and where did they say it?

Title of delimited quote block

Quote, at top, fits, with an anchor and title. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

Title of delimited quote block with metadata

Quote, at top, fits, with an anchor, title, and metadata. This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?

Title of delimited quote block

Quote, at top, fits, with a title. This is a delimited quote block.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

Title of delimited quote block with metadata

Quote, at top, fits, with a title and metadata. This is a delimited quote block with metadata.

Hello! How are you today? Do you know what a kitchen sink and an infinite loop make when baked at 350 degrees?

Are we there yet? End of quote.

— Who Said This?, When and where did they say it?

Sidebar Blocks, At Top, Fits, See Next Page

[illegible][illegible]

[illegible][illegible][illegible]

Title of a delimited sidebar block

[illegible][illegible]

Paragraph 3 in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. Title of a delimited sidebar block. End of sidebar.

Title of a delimited sidebar block

[illegible][illegible][illegible]

Sidebar, at top, fits, with nested blocks.

Paragraph in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is a sidebar paragraph nested in a delimited sidebar block. *SCREAM!* This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of nested sidebar paragraph.



Paragraph in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

This is the mysterious delimited verse block.

It's nested in a delimited sidebar block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

Disco.

End of nested verse.

Paragraph in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

End of sidebar.

Sidebar, at top, fits, with an anchor and nested blocks.

```
<p>This is a source paragraph nested in a delimited sidebar block.</p>
</main>
</div>
</article>
```

Paragraph in a delimited sidebar block. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph 1 in a **masquerading admonition block with an anchor and nested in a delimited sidebar block**.

- List item in nested masquerading admonition block.
 - List item. This is content.
 - List item. This is content. This is content. This is content. This is content. This is content. This is content.
 - List item. This is content. This is content. This is content. This is content. This is content. This is content.

IMPORTANT

Paragraph 1 in a delimited example block attached to the previous list item with a list continuation. This is content. This is content. This is content. This is content. This is content. This is content.



Paragraph 2 in a delimited example block. This is content. This is content. This is content. End of nested delimited example block.

- List item. This is content. This is content. This is content. This is content. This is content. This is content. End of list.

Paragraph 2 in a masquerading admonition block. This is content. This is content. This is content. This is content. This is content. End of nested masquerading admonition block.

Paragraph in a delimited sidebar block. [Check parent sidebar anchor](#). This is content. [Check nested admonition block anchor](#). This is content. This is content. This is content. This is content. This is content. *End of sidebar.*

Title of sidebar block with nested blocks and description list

Sidebar, at top, fits, with an anchor, title, description list, and nested blocks.

This is a delimited example block nested in a sidebar.

TIP

This is an admonition nested in an example block that’s nested in a sidebar block. The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

End of nested example.

term 1

Description of term 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of term 1 description.

term 2

WARNING

The description of term 2 starts with this admonition. The entire description of term 2 is attached to the term using an open block. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. End of admonition.

Description of term 2, paragraph 1, that’s attached to the term using an open block. End of term 2 description.

Paragraph in a delimited sidebar block. End of sidebar.

Title of delimited sidebar block with nested blocks

Sidebar, at top, fits, with a title and nested blocks.

Paragraph in a delimited sidebar block.

Title of nested source block

```
<!-- Source with an anchor and title nested in a sidebar. -->

<article>
  <div>
    <main>

      <!-- This is awesome! -->

    </main>
  </div>
</article>

<!-- End of source. -->
```

TIP **This is a TIP admonition nested in a sidebar block.** The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of admonition.

Paragraph in a delimited sidebar block.

IMPORTANT This is another admonition. End of admonition.

End of sidebar.

Title of delimited sidebar block. This is title content. This is title content. This is title content. This is title content. This is title content. This is title content. This is title content. This is title content. This is title content. End of long sidebar title.

Sidebar, at top, fits, with an anchor and a long title. Paragraph in a delimited sidebar block. This is title content. This is title content. This is title content. This is title content. This is title content. This is title content. End of sidebar.

Verse Blocks, At Top, Fits, See Next Page

Verse, at top, fits.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

Verse, at top, fits, with metadata.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

— Who wrote this?, Where and when did they write this?

Verse, at top, fits, with an anchor.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

Verse, at top, fits, with an anchor and metadata.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

— Who wrote this?, Where and when did they write this?

Title of delimited verse block

Verse, at top, fits, with an anchor and title.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

Title of delimited verse block

Verse, at top, fits, with an anchor, title, and metadata.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

— Who wrote this?, Where and when did they write this?

Title of delimited verse block with wrapping metadata

Verse, at top, fits, with an anchor, title, and wrapping metadata.

This is the mysterious delimited verse block.

It fades into the
fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

— Who Said This? No one knows for sure. (Are you sure? Really, I think I'm sure. You think?) But we think their name begins with a backwards Z., When and where did they say it? They said it a very, very, very, very, very, very long time ago in a jungle with a lot of birds and ants on a cool spring day in the not southern hemisphere of a little pink planet.

Title of delimited verse block

Verse, at top, fits, with a title.

This is the mysterious delimited verse block.

the

fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

It fades into

Title of delimited verse block

Verse, at top, fits, with a title and metadata.

This is the mysterious delimited verse block.

the

fog.

ONLY TO APPEAR AGAIN!

To remind you.

That there is
always time

for a poem.

And disco.

End of verse.

— Who wrote this?, Where and when did they write this?

It fades into

Table Blocks, At Top, Fits, See Next Page

Column 1, header row	Column 2, header row
<i>Table, at top, fits.</i> Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Cell in column 2, row 5. End of table.


Column 1, header row	Column 2, header row
Table, at top, fits, with an anchor. Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Cell in column 2, row 5. End of table.

Table 1. Title of table block

Column 1, header row	Column 2, header row
Table, at top, fits, with an anchor and title. Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Check anchor of previous table . Cell in column 2, row 5. End of table.

Table 2. Title of table block

Column 1, header row	Column 2, header row
Table, at top, fits, with a title. Cell in column 1, row 2.	Cell in column 2, row 2
Cell in column 1, row 3	Cell in column 2, row 3
Cell in column 1, row 4	Cell in column 2, row 4
Cell in column 1, row 5	Check anchor of previous table . Cell in column 2, row 5. End of table.

Column Name	Column Name
Table, at top, fits, with blocks in cells.	
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.
This cell spans two columns, and its content is horizontally centered.	
TIP	I'm in a table cell that spans two columns! End of admonition.
This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .> operator. <div>This is a delimited quote block nested in a table cell.</div> <div>This is content. This is content. This is content. This is content. This is content. End of quote.</div>	This is bold content. This is bold content. This bold content.
	This is content. This is content. This is content. This is content. This is content.
	End of table.

Column Name	Column Name
Table, at top, fits, with an anchor and blocks in cells.	<div>Check out this example.</div> <div><div>Example block nested in a table cell. This is content. This is content. This is content. This is content. This is content. This is content. This is title content. This is content.</div><div>Paragraph in example block. This is content. This is content. This is content. This is content. End of example block.</div></div>
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.
This cell spans two columns, and its content is horizontally centered.	
<div><div>TIP</div>I'm in a table cell that spans two columns! End of admonition.</div>	
This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .> operator. <div><div>This is a delimited quote block nested in a table cell.</div><div>This is content. This is content. This is content. This is content. This is content. End of quote.</div></div>	This is bold content. This is bold content. This bold content.
	<div>This is content. This is content. This is content. This is content. This is content.</div> <div>End of table.</div>


Table 3. Title of table block with nested blocks

Column Name	Column Name
Table, at top, fits, with an anchor, title, and blocks in cells.	<div>Check out this source code.</div> <div><pre><!-- Delimited source block nested in table cell. --> <article> <div> <main> <!-- This is awesome! --> </main> </div> </article> <!-- End of source. --></pre></div> <div>This is content. This is content. This is content.</div>
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.
<div>This cell spans two columns, and its content is horizontally centered.</div> <div><div>TIP</div>I'm in a table cell that spans two columns! End of admonition.</div>	
<div>This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .> operator.</div> <div><div>This is a delimited quote block nested in a table cell.</div><div>This is content. This is content. This is content. This is content. This is content. End of quote.</div></div>	<div>This is bold content. This is bold content. This bold content.</div> <div>This is content. This is content. This is content. This is content. This is content.</div>
	<div>End of table.</div>


Table 4. Title of table block with nested blocks

Column Name	Column Name
Table, at top, fits, with a title and blocks in cells.	<div><div><!-- Delimited source block nested in table cell. --></div><div></div></div><div></article></div><div><!-- End of source. --></div><div>This is content. This is content. This is content.</div></div>
This cell spans two columns (2+). Its content is horizontally centered (^).	
<div><div><div>Title of delimited sidebar</div><div>This is a delimited sidebar block that spans two columns!</div><div>Paragraph in sidebar block. This is content. This is content. This is content. This is content. This is content.</div><div>This is content.</div><div>This is a masquerading admonition block nested in a sidebar nested in a table cell that spans two columns.</div><div>IMPORTANT</div><div>This is content. This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar directly following admonition closing delimiter.</div></div></div>	
This cell spans two rows, and its content is aligned to the bottom because the cell specifier includes the .> operator.	<div><div>This is bold content. This is bold content. This bold content.</div><div>This is content. This is content. This is content. This is content. This is content.</div></div>
	<div><div>This is a delimited quote block nested in a table cell.</div><div>This is content. This is content. This is content. End of quote.</div><div>— Who said this?, Where and when did they say it?</div></div> <div>End of table.</div>

Block Images, At Top, Fits, See Next Page



Block image, at top, fits. pdfwidth = 50mm.



Block image, at top, fits, with an anchor. pdfwidth = 50mm.




Figure 1. This is a block image with an anchor and a title

Block image, at top, fits, with an anchor and title. pdfwidth = 70mmCheck anchor of previous image (block image with anchor).




Figure 2. This is a block image with a title

Block image, at top, fits, with a title. Width = 70mm. Check anchor of "[This is a block image with an anchor and a title](#)".




Figure 3. This is a block image with a very long title. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. **This is bold content. This is bold content. This is bold content. This is bold content.** This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. End of title.

Block image, at top, fits, with a long title. Width = 30mm.