```
Nautica/postgres@PostgreSQL 15
                                                  R
Query Query History
1 CREATE TABLE "person" (
     "Id" integer PRIMARY KEY,
2
     "first_name" varchar,
3
     "last_name" varchar,
4
     "email" varchar,
5
    "adrees" varchar,
6
    "phone" integer,
7
    "partner" boolean,
8
    "Pattern" boolean
9
10 );
11
12 CREATE TABLE "ship" (
    "Id" integer PRIMARY KEY,
13
    "Registration" varchar,
14
    "ship_name" varchar,
15
    "mooring_number" integer,
16
     "Fee" integer,
17
    "person_id" integer
18
19);
20
21 CREATE TABLE "Departments" (
    "Id" integer PRIMARY KEY,
22
    "date" time,
23
    "hour" time,
24
    "destiny" varchar,
25
    "ship_id" integer,
26
    "patron_id" integer
27
28
29
30 ALTER TABLE "ship" ADD FOREIGN KEY ("person_id") REFERENCES "person" ("Id");
31
32 ALTER TABLE "Departments" ADD FOREIGN KEY ("ship_id") REFERENCES "ship" ("Id");
33
34 ALTER TABLE "Departments" ADD FOREIGN KEY ("patron_id") REFERENCES "person" ("Id");
```





