

Log Analysis with CLI Tools

Step-1: Find Kali Linux IP Address

- ◆ Open terminal and type:
Ip a




Figure: 1.1

```
kali@kali: ~  
└─(kali㉿kali)-[~]  
└─$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 00:0c:29:6e:9e:5a brd ff:ff:ff:ff:ff:ff  
    inet 192.168.226.132/24 brd 192.168.226.255 scope global dynamic noprefixroute eth0  
        valid_lft 1081sec preferred_lft 1081sec  
    inet6 fe80::20c:29ff:fe6e:9e5a/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever  
└─(kali㉿kali)-[~]  
└─$
```

Figure: 1.2

Step-2: Connect PuTTY to Kali via SSH

1. **Open PuTTY on Windows**
Launch the PuTTY application.
2. **Enter IP Address**
In the **Host Name (or IP address)** box, type your Kali Linux IP address.
Example: 192.168.1.100
3. **Set Port Number**
Make sure the port is set to: 22 (default SSH port)
4. **Select SSH Connection**
Ensure **SSH** is selected as the connection type.
5. **Open Connection**
Click the **Open** button to start the connection.
6. **Login to Kali Linux**
A terminal window will appear. Enter:
 1. Username: kali
 2. Password: kali (or your own password)
7. **Successful Connection**
If everything is correct, you will successfully access the Kali Linux terminal via SSH.




Figure: 2.1




Figure: 2.2




Figure: 2.3




Figure: 2.4




Figure: 2.5

Step-3: Transfer access.log file using WinSCP

1. **Open WinSCP on Windows**
Launch the WinSCP application.
2. **Set File Protocol**
Choose **SFTP (or SCP)** as the file protocol.
3. **Enter Kali IP Address**
In the **Host Name** field, type your Kali Linux IP address.
Example: 192.168.1.100
4. **Set Port Number**
Set the port to: 22
5. **Login Credentials**
Enter your Kali Linux username and password.
Example:
 1. Username: kali
 2. Password: kali (or your custom password)
6. **Click Login**
Press the **Login** button to connect.

Navigate on Kali Side (Right Panel)

Go to a folder in Kali Linux, such as:

/home/kali/

1. **Locate File on Windows Side (Left Panel)**
Find your access.log file on your Windows system.
2. **Transfer File**
Drag and drop the access.log file from the **left panel (Windows)** to the **right panel (Kali)**.
3. **File Transfer Complete**
The access.log file is now successfully uploaded to your Kali Linux system.




Figure: 3.1




Figure: 3.2




Figure: 3.3

Here is my all code and Output:-

```
(kali@kali)~[LAB-logfile]
$ # Option 1: Use provided sample from repository
cp /path/to/soc-training-program/Lab-Resources/Sample-Data/apache-access.log

# Option 2: Generate sample log (if not available)
wget https://raw.githubusercontent.com/elastic/examples/master/Common%20Data%20Formats/apache_logs/apache_logs -O access.log
cp: cannot stat '/path/to/soc-training-program/Lab-Resources/Sample-Data/apache-access.log': No such file or directory
--2026-05-06 12:23:37-- https://raw.githubusercontent.com/elastic/examples/master/Common%20Data%20Formats/apache_logs/apache_logs
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.103, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com (raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2370789 (2.3M) [text/plain]
Saving to: 'access.log'

access.log          100%[=====>] 2.26M  1.41MB/s   in 1.6s
2026-05-06 12:23:40 (1.41 MB/s) - 'access.log' saved [2370789/2370789]
```

Figure: 4.1

```
(kali@kali)~[LAB-logfile]
$ ls -lh access.log
head -5 access.log
-rw-rw-r-- 1 kali kali 2.3M May  6 12:23 access.log
83.149.9.216 - - [17/May/2015:10:05:03 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-search.png HTTP/1.1" 200 203023 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.216 - - [17/May/2015:10:05:43 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-dashboard3.png HTTP/1.1" 200 171717 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.216 - - [17/May/2015:10:05:47 +0000] "GET /presentations/logstash-monitorama-2013/plugin/highlight/highlight.js HTTP/1.1" 200 26185 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.216 - - [17/May/2015:10:05:12 +0000] "GET /presentations/logstash-monitorama-2013/plugin/zoom-js/zoom.js HTTP/1.1" 200 7697 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.216 - - [17/May/2015:10:05:07 +0000] "GET /presentations/logstash-monitorama-2013/plugin/notes/notes.js HTTP/1.1" 200 2892 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
```

Figure: 4.2

```
(kali㉿ kali)-[~/LAB-logfile]
$ wc -l access.log
10000 access.log

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | head -10
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216
83.149.9.216

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | head -10
100.2.4.116
100.2.4.116
100.2.4.116
100.2.4.116
100.2.4.116
100.2.4.116
100.43.83.137
100.43.83.137
100.43.83.137
100.43.83.137

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | uniq | head -10
100.2.4.116
100.43.83.137
101.119.18.35
101.199.108.50
101.226.168.196
101.226.168.198
101.226.33.222
103.245.44.13
103.247.192.5
103.25.13.22
```

```

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | uniq | wc -l
1753

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | uniq -c | sort -rn | head -10
482 66.249.73.135
364 46.105.14.53
357 130.237.218.86
273 75.97.9.59
113 50.16.19.13
102 209.85.238.199
99 68.180.224.225
84 100.43.83.137
83 208.115.111.72
82 198.46.149.143

(kali㉿kali)-[~/LAB-logfile]
$ grep " 404 " access.log | wc -l
213

(kali㉿kali)-[~/LAB-logfile]
$ awk '$9 == 404' access.log | wc -l
213

(kali㉿kali)-[~/LAB-logfile]
$

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $9}' access.log | sort | uniq -c | sort -rn
9126 200
445 304
213 404
164 301
45 206
3 500
2 416
2 403

(kali㉿kali)-[~/LAB-logfile]
$ awk '$9 == 404 {print $7}' access.log | sort | uniq -c | sort -rn | head
-5
61 /files/logstash/logstash-1.3.2-monolithic.jar
32 /presentations/logstash-puppetconf-2012/images/office-space-printer-b
eat-down-gif.gif
6 /wp/wp-admin/

```



```

(kali@kali)-[~/LAB-logfile]
$ awk '$9 == 404 {print $7}' access.log | sort | uniq -c | sort -rn | head
-5
    61 /files/logstash/logstash-1.3.2-monolithic.jar
    32 /presentations/logstash-puppetconf-2012/images/office-space-printer-beat-down-gif.gif
     6 /wp/wp-admin/
     6 /wp-login.php?action=register
     6 /wp-login.php

(kali@kali)-[~/LAB-logfile]
$ grep -i "nikto" access.log | wc -l
0

(kali@kali)-[~/LAB-logfile]
$ grep -i "nikto" access.log | head -5

(kali@kali)-[~/LAB-logfile]
$ grep -i "nikto" access.log | awk '{print $1}' | sort -u

(kali@kali)-[~/LAB-logfile]
$ grep -iE "(union|select|insert|update|delete|drop|exec|script)" access.log | wc -l
124

(kali@kali)-[~/LAB-logfile]
$ grep -E "(%27|%20union|%20select)" access.log
94.153.9.168 - - [18/May/2015:11:05:47 +0000] "GET /presentations/vim/+++++
+++++Result:+%E8%F1%EF%EE%EB%FC%E7%EE%E2%E0%ED+%ED%E8%
EA%ED%E5%E9%EC+%22newkoversjup%22;+ReCaptcha+%E4%E5%F8%E8%F4%F0%EE%E2%E0%ED%E
0;+%28JS%29;+%E7%E0%F0%E5%E3%E8%F1%F2%F0%E8%F0%EE%E2%E0%EB%E8%F1%FC;+%ED%E5+%
ED%E0%F8%EB%EE%F1%FC+%F4%EE%F0%EC%FB+%E4%EB%FF+%EE%F2%EF%F0%E0%E2%EA%E8;+Resu
lt:+%EE%F8%E8%E1%EA%E0:+%22i+never+really+liked+c%27s+assert%28%29+feature.+i
f+an+assertion+is+violated,+it%27lltell+you+what+assertion+failed+but+complet
ely+lacks+any+context:%22;+%ED%E5+%ED%E0%F8%EB%EE%F1%FC+%F4%EE%F0%EC%FB+%E4%E
B%FF+%EE%F2%EF%F0%E0%E2%EA%E8; HTTP/1.0" 403 676 "http://www.semicomplete.com
/presentations/vim/+++++Result:+%E8%F1%EF%EE%EB
%FC%E7%EE%E2%E0%ED+%ED%E8%EA%ED%E5%E9%EC+%22newkoversjup%22;+ReCaptcha+%E4%E5
%F8%E8%F4%F0%EE%E2%E0%ED%E0;+%28JS%29;+%E7%E0%F0%E5%E3%E8%F1%F2%F0%E8%F0%EE%E
2%E0%EB%E8%F1%FC;+%ED%E5+%ED%E0%F8%EB%EE%F1%FC+%F4%EE%F0%EC%FB+%E4%EB%FF+%EE%
F2%EF%F0%E0%E2%EA%E8;+Result:+%EE%F8%E8%E1%EA%E0:+%22i+never+really+liked+c%2
7s+assert%28%29+feature.+if+an+assertion+is+violated,+it%27lltell+you+what+as
sertion+failed+but+completely+lacks+any+context:%22;+%ED%E5+%ED%E0%F8%EB%EE%F
1%FC+%F4%EE%F0%EC%FB+%E4%EB%FF+%EE%F2%EF%F0%E0%E2%EA%E8;" "Opera/9.80 (Window
s NT 6.1; WOW64; U; ru) Presto/2.10.289 Version/12.01"
94.153.9.168 - - [18/May/2015:11:05:07 +0000] "GET / HTTP/1.0" 200 37932 "htt

```

```

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "(union|select)" access.log | awk '{print $1, $7}' | head -10

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "(union|select)" access.log | awk '{print $1}' | sort | uniq -c
| sort -rn

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "<script|javascript:|onerror=|%3Cscript)" access.log

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "<script|javascript:|onerror=|%3Cscript)" access.log | wc -l
0

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "<script|javascript:|onerror=" access.log | awk '{print $1}' |
sort | uniq -c | sort -rn

(kali㉿ kali)-[~/LAB-logfile]
$ grep -E "(\\.\\.\\.|\\.\\.\\.%.2[Ff])" access.log

(kali㉿ kali)-[~/LAB-logfile]
$ ls
access.log

(kali㉿ kali)-[~/LAB-logfile]
$

(kali㉿ kali)-[~/LAB-logfile]
$ grep -E "(\\.\\.\\.|\\.\\.\\.%.2[Ff])" access.log

(kali㉿ kali)-[~/LAB-logfile]
$ grep -E "(\\.\\.\\.|\\.\\.\\.%.2[Ff])" access.log | wc -l
0

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $4}' access.log | cut -d: -f2 | sort | uniq -c | sort -rn
498 14
496 15
493 19
486 20
484 17
478 18
475 13
473 16

```

```
357 07
356 23
355 04
354 03
346 22
345 08
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '{print $6}' access.log | tr -d '"' | sort | uniq -c | sort -rn
9952 GET
42 HEAD
5 POST
1 OPTIONS
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '$6 == "\"POST\""' access.log | awk '{print $1}' | sort -u
37.115.186.244
78.173.140.106
91.236.74.121
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '$6 == "\"POST\"' {print $1}' access.log | sort -u
37.115.186.244
78.173.140.106
91.236.74.121
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '$6 == "\"POST\"' {print $1, $7, $9}' access.log | head -10
37.115.186.244 /blog/geekery/xvfb-firefox 200
78.173.140.106 /blog/geekery/pyblosxom-mdate-vim-hack.html/trackback/ 404
78.173.140.106 /blog/geekery/pyblosxom-mdate-vim-hack.html/trackback/ 404
78.173.140.106 /blog/geekery/pyblosxom-mdate-vim-hack.html/trackback/ 404
91.236.74.121 /projects/xdotool/ 200
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '{sum += $10} END {print sum/1024/1024 " MB"}' access.log
2620.01 MB
```

```
(kali@kali) - [~/LAB-logfile]
```

```
$ awk '{bytes[$1] += $10} END {for (ip in bytes) print ip, bytes[ip]/1024/1024 " MB"}' access.log | sort -k2 -rn | head -10
68.180.224.225 160.344 MB
94.23.164.135 155.401 MB
190.153.25.242 105.032 MB
100.2.4.116 103.636 MB
88.198.255.242 103.6 MB
```

```

└─$ awk '{bytes[$1] += $10} END {for (ip in bytes) print ip, bytes[ip]/1024/1024 " MB"}' access.log | sort -k2 -rn | head -10
68.180.224.225 160.344 MB
94.23.164.135 155.401 MB
190.153.25.242 105.032 MB
100.2.4.116 103.636 MB
88.198.255.242 103.6 MB
184.154.149.126 103.582 MB
66.249.73.135 72.0029 MB
117.28.234.67 66.0043 MB
82.200.166.110 62.2365 MB
192.95.12.193 51.8587 MB

└─(kali㉿ kali)-[~/LAB-logfile]
└─$ awk '{print $1}' access.log | sort -u > unique_ips.txt

└─(kali㉿ kali)-[~/LAB-logfile]
└─$ sed 's/\([0-9]\{1,3\}\.\)\{3\}[0-9]\{1,3\}/\1XXX/' access.log | head -5
9.XXX - - [17/May/2015:10:05:03 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-search.png HTTP/1.1" 200 203023 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
9.XXX - - [17/May/2015:10:05:43 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-dashboard3.png HTTP/1.1" 200 171717 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
9.XXX - - [17/May/2015:10:05:47 +0000] "GET /presentations/logstash-monitorama-2013/plugin/highlight/highlight.js HTTP/1.1" 200 26185 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
9.XXX - - [17/May/2015:10:05:12 +0000] "GET /presentations/logstash-monitorama-2013/plugin/zoom-js/zoom.js HTTP/1.1" 200 7697 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
9.XXX - - [17/May/2015:10:05:07 +0000] "GET /presentations/logstash-monitorama-2013/plugin/notes/notes.js HTTP/1.1" 200 2892 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"

└─(kali㉿ kali)-[~/LAB-logfile]
└─$ █

```



```
(kali㉿ kali)-[~/LAB-logfile]
$ sed 's/\.[0-9]*\(\ \)/\.\XXX\1/' access.log | head -5
83.149.9.XXX - - [17/May/2015:10:05:03 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-search.png HTTP/1.1" 200 203023 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.XXX - - [17/May/2015:10:05:43 +0000] "GET /presentations/logstash-monitorama-2013/images/kibana-dashboard3.png HTTP/1.1" 200 171717 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.XXX - - [17/May/2015:10:05:47 +0000] "GET /presentations/logstash-monitorama-2013/plugin/highlight/highlight.js HTTP/1.1" 200 26185 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.XXX - - [17/May/2015:10:05:12 +0000] "GET /presentations/logstash-monitorama-2013/plugin/zoom-js/zoom.js HTTP/1.1" 200 7697 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"
83.149.9.XXX - - [17/May/2015:10:05:07 +0000] "GET /presentations/logstash-monitorama-2013/plugin/notes/notes.js HTTP/1.1" 200 2892 "http://semicomplete.com/presentations/logstash-monitorama-2013/" "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_9_1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.77 Safari/537.36"

(kali㉿ kali)-[~/LAB-logfile]
$ █
```



```

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $7}' access.log | grep -E "\.(php|asp|jsp)$" | sort -u
/administrator/index.php
/admin.php
/wp-login.php

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort -u | wc -l
1753

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | uniq -c | sort -rn | head -10
482 66.249.73.135
364 46.105.14.53
357 130.237.218.86
273 75.97.9.59
113 50.16.19.13
102 209.85.238.199
99 68.180.224.225
84 100.43.83.137
83 208.115.111.72
82 198.46.149.143

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $9}' access.log | sort | uniq -c | sort -rn
9126 200
445 304
213 404
164 301
45 206
3 500
2 416
2 403

(kali㉿ kali)-[~/LAB-logfile]
$ awk '$9 == 404 {print $7}' access.log | sort | uniq -c | sort -rn | head
-5
61 /files/logstash/logstash-1.3.2-monolithic.jar
32 /presentations/logstash-puppetconf-2012/images/office-space-printer-b
eat-down-gif.gif
6 /wp/wp-admin/
6 /wp-login.php?action=register
6 /wp-login.php

(kali㉿ kali)-[~/LAB-logfile]
$ █

```

```

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $7}' access.log | grep -E "\.(php|asp|jsp)$" | sort -u
/administrator/index.php
/admin.php
/wp-login.php

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort -u | wc -l
1753

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $1}' access.log | sort | uniq -c | sort -rn | head -10
482 66.249.73.135
364 46.105.14.53
357 130.237.218.86
273 75.97.9.59
113 50.16.19.13
102 209.85.238.199
99 68.180.224.225
84 100.43.83.137
83 208.115.111.72
82 198.46.149.143

(kali㉿kali)-[~/LAB-logfile]
$ awk '{print $9}' access.log | sort | uniq -c | sort -rn
9126 200
445 304
213 404
164 301
45 206
3 500
2 416
2 403

(kali㉿kali)-[~/LAB-logfile]
$ awk '$9 == 404 {print $7}' access.log | sort | uniq -c | sort -rn | head
-5
61 /files/logstash/logstash-1.3.2-monolithic.jar
32 /presentations/logstash-puppetconf-2012/images/office-space-printer-b
eat-down-gif.gif
6 /wp/wp-admin/
6 /wp-login.php?action=register
6 /wp-login.php

(kali㉿kali)-[~/LAB-logfile]
$ grep -i "nikto" access.log | wc -l

```

```

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $9}' access.log | sort | uniq -c | sort -rn
9126 200
445 304
213 404
164 301
45 206
3 500
2 416
2 403

(kali㉿ kali)-[~/LAB-logfile]
$ awk '$9 == 404 {print $7}' access.log | sort | uniq -c | sort -rn | head
-5
61 /files/logstash/logstash-1.3.2-monolithic.jar
32 /presentations/logstash-puppetconf-2012/images/office-space-printer-b
eat-down-gif.gif
6 /wp/wp-admin/
6 /wp-login.php?action=register
6 /wp-login.php

(kali㉿ kali)-[~/LAB-logfile]
$ grep -i "nikto" access.log | wc -l
0

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "(union|select|insert|drop)" access.log | wc -l
5

(kali㉿ kali)-[~/LAB-logfile]
$ grep -iE "(<script|javascript:|onerror=)" access.log | wc -l
0

(kali㉿ kali)-[~/LAB-logfile]
$ grep -E "(\.\.\/|\.\.%.2[Ff])" access.log | wc -l
0

(kali㉿ kali)-[~/LAB-logfile]
$ awk '{print $6}' access.log | tr -d '"' | sort | uniq -c | sort -rn
9952 GET
42 HEAD
5 POST
1 OPTIONS

(kali㉿ kali)-[~/LAB-logfile]
$ █

```