SOURCE CODE: index.html

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Password Generator</title>
        <!--Stylesheets-->
            <link rel="stylesheet" type="text/css" href="style.css" />
            <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@20..48,100..7
00,0..1,-50..200" />
            <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@20..48,100..7
00,0..1,-50..200" />
    </head>
    <body>
        <div id="content 1">
            <h2>Password Generator</h2>
            <div id="password container">
               <div id="password div"><span id="password"></span></div>
                <button id="clipboard">
                    <span style="font-size: 27px" class="material-symbols-outlined">file copy</span>
                </button>
            </div>
```

```
<div id="custom container">
    <div id="length">
        <label for="range_length">
            Password Length:
            <input type="range" id="range_value" min="8" max="20" value="8">
        </label>
        <span id="display range">08</span>
    </div>
    <div class="checkbox container">
        <label class="checkbox">
            <input type="checkbox" id="uppercase" checked>
            ABC
        </label>
        <label class="checkbox">
            <input type="checkbox" id="lowercase" checked>
            abc
        </label>
        <label class="checkbox">
           <input type="checkbox" id="numbers" checked>
            123
        </label>
        <label class="checkbox">
```

```
<input type="checkbox" id="symbols" checked>
                       !@%
                   </label>
               </div>
               <div id="button container 1">
                   <button id="generate_password">Generate Password</button>
                   <button id="view history">View History
               </div>
               Already have a password? Then try the <span</pre>
id="view_strength_meter">Strength Meter</span>
           </div>
       </div>
       <div id="content 2">
           <div id="history">
               <div class="content title">
                   <h2>View History</h2>
                   <button id="hide_history">X</button>
               </div>
               <div class="history table">
                   <colgroup>
                          <col>
                          <col>
                          <col>
```

```
</colgroup>
               Date
                  Time
                  Password
               </div>
       <button id="clear history">Clear History</button>
   </div>
</div>
<div id="content 3">
   <div id="strength_meter_container">
       <div class="content_title">
           <h2>Strength Meter</h2>
           <button id="hide strength meter">X</button>
       </div>
       <div id="form control">
           <div id="strength meter">
               <input type="password" id="password_sample" placeholder="Type your password here">
               <button id="check password">
                  <span style="font-size: 30px;" class="material-symbols-outlined">check</span>
               </button>
           </div>
```

```
<span id="strength_status"></span>
             <label for="show_password">
                <input type="checkbox" id="show_password">
                Show Password
             </label>
          </div>
          Your password must have:
             <l
                Length of 8-20 characters
                Uppercase and/or Lowercase Letters
                Numbers
                Special Characters
             </div>
     </div>
     <!--JavaScript FIle-->
        <script src="script.js"></script>
  </body>
</html>
```

SOURCE CODE: style.css

```
@import url('https://fonts.googleapis.com/css2?family=Source+Code+Pro:wght@300;500&display=swap');
    margin: 0px;
    padding: 0px;
    font-family: 'Source Code Pro', monospace;
body {
    background-color: #FFF8D6;
#content 1 {
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    border-radius: 10px;
    box-shadow: 5px 5px #dbdbdb;
    height: auto;
    width: 430px;
    padding: 20px;
    background-color: #ffffff;
#password container, #strength meter {
    margin-top: 5px;
```

```
width: auto;
    display: flex;
    flex-direction: row;
    align-items: flex-start;
    justify-content: flex-start;
#length {
    display: flex;
    flex-direction: row;
#display_range {
    margin-left: 15px;
#password_div, #password_sample {
    width: 360px;
    height: 18px;
    border: 2px solid #5a5a5a;
    padding: 10px;
    font-size: 16px;
#clipboard, #check_password {
    height: 42px;
    width: 45px;
    border: 2px solid #5a5a5a;
```

```
background-color: #A4D0A4;
#custom_container {
    margin-top: 25px;
    display: flex;
    flex-direction: column;
.checkbox_container {
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    width: 325px;
#button_container_1 {
    margin-top: 10px;
    display: flex;
    flex-direction: row;
#generate_password {
    border: 0px;
    border-radius: 5px;
    height: 35px;
    width: 190px;
    background-color: #A4D0A4;
```

```
#view_history {
    margin-left: 15px;
    border: 0px;
    border-radius: 5px;
    height: 35px;
   width: 145px;
    background-color: #F7E1AE;
#clipboard:hover, #generate_password:hover, #check_password:hover {
    background-color: #81e281;
    transition: 0.5s;
#view_history:hover {
    background-color: #ffda82;
    transition: 0.5s;
label, div, button {
    font-size: 16px;
#label {
    margin-top: 40px;
    text-align: center;
```

```
font-size: 16px;
#view_strength_meter {
    color: #193bac;
#view_strength_meter:hover {
    cursor: pointer;
    text-decoration: underline;
#content_2, #content_3 {
    display: none;
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background-color: rgba(0, 0, 0, 0.6);
#content_2.show_content, #content_3.show_content {
    display: block;
#history {
    display: flex;
```

```
flex-direction: column;
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    border-radius: 10px;
    height: 350px;
    width: 635px;
    background-color: #ffffff;
    padding: 20px;
    animation-name: open container;
    animation-duration: 0.3s;
.content title {
    margin-bottom: 10px;
    display: flex;
    flex-direction: row;
    justify-content: space-between;
#hide_history, #hide_strength_meter {
    margin-bottom: 10px;
    height: 32px;
    width: 32px;
    border: none;
    border-radius: 30px;
    background-color: #d8d8d8;
```

```
text-align: center;
    font-size: 20px;
#hide_history:hover {
    background-color: #bebebe;
    transition: 0.5s;
    cursor: pointer;
.history_table {
    overflow: auto;
    margin-bottom: 20px;
    align-content: center;
    height: 300px;
table {
    border-spacing: 0;
col:first-child {
    width: 170px;
col:nth-child(2) {
    width: 120px;
```

```
col:nth-child(3) {
    width: 340px;
th, td {
    text-align: center;
    border: 1px solid #5a5a5a;
th {
    background-color: #8cdf8c;
td {
    background-color: #f0f0f0;
td:hover {
    background-color: #dddddd;
    cursor: context-menu;
#clear_history {
    border: 0px;
    border-radius: 5px;
    height: 35px;
    width: 180px;
```

```
background-color: #ff8080;
#clear_history:hover {
    background-color: #ff6666;
    transition: 0.5s;
#strength_meter_container {
    display: flex;
    flex-direction: column;
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    border-radius: 10px;
    height: auto;
    width: auto;
    padding: 20px;
    background-color: #ffffff;
    animation-name: open_container;
    animation-duration: 0.3s;
#form control {
    margin-bottom: 15px;
    display: flex;
    flex-direction: column;
```

```
#password_sample:focus {
    outline: none;
#strength_status {
    font-size: 14px;
#result {
    margin-top: 15px;
    font-size: 16px;
li {
    margin-left: 30px;
    font-size: 14px;
.valid {
    visibility: visible;
    color: #00d123;
.invalid {
```

```
visibility: visible;
color: #ff2a2a;
}

@keyframes open_container {
    from {
       opacity: 0;
    }

    to {
       opacity: 1;
    }
}
```

SOURCE CODE: script.js

```
//Displaying the value of the input range
    var range length = document.getElementById("range value");
    var range value = document.getElementById("display range");
    range length.addEventListener('input', function() {
        range_value.textContent = range_length.value < 10 ? "0" + range_length.value : range_length.value;</pre>
    });
//Show History
    var view history = document.getElementById("view history");
    var content 2 = document.getElementById("content 2");
    view_history.addEventListener('click', () => content_2.classList.add('show_content'));
//Hide History
    var hide history = document.getElementById("hide history");
    hide history.addEventListener('click', () => content 2.classList.remove('show content'));
    window.addEventListener('click', e => e.target == content 2 ?
content 2.classList.remove('show content') : false);
//Show Strength Meter
    var view strength meter = document.getElementById("view strength meter");
    var content 3 = document.getElementById("content 3");
    view strength meter.addEventListener('click', () => content 3.classList.add('show content'));
```

```
//Empty Strength Meter
   function empty strength meter() {
       content_3.classList.remove('show_content');
       password_sample.value = "";
       show password.checked = false;
       password_sample.type = show_password.checked ? "text" : "password";
       display status.className = "";
       display_status.innerHTML = "";
       password_length.className = "";
       password letters.className = "";
       password numbers.className = "";
       password symbols.className = "";
//Hide Strength Meter
   var hide strength meter = document.getElementById("hide strength meter");
   hide strength meter.addEventListener('click', () => {
       empty strength meter();
   });
   window.addEventListener('click', e => e.target == content 3 ? empty strength meter() : false);
/Generate Password
   function generated password() {
       var uppercase checkbox = document.getElementById("uppercase");
       var lowercase_checkbox = document.getElementById("lowercase");
       var number_checkbox = document.getElementById("numbers");
       var symbol_checkbox = document.getElementById("symbols");
```

```
let charset = "";
       if (uppercase checkbox.checked) {
           charset += "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
       if (number_checkbox.checked) {
           charset += "1234567890";
       if (lowercase_checkbox.checked) {
           charset += "abcdefghijklmnopqrstuvwxyz";
       if (symbol checkbox.checked) {
           charset += "!@#$%^&*()-_'?/|`~";
       let password = "";
           for (let i = 1; i <= range_length.value; i++) {</pre>
               var randomIndex = Math.floor(Math.random() * charset.length);
               password += charset.charAt(randomIndex);
       return password;
//Insert Data
   function insert_data(generated_password) {
       //Get the current date
```

```
var month = (new Date().getMonth() + 1) < 10 ? "0" + (new Date().getMonth() + 1) : new</pre>
Date().getMonth() + 1;
            var day = new Date().getDate() < 10 ? "0" + new Date().getDate() : new Date().getDate();</pre>
            var year = new Date().getFullYear();
            var date = month + "/" + day + "/" + year;
        //Get current time
            var hours = new Date().getHours() < 10 ? "0" + new Date().getHours() : new Date().getHours();</pre>
            var minutes = new Date().getMinutes() < 10 ? "0" + new Date().getMinutes() : new</pre>
Date().getMinutes();
            var seconds = new Date().getSeconds() < 10 ? "0" + new Date().getSeconds() : new</pre>
Date().getSeconds();
            var time = hours + ":" + minutes + ":" + seconds;
    //Creating a data array and return that data to use for history arr
        var data = [date, time, generated password];
        return data;
//Create History
    const table body = document.getElementById("table");
    function create history(history arr) {
        history arr.forEach(data => {
            const row = table body.insertRow();
            data.forEach(value => {
                const cell = row.insertCell();
                cell.textContent = value;
```

```
});
       });
//Display password and history
   var display password = document.getElementById("password");
   var generate_password = document.getElementById("generate_password");
    generate password.addEventListener('click', () => {
       var password = generated_password();
       display_password.innerHTML = password;
       //Inserting the data array to the history arr
            var data = insert data(password);
            var history arr = [];
            history arr.push(data);
            create history(history arr);
   });
//Copy the password to clipboard
   var clipboard = document.getElementById("clipboard");
    clipboard.addEventListener('click', () => {
       var passwordText = document.getElementById("password");
       var textArea = document.createElement("textarea");
       textArea.value = passwordText.textContent;
        document.body.appendChild(textArea);
        textArea.select();
```

```
document.execCommand("Copy");
        document.body.removeChild(textArea);
        alert("The generated password has been copied on the clipboard");
    });
//Clear History
    var clear history = document.getElementById('clear history');
    clear history.addEventListener('click', () => {
        while (table_body.rows.length > 0) {
            table body.deleteRow(1);
    });
//Show Password
    var show password = document.getElementById("show password");
    show_password.addEventListener('change', () => {
        password sample.type = show password.checked ? "text" : "password";
    });
//Check for Special Characters
    function check symbols(password sample) {
        var symbols = /[!@#$%^&*(),.?":{}|<>]/;
        return symbols.test(password_sample);
```

```
//Display Strength Meter Status
   var check password = document.getElementById("check password");
   var display status = document.getElementById("strength status");
   var password length = document.getElementById("password length");
   var password letters = document.getElementById("password letters");
   var password numbers = document.getElementById("password numbers");
   var password symbols = document.getElementById("password symbols");
   //Main counter that will increase if the user has a specific character on their password
       let main counter = 0;
   check password.addEventListener('click', () => {
       //Main counter will reset for another password checking
           main counter = 0;
           var password sample = document.getElementById("password sample");
           //Check if the password has symbols
               if (check symbols(password sample.value)) {
                   password symbols.classList.remove("invalid");
                   password_symbols.classList.add("valid");
                   main counter++;
               } else {
                   password symbols.classList.remove("valid");
                   password symbols.classList.add("invalid");
           //Check if the password has upper/lower case letters
               var lowerCaseLetters = /[a-z]/g;
```

```
var upperCaseLetters = /[A-Z]/g;
                if(password sample.value.match(lowerCaseLetters) | |
password sample.value.match(upperCaseLetters)) {
                    password letters.classList.remove("invalid");
                    password letters.classList.add("valid");
                    main counter++;
                } else {
                    password letters.classList.remove("valid");
                    password letters.classList.add("invalid");
            //Check if the password has numbers
                var numbers = /[0-9]/g;
                if(password_sample.value.match(numbers)) {
                    password numbers.classList.remove("invalid");
                    password numbers.classList.add("valid");
                    main_counter++;
                } else {
                    password numbers.classList.remove("valid");
                    password numbers.classList.add("invalid");
            //Check if the password has more than 8 characters
                if(password sample.value.length >= 8) {
                    password length.classList.remove("invalid");
                    password length.classList.add("valid");
                } else {
                    password length.classList.remove("valid");
```

```
password_length.classList.add("invalid");
}

//Display the password strength status
   if(main_counter <= 2 || password_sample.value.length <= 7) {
        display_status.classList.remove("valid");
        display_status.classList.add("invalid");
        display_status.innerHTML = "Password is not strong";
   } else {
        display_status.classList.remove("invalid");
        display_status.classList.add("valid");
        display_status.innerHTML = "Password is strong";
   }
}):</pre>
```