The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Section-Centered Hidden-Response
Observer-Relevant Pullback Body-Operator Core
Collapse to an Observer-Relevant Pullback Body-Response Core

Abstract

The current active-primary theorem already removed the full observer-relevant pullback-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,op}}$ as the primitive stopping point of the active section-centered hidden-response line by collapsing its benchmark-facing content to the smaller observer-relevant pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$. The preferred next move below that frontier would be to derive or justify that body-operator core from still more primitive explicit substrate structure in a way that genuinely changes benchmark-facing status. The present note takes the honest fallback route available before such a cleaner deeper law is fixed: it proves a strictly smaller theorem-level collapse inside the current body-operator core itself.

The positive result is that, relative to the fixed proto-section benchmark base, the full ambient linear-operator presentation still contains presentational redundancy. What current benchmark-facing downstream uses actually require is only the quadratic pullback response on the recorded section-centered displacement body. Because each displacement fiber has nonempty interior in its recovered ambient span, the body-restricted quadratic response determines the positive self-adjoint pullback operator uniquely. What survives is the smaller observer-relevant pullback body-response core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$: the displacement body together with its body-restricted pullback response and benchmark faithfulness.

The benchmark boundary remains fixed throughout. The one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore a genuine smaller theorem-level collapse strictly inside the current body-operator-core frontier. What remains open is to derive or justify the pullback body-response core from still more primitive explicit substrate structure, or else to prove a still sharper collapse, necessity result, or uniqueness result strictly inside that smaller core.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity again reaches a point where depth alone is not the honest default move. The current active-primary theorem already showed that the full observer-relevant pullback-operator-core presentation is not the live primitive stopping point at current scope, because the separate ambient displacement-space listing carries no independent benchmark-facing freedom beyond the smaller pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$. That theorem therefore spent the full operator-core presentation as the live burden.

The present note asks the next narrower question available strictly inside that body-operator core. Once the fixed proto-section benchmark base is held fixed, does the current body-operator

core still contain an independently live off-body operator presentation, or is the benchmark-facing content of that operator already fixed by its quadratic response on the actual displacement body? The present note proves that the separate off-body operator presentation is redundant. The operator is used benchmark-facingly only through the pullback response that it produces on the recorded displacement body, and because each displacement fiber has nonempty interior, that body response determines the operator uniquely.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It does not introduce a second operative metric, it does not enlarge the low-energy matter law, and it does not reopen the larger body-operator-core, pullback-operator-core, pullback-quadratic-core, hidden-response, residual-normal-form, or pre-proto-section presentations as if they were again independently live. Its narrower benchmark-facing role is to identify whether the separate ambient linear-operator presentation inside the current body-operator core is still independently meaningful at benchmark scope.

2. Fixed Inputs

Definition 1 (Recorded primitive continuation data)**.** *Fix the following continuation data from the active primitive-reservoir observer-reduction line.*

1. *For each sector label* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, a primitive forcing shell*

$$\mathcal{I}_\sigma^{\mathrm{for}}.$$

2. *The product shell*

$$\mathcal{S}_{\mathrm{prim}} \equiv \mathcal{I}_{\mathrm{car}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{cur}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{hom}}^{\mathrm{for}}.$$

3. *The recorded metric and ordinary-matter outputs*

$$\mathscr{G}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \to \{\textit{observer metrics}\}, \qquad \mathscr{T}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \times \Psi \to \{\textit{observer stress tensors}\},$$

satisfying

$$\mathscr{G}_{\mathrm{out}}(\mathbf{w}) = g^\sharp, \qquad \mathscr{T}_{\mathrm{out}}(\mathbf{w}, \psi) = T_{\mu\nu}^{\mathrm{matter}}[g^\sharp, \psi] \tag{1}$$

for every $\mathbf{w} \in \mathcal{S}_{\mathrm{prim}}$ *and every matter configuration* $\psi \in \Psi$*.*

Definition 2 (Recorded proto-section benchmark base and downstream chain)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The active line already fixes the following proto-section benchmark base and downstream consequences.*

1. *the current proto-section benchmark base* $\mathfrak{Q}^{\mathrm{sub,proto,secgen}}$*, presented through*

$$\mathcal{Q}_\sigma^{\mathrm{psec}}, \qquad \mathcal{B}_\sigma^{\mathrm{psec}}, \qquad \mathscr{E}_\sigma^{\mathrm{psec}}, \qquad \mathcal{Z}_\sigma^{\mathrm{psec}};$$

2. *the current observer-relevant pullback body-operator core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$*, the current observer-relevant pullback-operator core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,op}}$*, the current observer-relevant pullback-quadratic core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb}}$*, the current section-centered residual-normal-form realization* $\mathfrak{R}^{\mathrm{sub,proto,presec,res}}$*, the current observer-relevant pre-proto-section minimizer-section core* $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$*, and the current benchmark-faithful pre-proto-section package* $\mathfrak{R}^{\mathrm{sub,proto,presec}}$ *as already recorded on the active line;*

3. *the previously recorded fact that, once a benchmark-faithful observer-relevant pullback body-operator core over the fixed proto-section benchmark base is available, the current pullback-operator-core realization, the current pullback-quadratic-core realization, the current section-centered residual-normal-form realization, the current pre-proto-section package, the current minimizer-section core, and the previously recorded seed, root, foundation, ground, origin, precursor, lift, shell-restriction, split-core, selector-law, combined-response, ambient-package, trace-core, exact-shell-affine-nucleus, continuity-Hessian compressed core, and benchmark one-metric observer-package consequences follow unchanged;*

4. *benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, no change to the ordinary matter route, and no premature promotion from adoption to completed derivation.*

3. Current Body-Operator-Core Frontier

Definition 3 (Observer-relevant pullback body-operator core)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. A* benchmark-faithful observer-relevant pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$ *for sector* σ *consists of:*

1. *a compact convex section-centered displacement body*

$$\mathcal{D}_\sigma^{\mathrm{pppresec}} \subset \mathcal{B}_\sigma^{\mathrm{psec}} \times V_\sigma^{\mathrm{pppresec}}$$

with nonempty interior in each fiber

$$\mathcal{D}_\sigma^{\mathrm{pppresec}}(y) \equiv \{v \in V_\sigma^{\mathrm{pppresec}} : (y, v) \in \mathcal{D}_\sigma^{\mathrm{pppresec}}\},$$

where every fiber is nonempty, compact, and convex, and

$$(y, 0) \in \mathcal{D}_\sigma^{\mathrm{pppresec}} \qquad \textit{for every } y \in \mathcal{B}_\sigma^{\mathrm{psec}};$$

2. *a smooth family of positive self-adjoint pullback operators*

$$A_\sigma^{\mathrm{pppresec,pb}}(y) : V_\sigma^{\mathrm{pppresec}} \to V_\sigma^{\mathrm{pppresec}}, \qquad y \in \mathcal{B}_\sigma^{\mathrm{psec}},$$

satisfying

$$\left\langle v, A_\sigma^{\mathrm{ppresec,pb}}(y)v \right\rangle > 0 \qquad \textit{for every } y \in \mathcal{B}_\sigma^{\mathrm{psec}}, \quad 0 \neq v \in V_\sigma^{\mathrm{ppresec}};$$

3. *benchmark faithfulness in the sense of Definition 2(4).*

Remark 1. *Definition 3 is the full current body-operator-core presentation. The present note asks whether the full ambient linear-operator family remains independently live once one retains the actual displacement body together with the pullback response that the operator induces there.*

4. Observer-Relevant Pullback Body-Response Core

Definition 4 (Observer-relevant pullback body-response core)**.** *Fix $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$ and a benchmark-faithful pullback body-operator core in the sense of Definition 3. The* observer-relevant pullback body-response core $\mathfrak{S}^{\mathrm{sub,proto,ppresec,pb,bodyresp}}$ *for sector σ consists only of:*

1. *the compact convex section-centered displacement body*

$$\mathcal{D}_\sigma^{\mathrm{ppresec}} \subset \mathcal{B}_\sigma^{\mathrm{psec}} \times V_\sigma^{\mathrm{ppresec}};$$

2. *the body-restricted pullback response*

$$\mathscr{R}_\sigma^{\mathrm{ppresec,pb,body}} : \mathcal{D}_\sigma^{\mathrm{ppresec}} \to [0, \infty), \qquad \mathscr{R}_\sigma^{\mathrm{ppresec,pb,body}}(y, v) \equiv \frac{1}{2}\left\langle v, A_\sigma^{\mathrm{ppresec,pb}}(y)v \right\rangle;$$

3. *benchmark faithfulness in the sense of Definition 2(4).*

From this smaller core define the recovered ambient displacement space by

$$\widehat{V}_\sigma^{\mathrm{ppresec,pb,bodyresp}} \equiv \mathrm{span}\left(\bigcup_{y \in \mathcal{B}_\sigma^{\mathrm{psec}}} \mathcal{D}_\sigma^{\mathrm{ppresec}}(y) \right) \subset V_\sigma^{\mathrm{ppresec}}.$$

The full ambient linear-operator family is therefore treated as derived rather than separately primitive.

Remark 2. *Definition 4 is strictly smaller than Definition 3 at current scope. It retains the actual displacement body and the pullback response realized on that body, while omitting the full operator family as an independently listed ambient datum.*

5. Collapse of the Body-Operator Core

Proposition 1 (The displacement body still recovers the ambient displacement space)**.** *For every benchmark-faithful pullback body-operator core and every $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$,*

$$\widehat{V}_\sigma^{\mathrm{ppresec,pb,bodyresp}} = V_\sigma^{\mathrm{ppresec}}.$$

Proof. Fix $y \in \mathcal{B}_\sigma^{\mathrm{psec}}$. By Definition 3(1), the fiber $\mathcal{D}_\sigma^{\mathrm{ppresec}}(y)$ has nonempty interior in the ambient finite-dimensional Euclidean space $V_\sigma^{\mathrm{ppresec}}$. Any subset of a finite-dimensional vector space with nonempty interior spans that vector space. Hence

$$\mathrm{span}\big(\mathcal{D}_\sigma^{\mathrm{ppresec}}(y)\big) = V_\sigma^{\mathrm{ppresec}}.$$

Because that fiber is contained in the union appearing in Definition 4,

$$V_\sigma^{\mathrm{pppresec}} \subset \widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}} \subset V_\sigma^{\mathrm{pppresec}},$$

which proves the claim. □

Proposition 2 (The body response determines the pullback operator uniquely)**.** *For every benchmark-faithful pullback body-operator core and every $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$, the body-response core determines at most one positive self-adjoint operator family*

$$\widehat{A}_\sigma^{\mathrm{pppresec,pb,bodyresp}}(y) : \widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}} \to \widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}}, \qquad y \in \mathcal{B}_\sigma^{\mathrm{psec}},$$

satisfying

$$\mathscr{R}_\sigma^{\mathrm{pppresec,pb,body}}(y, v) = \frac{1}{2}\left\langle v, \widehat{A}_\sigma^{\mathrm{pppresec,pb,bodyresp}}(y)v\right\rangle \qquad \textit{for every } (y, v) \in \mathcal{D}_\sigma^{\mathrm{pppresec}}. \tag{2}$$

The recorded pullback operator family $A_\sigma^{\mathrm{pppresec,pb}}(y)$ is that unique family.

Proof. By Proposition 1, the recovered ambient space is exactly $V_\sigma^{\mathrm{pppresec}}$. The recorded operator family $A_\sigma^{\mathrm{pppresec,pb}}(y)$ therefore supplies an example satisfying (2), so existence is already in hand for the present body-response core.

To prove uniqueness, fix $y \in \mathcal{B}_\sigma^{\mathrm{psec}}$ and suppose $B(y)$ and $C(y)$ are two positive self-adjoint operators on $\widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}}$ satisfying (2). Then

$$\langle v, (B(y) - C(y))v\rangle = 0 \qquad \text{for every } v \in \mathcal{D}_\sigma^{\mathrm{pppresec}}(y).$$

The left-hand side is a quadratic polynomial on the finite-dimensional Euclidean space $\widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}}$, and by Definition 3(1) the set $\mathcal{D}_\sigma^{\mathrm{pppresec}}(y)$ has nonempty interior there. A polynomial that vanishes on a set with nonempty interior vanishes identically. Hence

$$\langle v, (B(y) - C(y))v\rangle = 0 \qquad \text{for every } v \in \widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}}.$$

Because $B(y) - C(y)$ is self-adjoint, polarization gives

$$\langle u, (B(y) - C(y))w\rangle = \frac{1}{2}\left(\langle u + w, (B(y) - C(y))(u + w)\rangle - \langle u, (B(y) - C(y))u\rangle - \langle w, (B(y) - C(y))w\rangle\right) = 0$$

for all $u, w \in \widehat{V}_\sigma^{\mathrm{pppresec,pb,bodyresp}}$. Therefore $B(y) = C(y)$. Since y was arbitrary, the operator family is unique and is exactly the recorded pullback operator family. □

Proposition 3 (The full body-operator core is reconstructed from the body-response core)**.** *For every benchmark-faithful pullback body-operator core, the full observer-relevant pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$ is reconstructed from the smaller pullback body-response core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$ together with the fixed proto-section benchmark base.*

Proof. Proposition 1 recovers the ambient displacement space exactly from the displacement body. Proposition 2 then recovers the unique pullback operator family compatible with the body-response data on that body, and that family is exactly the recorded smooth positive self-adjoint operator family of Definition 3(2). The displacement body itself and benchmark faithfulness are already

retained in Definition 4. Therefore every constituent of Definition 3 is recovered from the smaller body-response core together with the fixed proto-section benchmark base. □

Proposition 4 (All current downstream uses factor through the body-response core)**.** *For every benchmark-faithful pullback body-operator core, all current benchmark-facing downstream uses of the current body-operator-core frontier already factor through the smaller pullback body-response core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$ *together with the fixed proto-section benchmark base. In particular, the current pullback-operator core, the current pullback-quadratic core, the current section-centered residual-normal-form realization, the current pre-proto-section package, the current minimizer-section core, and the previously recorded seed, root, foundation, ground, origin, precursor, lift, shell-restriction, split-core, selector-law, combined-response, ambient-package, trace-core, exact-shell-affine-nucleus, continuity-Hessian compressed core, and benchmark one-metric observer-package consequences follow unchanged once the body-response core is fixed.*

Proof. By Proposition 3, the full body-operator core is recovered from the smaller body-response core. Definition 2(3) then records that, once a benchmark-faithful body-operator core over the fixed proto-section benchmark base is available, all of the listed downstream consequences follow unchanged. Therefore every current benchmark-facing downstream use of the body-operator-core frontier factors through the smaller body-response core together with the fixed proto-section benchmark base. □

Proposition 5 (Separate off-body operator presentation is benchmark neutral at current scope)**.** *For every benchmark-faithful pullback body-operator core, the separate presentation of the ambient operator family on vectors not already contained in the recorded displacement body does not add independent benchmark-facing freedom beyond the smaller observer-relevant pullback body-response core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$*.*

Proof. By Proposition 2, the full operator family is uniquely determined by the body-response data on the recorded displacement body. By Proposition 4, all current benchmark-facing downstream uses of the body-operator-core frontier already factor through the smaller body-response core once that unique recovery is made. Therefore the separate off-body operator presentation does not provide additional benchmark-facing freedom beyond $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$. □

Proposition 6 (The benchmark package remains fixed)**.** *Every observer-relevant pullback body-response core preserves the same benchmark one-metric package* (1)*. In particular, the operative metric remains exactly* $g^\sharp$*, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged.*

Proof. This is part of benchmark faithfulness in Definition 4(3). The present note only removes presentational redundancy inside the current body-operator-core frontier. It does not alter the benchmark exact-closure package. □

6. Main Theorem

Theorem 1 (Observer-relevant pullback body-operator core collapse to an observer-relevant pullback body-response core)**.** *Fix the primitive continuation data of Definition 1, the recorded proto-section benchmark base and downstream chain of Definition 2, and a benchmark-faithful pullback body-operator core in the sense of Definition 3. Then, for each sector* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, the live benchmark-facing burden inside the current pullback-body-operator-core frontier collapses from the*

observer-relevant pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$ *to the smaller observer-relevant pullback body-response core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$*. More precisely:*

1. *the ambient displacement space is recovered canonically from the fiberwise span of the displacement body by Proposition 1;*
2. *the body-restricted pullback response determines the unique ambient pullback operator family compatible with the current body data by Proposition 2;*
3. *the full body-operator-core presentation is therefore reconstructed from the body-response core and the fixed proto-section benchmark base by Proposition 3;*
4. *all current benchmark-facing downstream uses of the body-operator-core frontier factor through the body-response core by Proposition 4;*
5. *the separate off-body operator presentation adds no independent benchmark-facing freedom beyond the body-response core by Proposition 5;*
6. *the benchmark boundary remains fixed by Proposition 6;*
7. *consequently the remaining honest burden below the previous pullback-body-operator-core frontier is no longer the full observer-relevant pullback body-operator core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$ *as such. What remains is to derive or justify the sharper pullback body-response core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$ *from still more primitive substrate structure, or else to prove a still smaller collapse, sharper necessity result, or sharper uniqueness result strictly inside that smaller core.*

Proof. Item (1) is Proposition 1. Item (2) is Proposition 2. Item (3) is Proposition 3. Item (4) is Proposition 4. Item (5) is Proposition 5. Item (6) is Proposition 6. Item (7) is the routing consequence of the previous items together with the active safeguard against counting another same-output deeper-origin relay as new front-line progress when the live benchmark-relevant datum is unchanged. □

Corollary 1 (What must be done next)**.** *After Theorem 1, the next honest benchmark-facing manuscript must either:*

1. *derive or justify the observer-relevant pullback body-response core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$ *from still more primitive explicit substrate structure in a way that changes benchmark-facing status;*
2. *identify a genuinely smaller theorem-level observer-relevant datum strictly inside* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$ *and prove a sharper collapse, sharper necessity result, or sharper uniqueness result there;*
3. *do either of the previous two while preserving the same benchmark one-metric package, the same ordinary-matter route, and the same claim boundary.*

Another same-output deeper-origin relay that preserves this body-response core and therefore merely reproduces the same current pullback body-operator core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyop}}$*, the same current pullback-operator core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,op}}$*, the same current pullback-quadratic core* $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb}}$*, the same current section-centered hidden-response package, the same current residual-normal-form datum, the same current benchmark-faithful pre-proto-section package, and the same downstream*

benchmark-facing consequences, another re-expansion back to the larger pullback-body-operator-core, pullback-operator-core, pullback-quadratic-core, hidden-response, residual-normal-form, or pre-proto-section presentations as if their recovered constituents were still independently live, or any move that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language does not satisfy the present burden.

Proof. Theorem 1 shows that the full ambient operator-family presentation is no longer part of the minimal benchmark-facing datum at this stage. Therefore a subsequent manuscript must improve on the smaller body-response core rather than merely restating the larger body-operator core. □

7. Conclusion

The positive result of this note is another disciplined compression step inside the current pullback frontier. The previous active-primary theorem already showed that the full pullback-operator-core presentation is not the minimal benchmark-facing datum, because its benchmark-relevant content collapses to an observer-relevant pullback body-operator core. The present theorem then takes the honest next internal route available there: it shows that even that body-operator presentation is still larger than necessary.

What survives as the live burden is the observer-relevant pullback body-response core $\mathfrak{S}^{\mathrm{sub,proto,pppresec,pb,bodyresp}}$. Relative to the already fixed proto-section benchmark base, that sharper datum is just the compact section-centered displacement body together with the quadratic pullback response realized on that body. The full ambient operator family is already recovered uniquely from that body response because the displacement fibers have nonempty interior, so its separate off-body presentation does not add independent benchmark-facing freedom.

This is the honest next burden after the present theorem. A new primary manuscript must derive or justify that sharper body-response core from still more primitive explicit substrate structure, or else collapse it further, while preserving the same benchmark one-metric package, the same ordinary matter route, and the same claim boundary. The current result does not yet complete a first-principles derivation of GR from substrate microphysics, but it does narrow the live derivational burden one level further on the active line.