The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Observer-Relevant Zepto-Section Minimizer-Section Core
from Atto-Section-Generating Substrate Zepto-Section Dynamics

Abstract

The current primitive-reservoir observer-reduction frontier already sharpened the live burden inside the current zepto-section line: the separate minimizer-image presentation was shown to collapse to the smaller observer-relevant zepto-section minimizer-section core. After that theorem, another same-output deeper-origin relay that merely preserves the same section core no longer counts as the honest next benchmark-facing move. The next admissible task is therefore to derive or justify that section core itself from more primitive substrate structure, or else prove a still smaller collapse strictly inside it.

The present note takes the direct derivation route. For each sector it uses the recorded atto-section-generating substrate zepto-section dynamics package consisting of a compact convex zepto-section body over the already fixed atto-section body, an affine projection to that fixed body, a nonnegative smooth fiber-selection functional with unique fiberwise minimizers, and an exact shell locus given precisely by the minimizing zepto-section shell. The current minimizer-section core is then no longer an independent primitive stopping point. It is the canonical minimizer section selected by that deeper fiberwise substrate law.

The benchmark boundary remains fixed throughout. The one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore a genuine benchmark-facing gain below the current section-core frontier: the remaining honest burden is no longer the observer-relevant zepto-section minimizer-section core as such, but the deeper atto-section-generating substrate zepto-section dynamics that canonically generate it, or a still smaller collapse strictly inside that deeper package.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity has again reached a sharper burden than another same-output relay. The current active-primary theorem already removed the separate minimizer-image presentation as the live benchmark-facing datum by showing that, once the recorded atto-section body, atto-section functional, and exact atto-section shell are fixed, the only independent observer-relevant datum left at that level is the canonical zepto-section minimizer section itself. That theorem matters precisely because it blocks a familiar form of recursive depth drift: depth alone no longer counts once the live section-core datum is unchanged.

The next honest move is therefore not to relay the old image core through another deeper package while preserving the same section core. It is to explain why the current section core itself should hold. The present note makes that move in the most direct form now available without changing the benchmark claim boundary. It uses the already recorded atto-section-generating

substrate zepto-section dynamics package whose defining datum is not another prelisted section, image body, or restricted projection. Instead, each point of the fixed atto-section body carries a compact zepto-section fiber and a nonnegative fiber-selection functional. Strict convexity on each fiber forces a unique minimizer, and that minimizing locus is exactly the current zepto-section minimizer section.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It does not introduce a second operative metric, it does not enlarge the low-energy matter law, and it does not reopen the already-screened larger minimizer-image or full zepto-section presentations as if they were again the live burden. Its narrower positive role is to show that the current zepto-section minimizer section is itself canonically generated by a deeper fiberwise substrate selection law.

2. Fixed Inputs

Definition 1 (Recorded primitive continuation data)**.** *Fix the following continuation data from the active primitive-reservoir observer-reduction line.*

1. *For each sector label* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, a primitive forcing shell*

$$\mathcal{I}_\sigma^{\mathrm{for}}.$$

2. *The product shell*

$$\mathcal{S}_{\mathrm{prim}} \equiv \mathcal{I}_{\mathrm{car}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{cur}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{hom}}^{\mathrm{for}}.$$

3. *The recorded metric and ordinary-matter outputs*

$$\mathscr{G}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \to \{\textit{observer metrics}\}, \qquad \mathscr{T}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \times \Psi \to \{\textit{observer stress tensors}\},$$

satisfying

$$\mathscr{G}_{\mathrm{out}}(\mathbf{w}) = g^\sharp, \qquad \mathscr{T}_{\mathrm{out}}(\mathbf{w}, \psi) = T_{\mu\nu}^{\mathrm{matter}}[g^\sharp, \psi] \tag{1}$$

for every $\mathbf{w} \in \mathcal{S}_{\mathrm{prim}}$ *and every matter configuration* $\psi \in \Psi$*.*

Definition 2 (Recorded atto-section downstream chain)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The active line already fixes the following downstream data and consequences:*

1. *the recorded femto-section target data*

$$\mathcal{R}_\sigma^{\mathrm{femtosec}}, \qquad \mathcal{B}_\sigma^{\mathrm{femtosec}}, \qquad \mathscr{F}_\sigma^{\mathrm{femtosec}}, \qquad \mathcal{Z}_\sigma^{\mathrm{femtosec}};$$

2. *the current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the current observer-relevant pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, the current micro-section package* $\mathfrak{W}^{\mathrm{microsec}}$*, and the current sub-section package* $\mathfrak{V}^{\mathrm{subsec}}$*;*

3. *the previously recorded fact that, once the current observer-relevant zepto-section minimizer-section core is available together with the recorded atto-section body, atto-section functional, and exact atto-section shell, the current minimizer-image core and all current benchmark-facing uses of that image core follow unchanged, and once the current atto-section package is available, the current femto-section package, the current pico-section package, the current minimizer-section core, the current nano-section package, the current micro-section package, the current sub-section package, and the downstream shell-transport consequences used on the active line follow unchanged.*

Definition 3 (Recorded femto-section-generating substrate atto-section dynamics)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The recorded current atto-section dynamics package* $\mathfrak{A}^{\mathrm{attosec}}$ *for sector* σ *consists of the following data.*

1. *A finite-dimensional Euclidean atto-section state space* $\mathcal{A}_\sigma^{\mathrm{attosec}}$*, a compact convex atto-section body*
$$\mathcal{B}_\sigma^{\mathrm{attosec}} \subset \mathcal{A}_\sigma^{\mathrm{attosec}}$$
with nonempty interior, and an affine surjection
$$\Pi_\sigma^{\mathrm{attosec}} : \mathcal{A}_\sigma^{\mathrm{attosec}} \to \mathcal{R}_\sigma^{\mathrm{femtosec}}$$
satisfying
$$\Pi_\sigma^{\mathrm{attosec}}(\mathcal{B}_\sigma^{\mathrm{attosec}}) = \mathcal{B}_\sigma^{\mathrm{femtosec}}.$$
For each $t \in \mathcal{B}_\sigma^{\mathrm{femtosec}}$*, write*
$$\mathcal{F}_\sigma^{\mathrm{attosec}}(t) \equiv \left(\Pi_\sigma^{\mathrm{attosec}}\right)^{-1}(t) \cap \mathcal{B}_\sigma^{\mathrm{attosec}}.$$
Each such fiber is required to be nonempty, compact, and convex.

2. *A nonnegative smooth atto-section functional*
$$\mathscr{A}_\sigma^{\mathrm{attosec}} : \mathcal{A}_\sigma^{\mathrm{attosec}} \to [0, \infty)$$
such that, for every $t \in \mathcal{B}_\sigma^{\mathrm{femtosec}}$*, the restriction of* $\mathscr{A}_\sigma^{\mathrm{attosec}}$ *to* $\mathcal{F}_\sigma^{\mathrm{attosec}}(t)$ *is strictly convex and attains a unique minimizer. The resulting minimizer depends smoothly on* t*; write it as*
$$\mathfrak{a}_\sigma^{\mathrm{attosec}} : \mathcal{B}_\sigma^{\mathrm{femtosec}} \to \mathcal{B}_\sigma^{\mathrm{attosec}}.$$
These data satisfy
$$\Pi_\sigma^{\mathrm{attosec}} \circ \mathfrak{a}_\sigma^{\mathrm{attosec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{femtosec}}},$$
and the effective minimum value recovers the recorded femto-section functional:
$$\mathscr{F}_\sigma^{\mathrm{femtosec}}(t) = \mathscr{A}_\sigma^{\mathrm{attosec}}(\mathfrak{a}_\sigma^{\mathrm{attosec}}(t)) = \min_{v \in \mathcal{F}_\sigma^{\mathrm{attosec}}(t)} \mathscr{A}_\sigma^{\mathrm{attosec}}(v) \qquad \text{for every } t \in \mathcal{B}_\sigma^{\mathrm{femtosec}}.$$

3. *A closed embedded exact atto-section shell*

$$\mathcal{Z}_\sigma^{\mathrm{attosec}} \subset \mathcal{B}_\sigma^{\mathrm{attosec}}$$

satisfying

$$\mathcal{Z}_\sigma^{\mathrm{attosec}} = \left\{ v \in \mathcal{B}_\sigma^{\mathrm{attosec}} : \begin{array}{l} \Pi_\sigma^{\mathrm{attosec}}(v) \in \mathcal{Z}_\sigma^{\mathrm{femtosec}}, \\ \mathscr{A}_\sigma^{\mathrm{attosec}}(v) = \min\limits_{w \in \mathcal{F}_\sigma^{\mathrm{attosec}}(\Pi_\sigma^{\mathrm{attosec}}(v))} \mathscr{A}_\sigma^{\mathrm{attosec}}(w) \end{array} \right\},$$

and

$$\Pi_\sigma^{\mathrm{attosec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{attosec}}} : \mathcal{Z}_\sigma^{\mathrm{attosec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{femtosec}}$$

is a diffeomorphism.

4. *Benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, and presentation as the fixed benchmark-relevant atto-section package used on the active line.*

Definition 4 (Recorded atto-section-generating substrate zepto-section dynamics)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The recorded current zepto-section dynamics package* $\mathfrak{B}^{\mathrm{zeptosec}}$ *for sector* σ *consists of the following data.*

1. *A finite-dimensional Euclidean zepto-section state space* $\mathcal{U}_\sigma^{\mathrm{zeptosec}}$*, a compact convex zepto-section body*

$$\mathcal{B}_\sigma^{\mathrm{zeptosec}} \subset \mathcal{U}_\sigma^{\mathrm{zeptosec}}$$

with nonempty interior, and an affine surjection

$$\Pi_\sigma^{\mathrm{zeptosec}} : \mathcal{U}_\sigma^{\mathrm{zeptosec}} \to \mathcal{A}_\sigma^{\mathrm{attosec}}$$

satisfying

$$\Pi_\sigma^{\mathrm{zeptosec}}(\mathcal{B}_\sigma^{\mathrm{zeptosec}}) = \mathcal{B}_\sigma^{\mathrm{attosec}}.$$

For each $v \in \mathcal{B}_\sigma^{\mathrm{attosec}}$*, write*

$$\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v) \equiv \left(\Pi_\sigma^{\mathrm{zeptosec}}\right)^{-1}(v) \cap \mathcal{B}_\sigma^{\mathrm{zeptosec}}.$$

Each such fiber is required to be nonempty, compact, and convex.

2. *A nonnegative smooth zepto-section functional*

$$\mathscr{U}_\sigma^{\mathrm{zeptosec}} : \mathcal{U}_\sigma^{\mathrm{zeptosec}} \to [0, \infty)$$

such that, for every $v \in \mathcal{B}_\sigma^{\mathrm{attosec}}$*, the restriction of* $\mathscr{U}_\sigma^{\mathrm{zeptosec}}$ *to* $\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)$ *is strictly convex and attains a unique minimizer. The resulting minimizer depends smoothly on* v*; write it as*

$$\mathfrak{z}_\sigma^{\mathrm{zeptosec}} : \mathcal{B}_\sigma^{\mathrm{attosec}} \to \mathcal{B}_\sigma^{\mathrm{zeptosec}}.$$

These data satisfy

$$\Pi_\sigma^{\mathrm{zeptosec}} \circ \mathfrak{z}_\sigma^{\mathrm{zeptosec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{attosec}}},$$

and the effective minimum value recovers the recorded atto-section functional:

$$\mathscr{A}_\sigma^{\mathrm{attosec}}(v) = \mathscr{U}_\sigma^{\mathrm{zeptosec}}\big(\mathfrak{z}_\sigma^{\mathrm{zeptosec}}(v)\big) = \min_{q \in \mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)} \mathscr{U}_\sigma^{\mathrm{zeptosec}}(q) \qquad \text{for every } v \in \mathcal{B}_\sigma^{\mathrm{attosec}}.$$

3. *A closed embedded exact zepto-section shell*

$$\mathcal{Z}_\sigma^{\mathrm{zeptosec}} \subset \mathcal{B}_\sigma^{\mathrm{zeptosec}}$$

satisfying

$$\mathcal{Z}_\sigma^{\mathrm{zeptosec}} = \left\{ q \in \mathcal{B}_\sigma^{\mathrm{zeptosec}} : \begin{array}{l} \Pi_\sigma^{\mathrm{zeptosec}}(q) \in \mathcal{Z}_\sigma^{\mathrm{attosec}}, \\ \mathscr{U}_\sigma^{\mathrm{zeptosec}}(q) = \displaystyle\min_{r \in \mathcal{F}_\sigma^{\mathrm{zeptosec}}(\Pi_\sigma^{\mathrm{zeptosec}}(q))} \mathscr{U}_\sigma^{\mathrm{zeptosec}}(r) \end{array} \right\},$$

and

$$\Pi_\sigma^{\mathrm{zeptosec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{zeptosec}}} : \mathcal{Z}_\sigma^{\mathrm{zeptosec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{attosec}}$$

is a diffeomorphism.

4. *Benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, and presentation as a deeper substrate-side source for the current atto-section package rather than as a replacement benchmark theory.*

Remark 1. *Definitions 1–4 are fixed inputs. The one operative metric, the ordinary matter route, the recorded atto-section body* $\mathcal{B}_\sigma^{\mathrm{attosec}}$*, the atto-section functional* $\mathscr{A}_\sigma^{\mathrm{attosec}}$*, the exact atto-section shell* $\mathcal{Z}_\sigma^{\mathrm{attosec}}$*, and the already recorded downstream consequences are not reopened here. The present note asks only why the current zepto-section minimizer-section core itself should arise from a still more primitive substrate law.*

3. Induced Observer-Relevant Zepto-Section Minimizer-Section Core

Definition 5 (Observer-relevant zepto-section minimizer-section core)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$ *and a benchmark-faithful zepto-section dynamics package in the sense of Definition 4. The* observer-relevant zepto-section minimizer-section core $\mathfrak{B}^{\mathrm{zep,sec}}$ *for sector* σ *consists of:*

1. *the canonical minimizer section*

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}} \equiv \mathfrak{z}_\sigma^{\mathrm{zeptosec}} : \mathcal{B}_\sigma^{\mathrm{attosec}} \to \mathcal{B}_\sigma^{\mathrm{zeptosec}};$$

2. *benchmark faithfulness in the sense of Definition 4.*

The image body $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big(\mathcal{B}_\sigma^{\mathrm{attosec}}\big)$*, the shell restriction*

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{attosec}}} : \mathcal{Z}_\sigma^{\mathrm{attosec}} \to \mathcal{Z}_\sigma^{\mathrm{zeptosec}},$$

the inverse projection on that image, and the image-core functional induced from $\mathscr{A}_\sigma^{\mathrm{attosec}}$ *are understood as derived data rather than as separately primitive core data.*

Remark 2. *Definition 5 is exactly the current live benchmark-facing datum, now written as a canonical consequence of the deeper zepto-section dynamics rather than as a remaining primitive*

stopping point.

4. Canonical Recovery of the Current Section Core

Proposition 1 (The canonical minimizer section is well defined)**.** *For every benchmark-faithful zepto-section dynamics package, the map* $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}$ *of Definition 5 is a smooth section of* $\Pi_\sigma^{\mathrm{zeptosec}}$*, so that*

$$\Pi_\sigma^{\mathrm{zeptosec}} \circ \mathfrak{s}_\sigma^{\mathrm{zep,sec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{attosec}}}.$$

Proof. Definition 4(1) makes each fiber $\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)$ nonempty, compact, and convex. Definition 4(2) states that $\mathscr{U}_\sigma^{\mathrm{zeptosec}}$ has a unique minimizer on each such fiber and that the minimizer depends smoothly on v. Definition 5(1) therefore gives a well-defined smooth map

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}} : \mathcal{B}_\sigma^{\mathrm{attosec}} \to \mathcal{B}_\sigma^{\mathrm{zeptosec}}.$$

Because every minimizer lies in the fiber over the point at which it is selected, we have

$$\Pi_\sigma^{\mathrm{zeptosec}}\big(\mathfrak{s}_\sigma^{\mathrm{zep,sec}}(v)\big) = v$$

for every $v \in \mathcal{B}_\sigma^{\mathrm{attosec}}$, which is the displayed identity. □

Proposition 2 (The exact shell is the shell restriction of the canonical section)**.** *For every benchmark-faithful zepto-section dynamics package,*

$$\mathcal{Z}_\sigma^{\mathrm{zeptosec}} = \mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big(\mathcal{Z}_\sigma^{\mathrm{attosec}}\big),$$

and the shell restriction

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{attosec}}} : \mathcal{Z}_\sigma^{\mathrm{attosec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{zeptosec}}$$

is a diffeomorphism with inverse

$$\Pi_\sigma^{\mathrm{zeptosec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{zeptosec}}} : \mathcal{Z}_\sigma^{\mathrm{zeptosec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{attosec}}.$$

Proof. Let $v \in \mathcal{Z}_\sigma^{\mathrm{attosec}}$. By Definition 5(1), $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}(v)$ is the unique minimizer of $\mathscr{U}_\sigma^{\mathrm{zeptosec}}$ on the fiber $\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)$. Since $v \in \mathcal{Z}_\sigma^{\mathrm{attosec}}$, Definition 4(3) implies

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}}(v) \in \mathcal{Z}_\sigma^{\mathrm{zeptosec}}.$$

Hence

$$\mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big(\mathcal{Z}_\sigma^{\mathrm{attosec}}\big) \subset \mathcal{Z}_\sigma^{\mathrm{zeptosec}}.$$

Conversely, if $q \in \mathcal{Z}_\sigma^{\mathrm{zeptosec}}$, then $v \equiv \Pi_\sigma^{\mathrm{zeptosec}}(q)$ lies in $\mathcal{Z}_\sigma^{\mathrm{attosec}}$, and Definition 4(3) says that q is a minimizer of $\mathscr{U}_\sigma^{\mathrm{zeptosec}}$ on $\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)$. By uniqueness of that minimizer, $q = \mathfrak{s}_\sigma^{\mathrm{zep,sec}}(v)$. This proves the displayed equality.

The map $\Pi_\sigma^{\mathrm{zeptosec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{zeptosec}}}$ is a diffeomorphism by Definition 4(3). The displayed equality shows that its inverse is exactly $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{attosec}}}$. □

Proposition 3 (The induced minimizer section is canonical)**.** *Fix a benchmark-faithful zepto-section dynamics package. If*

$$s : \mathcal{B}_\sigma^{\mathrm{attosec}} \to \mathcal{B}_\sigma^{\mathrm{zeptosec}}$$

is any smooth section satisfying

$$\Pi_\sigma^{\mathrm{zeptosec}} \circ s = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{attosec}}}$$

and

$$\mathscr{U}_\sigma^{\mathrm{zeptosec}}\big(s(v)\big) = \min_{q \in \mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)} \mathscr{U}_\sigma^{\mathrm{zeptosec}}(q) \qquad \textit{for every } v \in \mathcal{B}_\sigma^{\mathrm{attosec}},$$

then $s = \mathfrak{s}_\sigma^{\mathrm{zep,sec}}$*. In particular, the induced observer-relevant section core carries no residual minimizing-choice freedom once the deeper zepto-section dynamics are fixed.*

Proof. For each $v \in \mathcal{B}_\sigma^{\mathrm{attosec}}$, the point $s(v)$ belongs to $\mathcal{F}_\sigma^{\mathrm{zeptosec}}(v)$ and minimizes $\mathscr{U}_\sigma^{\mathrm{zeptosec}}$ there. By Definition 4(2), that minimizer is unique. Therefore

$$s(v) = \mathfrak{s}_\sigma^{\mathrm{zep,sec}}(v)$$

for every v, hence $s = \mathfrak{s}_\sigma^{\mathrm{zep,sec}}$. □

Proposition 4 (All current downstream uses factor through the induced section core)**.** *For every benchmark-faithful zepto-section dynamics package, all current benchmark-facing downstream uses of the observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$ *on the active line factor through the induced section* $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}$ *together with the fixed atto-section data. In particular, the already recorded recovery of the current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the current observer-relevant pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, the current micro-section package* $\mathfrak{W}^{\mathrm{microsec}}$*, the current sub-section package* $\mathfrak{V}^{\mathrm{subsec}}$*, and the previously recorded shell-transport consequences does not require any additional primitive zepto-section datum once the induced section core is fixed.*

Proof. By Proposition 1, the induced section $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}$ is a section of $\Pi_\sigma^{\mathrm{zeptosec}}$. By Proposition 2,

$$\Pi_\sigma^{\mathrm{zeptosec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{zeptosec}}} : \mathcal{Z}_\sigma^{\mathrm{zeptosec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{attosec}}$$

is a diffeomorphism with inverse the shell restriction of $\mathfrak{s}_\sigma^{\mathrm{zep,sec}}$. Definition 2(3) then records that, once the current observer-relevant zepto-section minimizer-section core is available together with the fixed atto-section data, the current minimizer-image core and all current benchmark-facing uses of that image core follow unchanged, and that once the current atto-section package is available the current downstream chain likewise follows unchanged. Therefore all current benchmark-facing uses at zepto-section scope already factor through the induced section core together with the fixed atto-section data, and no additional primitive zepto-section datum is required. □

Proposition 5 (The benchmark package remains fixed)**.** *Every benchmark-faithful atto-section-generating substrate zepto-section dynamics package preserves the same benchmark one-metric package* (1)*. In particular, the operative metric remains exactly* $g^\sharp$*, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged.*

Proof. This is part of benchmark faithfulness in Definition 4(4). The present note only derives the current section core from deeper substrate selector data. It does not alter the benchmark exact-closure package. □

5. Main Theorem

Theorem 1 (Observer-relevant zepto-section minimizer-section core from atto-section-generating substrate zepto-section dynamics)**.** *Fix the primitive continuation data of Definition 1, the recorded atto-section downstream chain of Definition 2, the recorded atto-section package of Definition 3, and a benchmark-faithful atto-section-generating substrate zepto-section dynamics package in the sense of Definition 4. Then, for each sector* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, the current observer-relevant zepto-section minimizer-section core is no longer an unexplained primitive stopping point on the active line: it is recovered canonically from the deeper zepto-section dynamics. More precisely:*

1. *the deeper zepto-section dynamics generate the observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$ *by Proposition 1;*
2. *the exact zepto-section shell is exactly the shell restriction of that canonical minimizer section by Proposition 2;*
3. *the induced minimizer section is canonical and carries no residual minimizing-choice freedom once the deeper package is fixed by Proposition 3;*
4. *all current benchmark-facing downstream uses of the section core already factor through the induced datum by Proposition 4;*
5. *the benchmark boundary remains fixed by Proposition 5;*
6. *consequently the remaining honest burden below the previous section-core frontier is no longer the observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$ *as such. What remains is to derive or justify the deeper atto-section-generating substrate zepto-section dynamics* $\mathfrak{B}^{\mathrm{zeptosec}}$ *from still more primitive substrate structure, or else prove a still sharper theorem-level collapse strictly inside that deeper package.*

Proof. Item (1) is Proposition 1. Item (2) is Proposition 2. Item (3) is Proposition 3. Item (4) is Proposition 4. Item (5) is Proposition 5. Item (6) is the routing consequence of the previous items together with the active safeguard against counting another same-output deeper-origin relay as new front-line progress when the live benchmark-relevant datum is unchanged. □

Corollary 1 (What must be done next)**.** *After Theorem 1, the next honest benchmark-facing manuscript must either:*

1. *derive or justify the atto-section-generating substrate zepto-section dynamics* $\mathfrak{B}^{\mathrm{zeptosec}}$ *from still more primitive substrate structure in a way that changes benchmark-facing status;*
2. *identify a genuinely smaller theorem-level observer-relevant datum strictly inside* $\mathfrak{B}^{\mathrm{zeptosec}}$ *and prove a sharper collapse to it;*
3. *do either of the previous two while preserving the same benchmark one-metric package and the same claim boundary.*

Another same-output deeper-origin relay that merely preserves the current zepto-section package $\mathfrak{B}^{\mathrm{zeptosec}}$ *and therefore merely reproduces the same observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the same current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the same current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the same current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the same current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the same current observer-relevant pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the same current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, and the same downstream micro-section and sub-section packages, another re-expansion back to the larger minimizer-image or full zepto-section presentations as if they were still independently live, another reopening of the already-screened current atto-section package or other larger screened presentations as if they were again the active burden, or any move that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language does not satisfy the present burden. If a quantum continuation is pursued, it matters benchmark-facingly only insofar as it derives this same deeper zepto-section dynamics, collapses them further, or closes a benchmark derivation gate in a genuinely new way.*

Proof. Theorem 1 shows that the current section core is no longer the deepest unexplained datum on the active line. Therefore a subsequent manuscript must improve on the deeper zepto-section dynamics rather than merely restate the already generated section core. □

6. Conclusion

The positive result of this note is that the current observer-relevant zepto-section minimizer-section core is no longer primitive on the active derivational line. Once one works with an atto-section-generating substrate zepto-section dynamics package over the already fixed atto-section body, the section is forced as the unique fiberwise minimizer of a deeper substrate selection law. The exact shell of that package is exactly the shell restriction of the same section, and all current benchmark-facing uses already factor through that induced datum together with the fixed atto-section package.

This preserves the same benchmark one-metric package and the same claim boundary. The result does not yet provide a completed first-principles derivation of GR from substrate microphysics, and it does not license stronger promotion language. Its narrower benchmark-facing gain is that the remaining honest burden now sits one level lower again: not on the current section core itself, but on the deeper zepto-section dynamics that canonically generate it, or on a still smaller collapse strictly inside that deeper package.