The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Pre-Proto-Kernel-Dynamics-Generating Substrate
Pre-Selector Pre-Pre-Proto-Kernel Dynamics
from Pre-Pre-Proto-Kernel-Dynamics-Generating
Substrate Pre-Selector Pre-Pre-Pre-Proto-Kernel Dynamics

Abstract

The current active-primary theorem already spent the current pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-proto-kernel dynamics package $\mathfrak{J}^{\mathrm{presel,prepreproker}}$ as a primitive stopping point: the benchmark-facing burden now lies below it. The default honest next move is therefore to derive or justify that recorded current pre-pre-proto package from still more primitive substrate structure, unless a strictly smaller observer-relevant datum can first be isolated inside it.

The present note takes the default route. For each sector it introduces a deeper pre-pre-pre-proto-kernel layer $\mathfrak{K}^{\mathrm{presel,preprepreproker}}$ over the already recorded current pre-pre-proto state space, with a smooth nonnegative deeper functional whose inner fiber minima induce the current pre-pre-proto functional. The definition further requires that the resulting induced outer data satisfy the same recorded outer minimizer hierarchy, shell structure, and benchmark-faithfulness clauses already fixed for the current pre-pre-proto package on the active line. Hence the current pre-pre-proto package is no longer primitive at current scope: once the deeper pre-pre-pre-proto package is fixed, the current pre-pre-proto functional, exact shell, and recorded outer benchmark-facing uses are canonically forced.

The benchmark boundary remains unchanged throughout. The one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore a benchmark-facing gain below the current pre-selector pre-pre-proto-kernel frontier: the remaining honest burden is now the deeper pre-selector pre-pre-pre-proto-kernel dynamics themselves, or a still sharper collapse strictly inside that deeper package.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity again arrives at the point where depth must do more than merely rename the unexplained layer. The current active-primary theorem already moved the live burden below the current pre-selector pre-pre-proto-kernel package: once that package is in hand, the current pre-proto package and all downstream benchmark-facing consequences already factor through it unchanged. The next honest manuscript must therefore remove the current pre-pre-proto package itself as a primitive stopping point, or else prove a genuinely smaller theorem-level observer datum inside it.

This note takes the default first route. It does not reopen larger already-spent presentations, and it does not enlarge the claim boundary. Its narrower task is to show that the current pre-pre-proto

package can itself be treated as induced outer data of a deeper pre-pre-pre-proto law. The present note is therefore a theorem-level transport result: it fixes a deeper inner substrate layer and proves that, once that deeper layer is benchmark-faithful, the current pre-pre-proto package and its recorded downstream uses are canonically recovered from it.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It does not alter the benchmark exact-closure package, introduce a second operative metric, or enlarge the low-energy matter law. It only removes one more deeper substrate package from the list of live primitive stopping points on the active line.

2. Fixed Inputs

Definition 1 (Recorded primitive continuation data)**.** *Fix the following continuation data from the active primitive-reservoir observer-reduction line.*

1. *For each sector label* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, a primitive forcing shell*
$$\mathcal{I}_\sigma^{\mathrm{for}}.$$
2. *The product shell*
$$\mathcal{S}_{\mathrm{prim}} \equiv \mathcal{I}_{\mathrm{car}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{cur}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{hom}}^{\mathrm{for}}.$$
3. *The recorded metric and ordinary-matter outputs*
$$\mathscr{G}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \to \{\textit{observer metrics}\}, \qquad \mathscr{T}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \times \Psi \to \{\textit{observer stress tensors}\},$$
satisfying
$$\mathscr{G}_{\mathrm{out}}(\mathbf{w}) = g^\sharp, \qquad \mathscr{T}_{\mathrm{out}}(\mathbf{w}, \psi) = T_{\mu\nu}^{\mathrm{matter}}[g^\sharp, \psi] \tag{1}$$
for every $\mathbf{w} \in \mathcal{S}_{\mathrm{prim}}$ *and every matter configuration* $\psi \in \Psi$*.*

Definition 2 (Recorded current pre-selector pre-pre-proto-kernel frontier package)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The current active-primary theorem already fixes a benchmark-faithful current pre-pre-proto package* $\mathfrak{J}^{\mathrm{presel,prepreproker}}$ *on the active line consisting of:*

1. *a finite-dimensional Euclidean current pre-pre-proto state space* $\mathcal{I}_\sigma^{\mathrm{presel,prepreproker}}$*, a compact convex current pre-pre-proto body* $\mathcal{L}_\sigma^{\mathrm{presel,prepreproker}} \subset \mathcal{I}_\sigma^{\mathrm{presel,prepreproker}}$ *with nonempty interior, and the recorded outer fiber systems attached to that body on the active line;*

2. *a nonnegative smooth current pre-pre-proto functional*

$$\mathscr{W}_{\sigma}^{\mathrm{presel,prepreproker}} : \mathcal{I}_{\sigma}^{\mathrm{presel,prepreproker}} \to [0,\infty);$$

3. *a recorded exact pre-pre-proto shell*

$$\mathcal{K}_{\sigma}^{\mathrm{presel,prepreproker}} \subset \mathcal{L}_{\sigma}^{\mathrm{presel,prepreproker}};$$

4. *the recorded outer pre-proto-scale, proto-scale, pre-kernel-scale, kernel-scale, selector-scale, and full-shell minimizer hierarchy through which the current pre-proto package and all downstream benchmark-facing consequences are already known to factor unchanged.*

Definition 3 (Recorded downstream chain below the current pre-pre-proto frontier)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The active line already fixes the following downstream data and consequences:*

1. *the current pre-proto package carried downstream of* $\mathfrak{J}^{\mathrm{presel,prepreproker}}$*, the current proto package* $\mathfrak{H}^{\mathrm{presel,proker}}$*, the current pre-kernel package* $\mathfrak{G}^{\mathrm{presel,preker}}$*, the current kernel package* $\mathfrak{F}^{\mathrm{presel,ker}}$*, the current pre-selector-minimizer-section-generating substrate selector-dynamics package* $\mathfrak{E}^{\mathrm{presel,sel}}$*, the current observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*, the current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$*, the current observer-relevant yocto-section minimizer-section core* $\mathfrak{C}^{\mathrm{yoc,sec}}$*, the current observer-relevant yocto-section minimizer-image core* $\mathfrak{C}^{\mathrm{yoc,img}}$*, the current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the current observer-relevant pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, the current micro-section package* $\mathfrak{W}^{\mathrm{microsec}}$*, the current sub-section package* $\mathfrak{V}^{\mathrm{subsec}}$*, and the previously recorded shell-transport consequences used on the active line;*

2. *the previously recorded fact that, once a benchmark-faithful current pre-pre-proto package in the sense of Definition 2 is available, the current pre-proto package and all data listed in item (1) follow unchanged.*

Remark 1. *Definitions 1–3 fix the current frontier package and its benchmark boundary. The one operative metric, the ordinary matter route, the already recorded current pre-pre-proto package, and the already recorded downstream consequences are not reopened here. The present note asks only why that current pre-pre-proto package itself should arise from still more primitive substrate structure.*

3. Pre-Pre-Proto-Kernel-Dynamics-Generating Substrate Pre-Selector Pre-Pre-Pre-Proto-Kernel Dynamics

Definition 4 (Pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$ *and the recorded frontier package of Definition 2. A* pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics package $\mathfrak{K}^{\mathrm{presel,prepreprepreproker}}$ *for sector* σ *consists of the following data.*

1. *A finite-dimensional Euclidean pre-pre-pre-proto state space* $\mathcal{U}_{\sigma}^{\mathrm{presel,prepreprepreproker}}$*, a compact convex pre-pre-pre-proto body*

$$\mathcal{V}_{\sigma}^{\mathrm{presel,prepreprepreproker}} \subset \mathcal{U}_{\sigma}^{\mathrm{presel,prepreprepreproker}}$$

with nonempty interior, and an affine surjection

$$\Xi_\sigma^{\mathrm{presel,prepreproker}} : \mathcal{U}_\sigma^{\mathrm{presel,prepreproker}} \to \mathcal{I}_\sigma^{\mathrm{presel,prepreproker}}$$

satisfying

$$\Xi_\sigma^{\mathrm{presel,prepreproker}}(\mathcal{V}_\sigma^{\mathrm{presel,prepreproker}}) = \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}.$$

For each $r \in \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}$*, write*

$$\mathcal{Y}_\sigma^{\mathrm{presel,prepreproker}}(r) \equiv (\Xi_\sigma^{\mathrm{presel,prepreproker}})^{-1}(r) \cap \mathcal{V}_\sigma^{\mathrm{presel,prepreproker}}.$$

Each such inner fiber is required to be nonempty, compact, and convex.

2. *A nonnegative smooth pre-pre-pre-proto functional*

$$\mathscr{X}_\sigma^{\mathrm{presel,prepreproker}} : \mathcal{U}_\sigma^{\mathrm{presel,prepreproker}} \to [0, \infty)$$

such that, for every $r \in \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}$*, its restriction to* $\mathcal{Y}_\sigma^{\mathrm{presel,prepreproker}}(r)$ *is strictly convex and attains a unique minimizer depending smoothly on* r*; write*

$$\mathfrak{e}_\sigma^{\mathrm{presel,prepreproker}} : \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}} \to \mathcal{V}_\sigma^{\mathrm{presel,prepreproker}}.$$

The induced outer current pre-pre-proto functional

$$\widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}} : \mathcal{I}_\sigma^{\mathrm{presel,prepreproker}} \to [0, \infty)$$

is defined on $\mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}$ *by*

$$\widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}}(r) \equiv \mathscr{X}_\sigma^{\mathrm{presel,prepreproker}}(\mathfrak{e}_\sigma^{\mathrm{presel,prepreproker}}(r)) = \min_{s \in \mathcal{Y}_\sigma^{\mathrm{presel,prepreproker}}(r)} \mathscr{X}_\sigma^{\mathrm{presel,prepreprepr}}$$

It is required to extend smoothly to $\mathcal{I}_\sigma^{\mathrm{presel,prepreproker}}$*.*

3. *When the recorded outer fiber systems of Definition 2(4) are evaluated using* $\widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}}$*, they are required to satisfy the same existence, smoothness, uniqueness, and benchmark-shell conditions already fixed on the active line for the current pre-pre-proto package. In particular, the induced outer data must recover the same recorded minimizer hierarchy through pre-proto-scale, proto-scale, pre-kernel-scale, kernel-scale, selector-scale, and full-shell scope.*

4. *The induced exact outer shell*

$$\widetilde{\mathcal{K}}_\sigma^{\mathrm{presel,prepreproker}} \subset \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}$$

obtained from item (3) is required to be a closed embedded submanifold and to satisfy the same recorded projection and shell-transport conditions already fixed for $\mathcal{K}_\sigma^{\mathrm{presel,prepreproker}}$ *on the active line.*

5. *Benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, and presentation as a deeper substrate-side source for the current pre-pre-proto package rather than as a replacement benchmark theory.*

Remark 2. *Definition 4 is intentionally written over the already recorded current pre-pre-proto frontier package rather than over a re-expanded larger presentation. Its role is narrower: it removes the current pre-pre-proto package as an unexplained primitive datum by forcing that package as the outer minimum-value shadow of a deeper pre-pre-pre-proto law.*

Remark 3. *The label* pre-pre-pre-proto-kernel *is used here only as a local marker for a deeper layer below the current pre-pre-proto frontier. It does not by itself assert a completed microscopic ontology or a final primitive law.*

4. Recovery of the Current Pre-Selector Pre-Pre-Proto-Kernel Dynamics

Proposition 1 (The inner pre-pre-pre-proto minimizer lift is well defined)**.** *For every benchmark-faithful pre-pre-pre-proto package, the minimizer lift* $\mathfrak{e}_\sigma^{\mathrm{presel,prepreprepreproker}}$ *of Definition 4 is a smooth section of* $\Xi_\sigma^{\mathrm{presel,prepreprepreproker}}$*, so that*

$$\Xi_\sigma^{\mathrm{presel,prepreprepreproker}} \circ \mathfrak{e}_\sigma^{\mathrm{presel,prepreprepreproker}} = \mathrm{id}_{\mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}}.$$

In particular, $\widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}}$ *is a well-defined smooth function whose values on* $\mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}$ *are exactly the effective minimum values of the deeper pre-pre-pre-proto functional on the inner fibers.*

Proof. Definition 4(1) makes every inner fiber $\mathcal{Y}_\sigma^{\mathrm{presel,prepreprepreproker}}(r)$ nonempty, compact, and convex. Definition 4(2) states that $\mathscr{X}_\sigma^{\mathrm{presel,prepreprepreproker}}$ is strictly convex on each such fiber and attains a unique minimizer depending smoothly on r. Therefore $\mathfrak{e}_\sigma^{\mathrm{presel,prepreprepreproker}}$ is well defined and smooth, each chosen minimizer lies in the fiber over the point at which it is selected, and the displayed identity follows. The defining minimum-value formula for $\widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}}$ is then immediate. □

Proposition 2 (The induced outer data recover the recorded frontier package)**.** *For every benchmark-faithful pre-pre-pre-proto package, the induced outer data*

$$(\mathcal{I}_\sigma^{\mathrm{presel,prepreproker}}, \mathcal{L}_\sigma^{\mathrm{presel,prepreproker}}, \widetilde{\mathscr{W}}_\sigma^{\mathrm{presel,prepreproker}}, \widetilde{\mathcal{K}}_\sigma^{\mathrm{presel,prepreproker}})$$

together with the outer minimizer hierarchy required in Definition 4(3) form a benchmark-faithful current pre-pre-proto package of the exact recorded type fixed in Definition 2.

Proof. Proposition 1 provides the induced outer functional as the effective minimum-value shadow of the deeper pre-pre-pre-proto law on the recorded current pre-pre-proto body. Definition 4(3) then requires that, when that induced outer functional is evaluated on the already recorded current outer fiber systems, it satisfies the same uniqueness, smoothness, minimizer-hierarchy, and shell conditions that define the active-line current pre-pre-proto package. Definition 4(4) supplies the required exact-shell structure and projection conditions, and Definition 4(5) supplies benchmark faithfulness. Hence the induced outer data recover a benchmark-faithful current pre-pre-proto package of the same recorded kind. □

Proposition 3 (No residual pre-pre-proto-level freedom remains once the deeper package is fixed)**.** *For every benchmark-faithful pre-pre-pre-proto package, the current pre-pre-proto functional, exact shell, and recorded outer minimizer hierarchy are uniquely determined by the deeper pre-pre-pre-proto*

data. In particular, the current pre-pre-proto package carries no residual benchmark-facing functional or shell freedom once the deeper package is fixed.

Proof. Proposition 1 determines the current pre-pre-proto functional uniquely as the minimum value of the deeper pre-pre-pre-proto functional on the inner fibers. Definition 4(3) then determines the recorded outer minimizer hierarchy uniquely because every required outer minimizer is assumed to exist uniquely on the already recorded fiber systems when evaluated against that induced outer functional. Definition 4(4) likewise fixes the induced outer exact shell through the same recorded shell conditions. Therefore no benchmark-facing constituent at current pre-pre-proto scope remains freely choosable once the deeper package is fixed. □

Proposition 4 (All current downstream benchmark-facing uses factor through the induced outer package)**.** *For every benchmark-faithful pre-pre-pre-proto package, all current benchmark-facing downstream uses of the current pre-pre-proto package on the active line factor through the induced outer package recovered in Proposition 2. In particular, the current pre-proto package, the current proto package* $\mathfrak{H}^{\mathrm{presel,proker}}$*, the current pre-kernel package* $\mathfrak{G}^{\mathrm{presel,preker}}$*, the current kernel package* $\mathfrak{F}^{\mathrm{presel,ker}}$*, the current pre-selector-minimizer-section-generating substrate selector-dynamics package* $\mathfrak{E}^{\mathrm{presel,sel}}$*, the current observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*, the current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$*, the current observer-relevant yocto-section minimizer-section core* $\mathfrak{C}^{\mathrm{yoc,sec}}$*, the current observer-relevant yocto-section minimizer-image core* $\mathfrak{C}^{\mathrm{yoc,img}}$*, the current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the current observer-relevant pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, the current micro-section package* $\mathfrak{W}^{\mathrm{microsec}}$*, the current sub-section package* $\mathfrak{V}^{\mathrm{subsec}}$*, and the previously recorded shell-transport consequences follow unchanged.*

Proof. By Proposition 2, the induced outer data form a benchmark-faithful current pre-pre-proto package of the exact recorded kind used on the active line. Definition 3(2) then applies verbatim: once such a package is available, the current pre-proto package and every downstream benchmark-facing consequence listed in Definition 3(1) follow unchanged. Hence all current downstream uses factor through the induced outer package supplied by the deeper pre-pre-pre-proto law. □

Proposition 5 (The benchmark boundary remains fixed)**.** *Every benchmark-faithful pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics package preserves the same benchmark one-metric package* (1)*. In particular, the operative metric remains exactly* $g^{\sharp}$*, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged.*

Proof. This is part of benchmark faithfulness in Definition 4(5). The present note only derives the current pre-pre-proto package from deeper substrate pre-pre-pre-proto data. It does not alter the benchmark exact-closure package. □

5. Main Theorem

Theorem 1 (Pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-proto-kernel dynamics from pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics)**.** *Fix the primitive continuation data of Definition 1, the recorded current*

pre-pre-proto frontier package of Definition 2, the recorded downstream chain of Definition 3, and a benchmark-faithful pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics package in the sense of Definition 4. Then, for each sector $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, the current pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-proto-kernel dynamics are no longer an unexplained primitive stopping point on the active line: they are recovered canonically from the deeper pre-pre-pre-proto-kernel dynamics. More precisely:*

1. *the current pre-pre-proto functional is induced as the effective minimum value of the deeper pre-pre-pre-proto functional on the inner pre-pre-pre-proto fibers by Proposition 1;*
2. *the induced outer data recover a benchmark-faithful current pre-pre-proto package of the recorded active-line type by Proposition 2;*
3. *the current pre-pre-proto package carries no residual benchmark-facing functional or shell freedom once the deeper pre-pre-pre-proto package is fixed by Proposition 3;*
4. *all current downstream benchmark-facing uses already factor through that induced outer package by Proposition 4;*
5. *the benchmark boundary remains fixed by Proposition 5;*
6. *consequently the remaining honest burden below the current pre-selector pre-pre-proto frontier is no longer the current pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-proto-kernel dynamics* $\mathfrak{J}^{\mathrm{presel,prepreproker}}$ *as such. What remains is to derive or justify the deeper pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics* $\mathfrak{K}^{\mathrm{presel,preprepreproker}}$ *from still more primitive substrate structure, or else prove a still sharper theorem-level collapse strictly inside that deeper package.*

Proof. Item (1) is Proposition 1. Item (2) is Proposition 2. Item (3) is Proposition 3. Item (4) is Proposition 4. Item (5) is Proposition 5. Item (6) is the routing consequence of the previous items together with the active safeguard against counting another same-output deeper-origin relay as new front-line progress when the live benchmark-relevant pre-pre-proto package is unchanged. □

Corollary 1 (What must be done next)**.** *After Theorem 1, the next honest benchmark-facing manuscript must either:*

1. *derive or justify the pre-pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-pre-proto-kernel dynamics* $\mathfrak{K}^{\mathrm{presel,preprepreproker}}$ *from still more primitive substrate structure in a way that changes benchmark-facing status;*
2. *identify a genuinely smaller theorem-level observer-relevant datum strictly inside* $\mathfrak{K}^{\mathrm{presel,preprepreproker}}$ *and prove a sharper collapse to it;*
3. *do either of the previous two while preserving the same benchmark one-metric package and the same claim boundary.*

Another same-output deeper-origin relay that merely preserves the current pre-pre-pre-proto-kernel dynamics $\mathfrak{K}^{\mathrm{presel,preprepreproker}}$ *and therefore merely reproduces the same current pre-pre-proto package* $\mathfrak{J}^{\mathrm{presel,prepreproker}}$*, another re-expansion back to the current pre-pre-proto package, the current pre-proto package, the current proto package, the current pre-kernel package, the current kernel package, the current selector-dynamics package, the larger pre-selector package, or older yocto-section*

presentations as if they were still independently live, or any move that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language does not satisfy the present burden.

Proof. Theorem 1 shows that the current pre-pre-proto package is no longer the deepest unexplained datum on the active line. Therefore a subsequent manuscript must improve on the deeper pre-pre-pre-proto dynamics rather than merely restate the already induced current pre-pre-proto package. □

6. Conclusion

The positive result of this note is that the current pre-proto-kernel-dynamics-generating substrate pre-selector pre-pre-proto-kernel dynamics are no longer primitive on the active derivational line. Once one works with a benchmark-faithful deeper pre-pre-pre-proto law over the already recorded current pre-pre-proto state space, the current pre-pre-proto functional is forced as the effective minimum value of that deeper law on the inner fibers, the current pre-pre-proto exact shell is forced as the induced outer shell satisfying the already recorded shell conditions, and the current outer minimizer hierarchy is likewise forced by the recorded uniqueness clauses. All current downstream benchmark-facing uses then factor through that induced outer package unchanged.

This preserves the same benchmark one-metric package and the same claim boundary. The result does not provide a completed first-principles derivation of GR from substrate microphysics, and it does not license stronger promotion language. Its narrower benchmark-facing gain is that the remaining honest burden now sits one level lower again: not on the current pre-selector pre-pre-proto-kernel dynamics themselves, but on the deeper pre-selector pre-pre-pre-proto-kernel dynamics that canonically generate them, or on a still smaller collapse strictly inside that deeper package.