The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Observer-Relevant Pre-Selector Minimizer-Section Core
Next Benchmark Criterion

Abstract

The current active-primary theorem already removed the full selector-generating substrate pre-selector dynamics package $\mathfrak{D}^{\mathrm{presel}}$ as the live benchmark-facing datum by collapsing it to the smaller observer-relevant pre-selector minimizer-section core $\mathfrak{D}^{\mathrm{presel,sec}}$. This renews the live frontier. Another same-output deeper-origin relay that merely preserves $\mathfrak{D}^{\mathrm{presel,sec}}$ and therefore merely reproduces the same current pre-selector package $\mathfrak{D}^{\mathrm{presel}}$, the same current selector package $\mathfrak{C}^{\mathrm{yoc,sel}}$, the same current observer-relevant yocto-section minimizer-section core $\mathfrak{C}^{\mathrm{yoc,sec}}$, the same current observer-relevant yocto-section minimizer-image core $\mathfrak{C}^{\mathrm{yoc,img}}$, and the same downstream observer-relevant zepto-section, atto-section, femto-section, pico-section, nano-section, micro-section, and sub-section consequences no longer counts as the honest default next benchmark-facing manuscript. Neither does a re-expansion back to the larger pre-selector package or the older yocto-section presentations, and neither does a quantum branch that does not do that same benchmark-facing work.

This note records the routing consequence of that theorem. The next honest benchmark-facing move must either derive or justify the observer-relevant pre-selector minimizer-section core $\mathfrak{D}^{\mathrm{presel,sec}}$ from still more primitive substrate structure in a way that changes benchmark-facing status, or prove a genuinely smaller theorem-level collapse strictly inside $\mathfrak{D}^{\mathrm{presel,sec}}$. The benchmark boundary remains fixed throughout. The one operative metric is still exactly $g^{\sharp}$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore routing discipline at the current pre-selector minimizer-section-core frontier.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity is no longer at the full pre-selector package as its default stopping point. The current active-primary theorem already showed that the full selector-generating substrate pre-selector dynamics package $\mathfrak{D}^{\mathrm{presel}}$ is not the minimal benchmark-facing datum at current scope, because its benchmark-relevant content collapses to the smaller observer-relevant pre-selector minimizer-section core $\mathfrak{D}^{\mathrm{presel,sec}}$. That theorem therefore spent the larger-package presentation as the live burden below the current selector-dynamics handoff.

The present note records the routing consequence of that gain. It does not reopen the already-collapsed full pre-selector package, and it does not claim a completed first-principles substrate derivation of gravity. It records only which kind of next manuscript would now count as an honest benchmark-facing gain once the live burden has moved inside the pre-selector frontier to the smaller minimizer-section core itself.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It records only which kind of next manuscript would now count as an honest benchmark-facing gain at the current pre-selector minimizer-section-core frontier.

2. Fixed Inputs

Definition 1 (Pre-selector minimizer-section-core frontier inputs)**.** *The criterion recorded here uses the following fixed inputs.*

1. *The benchmark exact-closure package, which fixes the public one-metric GR target of the repository.*
2. *The benchmark gatekeeping layer, including the recorded safeguard that blocks same-output deeper-origin relays from counting as new front-line progress once the live benchmark-relevant datum is unchanged.*
3. *The earlier package-level handoff theorem, which already removed the current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$ *as a primitive stopping point by deriving it canonically from the deeper pre-selector package* $\mathfrak{D}^{\mathrm{presel}}$*.*
4. *The current active-primary theorem, which proves that the full pre-selector package* $\mathfrak{D}^{\mathrm{presel}}$ *benchmark-facingly collapses to the smaller observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*.*

Remark 1. *The present note does not replace those manuscripts. It records the routing consequence of reading them together under the active safeguard against recursive depth drift.*

3. Why the Current Burden Now Sits at Minimizer-Section-Core Scope

Proposition 1 (The live burden is renewed at pre-selector minimizer-section-core scope)**.** *At the current stage of the primitive-reservoir observer-reduction line, the current active-primary theorem renews the live benchmark-facing burden at the level of the observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*.*

Proof. That theorem changes benchmark-facing status because it removes the full pre-selector package $\mathfrak{D}^{\mathrm{presel}}$ as the live benchmark-facing presentation at current scope. Once $\mathfrak{D}^{\mathrm{presel}}$ is shown to carry benchmark-facingly relevant content only through the smaller core $\mathfrak{D}^{\mathrm{presel,sec}}$, the live burden no longer sits on the full ambient pre-selector package itself. It sits on the smaller datum to which

that package collapses. The earlier selector-from-pre-selector theorem remains preserved main-line history and routing handoff, but it no longer defines the live frontier once the current pre-selector package itself has been benchmark-facingly compressed to $\mathfrak{D}^{\mathrm{presel,sec}}$. □

Definition 2 (Benchmark-neutral deeper relay at current pre-selector minimizer-section-core scope)**.** *A* benchmark-neutral deeper relay at current pre-selector minimizer-section-core scope *is a manuscript that preserves the same benchmark one-metric output, the same ordinary matter route, the same observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*, the same current pre-selector package* $\mathfrak{D}^{\mathrm{presel}}$*, the same current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$*, the same current observer-relevant yocto-section minimizer-section core* $\mathfrak{C}^{\mathrm{yoc,sec}}$*, the same current observer-relevant yocto-section minimizer-image core* $\mathfrak{C}^{\mathrm{yoc,img}}$*, the same current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the same current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the same current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the same current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the same current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the same current pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, the same current nano-section package* $\mathfrak{X}^{\mathrm{nanosec}}$*, the same current micro-section package* $\mathfrak{W}^{\mathrm{microsec}}$*, and the same current sub-section package* $\mathfrak{V}^{\mathrm{subsec}}$ *while merely relocating the unexplained substrate layer deeper, repackaging the same current core, or re-expanding the presentation back to the full pre-selector package or older yocto-section presentations without a new compression, necessity, uniqueness, or comparably sharp routing gain.*

4. The Current Pre-Selector Minimizer-Section-Core Criterion

Definition 3 (Admissible next benchmark-facing manuscript at current pre-selector minimizer-section-core scope)**.** *At the current pre-selector minimizer-section-core frontier, a manuscript counts as an admissible next benchmark-facing move only if it does at least one of the following:*

1. *derives or justifies the observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$ *from still more primitive substrate structure in a way that does more than merely relocate the unexplained layer deeper;*
2. *proves a genuinely smaller theorem-level collapse strictly inside* $\mathfrak{D}^{\mathrm{presel,sec}}$*;*
3. *does either of the previous two while preserving the same benchmark one-metric package, the same ordinary matter route, and the same claim boundary.*

Theorem 1 (Next honest benchmark-facing task at current pre-selector minimizer-section-core scope)**.** *The next honest benchmark-facing manuscript below the current pre-selector minimizer-section-core frontier must either derive or justify the observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$ *from still more primitive substrate structure in a benchmark-relevant way, or else prove a genuinely smaller theorem-level collapse strictly inside that core. A manuscript that only repeats the same current core through another deeper relay, re-expands the discussion back to the full pre-selector package or older yocto-section presentations without such a new gain, or invokes a quantum branch without doing the same benchmark-facing work does not satisfy the criterion.*

Proof. By Proposition 1, the live burden already lies at the smaller observer-relevant core $\mathfrak{D}^{\mathrm{presel,sec}}$ rather than at the full pre-selector package $\mathfrak{D}^{\mathrm{presel}}$. Therefore a subsequent manuscript must improve on that status rather than merely accompany it. A deeper-origin manuscript can do so only if it changes benchmark-facing status by more than depth alone. If it simply reproduces the same current

core and its same downstream outputs, the routing safeguard classifies it as benchmark neutral. The remaining honest alternatives are therefore exactly those stated in the definition: either a more primitive derivation or justification of the current core itself, or a sharper internal collapse strictly inside that core. □

5. What the Next Move Should Not Be

Proposition 2 (Screened next moves at the current pre-selector minimizer-section-core frontier)**.** *At the current pre-selector minimizer-section-core frontier, none of the following is the default next benchmark-facing move:*

1. *another same-output deeper-origin relay that merely preserves the current core* $\mathfrak{D}^{\mathrm{presel,sec}}$ *and therefore merely reproduces the same current pre-selector package* $\mathfrak{D}^{\mathrm{presel}}$*, the same current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$*, the same current yocto-section minimizer-section core* $\mathfrak{C}^{\mathrm{yoc,sec}}$*, the same current yocto-section minimizer-image core* $\mathfrak{C}^{\mathrm{yoc,img}}$*, the same current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the same current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the same current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the same current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the same current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the same current pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, and the same downstream nano-section, micro-section, and sub-section consequences;*

2. *another re-expansion back to the full pre-selector package or to the older yocto-section presentations as if those larger presentations were again independently live burdens;*

3. *a quantum branch that does not derive or justify the same core, collapse it further, or close a benchmark derivation gate in a genuinely new way;*

4. *a manuscript that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language.*

Proof. Item (1) fails the preceding criterion because it leaves the renewed live burden unchanged. Item (2) likewise fails because it re-expands to larger already-spent presentations rather than removing remaining freedom in $\mathfrak{D}^{\mathrm{presel,sec}}$ or proving a smaller internal datum there. Item (3) does not directly address the live burden at current scope unless it performs the same benchmark-facing work named above. Item (4) violates the fixed claim boundary of the benchmark package and therefore cannot count as a disciplined next step on the active line. The benchmark package remains the exact one-metric GR package already fixed by adoption, so any admissible next manuscript must preserve that boundary. □

Remark 2. *This screening statement is not a denial that those deeper or alternative manuscripts may matter strategically. It is a routing statement: they are not the default way to spend the next benchmark-facing move from the current pre-selector minimizer-section-core frontier unless they do the same benchmark-facing work named above.*

6. Conclusion

The positive result of this note is routing discipline at the current pre-selector minimizer-section-core frontier. The current active-primary theorem remains the live benchmark-facing gain because it

already removes the full pre-selector package as the unexplained stopping point on the active line. The earlier selector-from-pre-selector package theorem remains preserved main-line history, but under the recursive-depth safeguard it is no longer itself the default current frontier.

The scope remains narrow and honest. The benchmark package is unchanged: the one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged. Nothing here upgrades adoption to derivation or licenses stronger promotion language.

The next open burden is therefore clear. The next benchmark-facing manuscript should derive or justify the observer-relevant pre-selector minimizer-section core from still more primitive substrate structure in a way that changes benchmark-facing status, unless the sharper honest gain available instead is a genuinely smaller theorem-level collapse strictly inside that core. Another same-output deeper relay that merely preserves that core, a re-expansion back to the larger pre-selector package or older yocto-section presentations, or a quantum branch that does not do that same benchmark-facing work is not the clean next manuscript target at current scope.