The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Observer-Relevant Pre-Proto-Section Minimizer-Image Core
Collapse to an Observer-Relevant Pre-Proto-Section Minimizer-Section Core

Abstract

The current primitive-reservoir observer-reduction frontier already compressed the live pre-proto-section burden from the full proto-section-generating substrate pre-proto-section dynamics package $\mathfrak{R}^{\text{sub,proto,presec}}$ to the smaller observer-relevant pre-proto-section minimizer-image core $\mathfrak{R}^{\text{sub,proto,presec,img}}$. The preferred next move below that frontier would be to derive or justify that image core from still more primitive explicit substrate structure in a way that genuinely changes benchmark-facing status. The present note takes the honest fallback route available before such a cleaner deeper package is fixed: it proves a strictly smaller theorem-level collapse inside the current image core itself.

The positive result is that, relative to the already fixed proto-section benchmark base, the only independent pre-proto-section datum still carried by the current image core is the canonical minimizer section over the recorded proto-section body. The minimizer-image body is exactly the image of that section, the restricted projection is its inverse, the exact-shell image is its shell restriction, and the restricted image-core functional is canonically induced from the recorded proto-section functional along the same section. Separate listing of those image-core constituents therefore does not add independent benchmark-facing freedom.

The benchmark boundary remains fixed throughout. The one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore a genuine smaller theorem-level collapse strictly inside the current image core: the live burden now contracts to an observer-relevant pre-proto-section minimizer-section core $\mathfrak{R}^{\text{sub,proto,presec,sec}}$. What remains open is to derive or justify that section core from still more primitive substrate structure, or else prove a still sharper collapse strictly inside it.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity again reaches a stage where depth alone is not enough. The current active-primary theorem already showed that the full proto-section-generating substrate pre-proto-section dynamics package $\mathfrak{R}^{\text{sub,proto,presec}}$ is not the minimal benchmark-facing datum at present scope, because the live burden there collapses to the smaller observer-relevant pre-proto-section minimizer-image core $\mathfrak{R}^{\text{sub,proto,presec,img}}$. After that step, another deeper-origin relay that merely preserves $\mathfrak{R}^{\text{sub,proto,presec,img}}$ is no longer the honest default move.

That theorem also exposes the next honest question. Inside the image core itself, what is genuinely independent observer-relevant data, and what is merely presentational bookkeeping once the recorded proto-section benchmark base is already fixed? The present note takes the sharper

internal-collapse route rather than inventing a new unsupported deeper forcing package. It shows that the image-core body, the restricted projection, the shell image, and the restricted image-core functional are not independent pieces at current scope. They are all recovered from a single canonical minimizer section over the recorded proto-section body.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It does not introduce a second operative metric, it does not enlarge the low-energy matter law, and it does not reopen the already-screened full pre-proto-section package or the larger proto-section and transport-section presentations as if they were again the live burden. Its narrower benchmark-facing role is to isolate the only remaining independent datum still carried by the current pre-proto-section minimizer-image core.

2. Fixed Inputs

Definition 1 (Recorded primitive continuation data)**.** *Fix the following continuation data from the active primitive-reservoir observer-reduction line.*

1. *For each sector label* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*, a primitive forcing shell*

$$\mathcal{I}_\sigma^{\mathrm{for}}.$$

2. *The product shell*

$$\mathcal{S}_{\mathrm{prim}} \equiv \mathcal{I}_{\mathrm{car}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{cur}}^{\mathrm{for}} \times \mathcal{I}_{\mathrm{hom}}^{\mathrm{for}}.$$

3. *The recorded metric and ordinary-matter outputs*

$$\mathscr{G}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \to \{\textit{observer metrics}\}, \qquad \mathscr{T}_{\mathrm{out}} : \mathcal{S}_{\mathrm{prim}} \times \Psi \to \{\textit{observer stress tensors}\},$$

satisfying

$$\mathscr{G}_{\mathrm{out}}(\mathbf{w}) = g^\sharp, \qquad \mathscr{T}_{\mathrm{out}}(\mathbf{w}, \psi) = T_{\mu\nu}^{\mathrm{matter}}[g^\sharp, \psi] \tag{1}$$

for every $\mathbf{w} \in \mathcal{S}_{\mathrm{prim}}$ *and every matter configuration* $\psi \in \Psi$*.*

Definition 2 (Recorded proto-section benchmark base and downstream chain)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The active line already fixes the following proto-section benchmark base and downstream consequences:*

1. *the current exact-shell-transport-section-generating substrate proto-section package* $\mathfrak{Q}^{\mathrm{sub,proto,secgen}}$*, presented at current scope through*

$$\mathcal{Q}_\sigma^{\mathrm{psec}}, \qquad \mathcal{B}_\sigma^{\mathrm{psec}}, \qquad \mathscr{E}_\sigma^{\mathrm{psec}}, \qquad \mathcal{Z}_\sigma^{\mathrm{psec}};$$

2. *the current germ-anchored exact-shell transport-section core* $\mathfrak{P}^{\mathrm{sub,proto,sec}}$*;*

3. *the previously recorded fact that, once the recorded proto-section benchmark base is available, the downstream seed, root, foundation, ground, origin, precursor, lift, shell-restriction, split-core, selector-law, combined-response, ambient-package, trace-core, exact-shell-affine-nucleus, continuity-Hessian compressed core, and benchmark one-metric observer-package consequences on the active line follow unchanged;*

4. *benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, no change to the ordinary matter route, and no premature promotion from adoption to completed derivation.*

Definition 3 (Recorded proto-section-generating substrate pre-proto-section dynamics)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$*. The recorded current pre-proto-section dynamics package* $\mathfrak{R}^{\mathrm{sub,proto,presec}}$ *for sector* σ *consists of the following data.*

1. *A finite-dimensional Euclidean pre-proto-section state space* $\mathcal{R}_\sigma^{\mathrm{ppsec}}$*, a compact convex pre-proto-section body*
$$\mathcal{B}_\sigma^{\mathrm{ppsec}} \subset \mathcal{R}_\sigma^{\mathrm{ppsec}}$$
with nonempty interior, and an affine surjection
$$\Pi_\sigma^{\mathrm{ppsec}} : \mathcal{R}_\sigma^{\mathrm{ppsec}} \to \mathcal{Q}_\sigma^{\mathrm{psec}}$$
satisfying
$$\Pi_\sigma^{\mathrm{ppsec}}(\mathcal{B}_\sigma^{\mathrm{ppsec}}) = \mathcal{B}_\sigma^{\mathrm{psec}}.$$
For each $y \in \mathcal{B}_\sigma^{\mathrm{psec}}$*, write*
$$\mathcal{F}_\sigma^{\mathrm{ppsec}}(y) \equiv \left(\Pi_\sigma^{\mathrm{ppsec}}\right)^{-1}(y) \cap \mathcal{B}_\sigma^{\mathrm{ppsec}}.$$
Each such fiber is required to be nonempty, compact, and convex.

2. *A nonnegative smooth pre-proto-section functional*
$$\mathscr{F}_\sigma^{\mathrm{ppsec}} : \mathcal{R}_\sigma^{\mathrm{ppsec}} \to [0, \infty)$$
such that, for every $y \in \mathcal{B}_\sigma^{\mathrm{psec}}$*, the restriction of* $\mathscr{F}_\sigma^{\mathrm{ppsec}}$ *to* $\mathcal{F}_\sigma^{\mathrm{ppsec}}(y)$ *is strictly convex and attains a unique minimizer. The resulting minimizer depends smoothly on* y*; write it as*
$$\mathfrak{n}_\sigma^{\mathrm{ppsec}} : \mathcal{B}_\sigma^{\mathrm{psec}} \to \mathcal{B}_\sigma^{\mathrm{ppsec}}.$$
These data satisfy
$$\Pi_\sigma^{\mathrm{ppsec}} \circ \mathfrak{n}_\sigma^{\mathrm{ppsec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{psec}}},$$
and the effective minimum value recovers the recorded proto-section functional:
$$\mathscr{E}_\sigma^{\mathrm{psec}}(y) = \mathscr{F}_\sigma^{\mathrm{ppsec}}\left(\mathfrak{n}_\sigma^{\mathrm{ppsec}}(y)\right) = \min_{u \in \mathcal{F}_\sigma^{\mathrm{ppsec}}(y)} \mathscr{F}_\sigma^{\mathrm{ppsec}}(u) \qquad \text{for every } y \in \mathcal{B}_\sigma^{\mathrm{psec}}.$$

3. *A closed embedded exact pre-proto-section shell*

$$\mathcal{Z}_\sigma^{\mathrm{ppsec}} \subset \mathcal{B}_\sigma^{\mathrm{ppsec}}$$

satisfying

$$\mathcal{Z}_\sigma^{\mathrm{ppsec}} = \left\{ u \in \mathcal{B}_\sigma^{\mathrm{ppsec}} : \begin{array}{l} \Pi_\sigma^{\mathrm{ppsec}}(u) \in \mathcal{Z}_\sigma^{\mathrm{psec}}, \\ \mathscr{F}_\sigma^{\mathrm{ppsec}}(u) = \min\limits_{v \in \mathcal{F}_\sigma^{\mathrm{ppsec}}(\Pi_\sigma^{\mathrm{ppsec}}(u))} \mathscr{F}_\sigma^{\mathrm{ppsec}}(v) \end{array} \right\},$$

and

$$\Pi_\sigma^{\mathrm{ppsec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{ppsec}}} : \mathcal{Z}_\sigma^{\mathrm{ppsec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{psec}}$$

is a diffeomorphism.

4. *Benchmark faithfulness, meaning preservation of the benchmark outputs* (1)*, no second operative metric, no enlarged low-energy matter law, and presentation as a deeper substrate-side source for the current proto-section benchmark base rather than as a replacement benchmark theory.*

Remark 1. *Definition 3 fixes the current deeper package below the proto-section line. The previous active-primary theorem already showed that benchmark-facingly relevant pre-proto-section data factor through a smaller minimizer-image core.*

3. Current Observer-Relevant Image-Core Frontier

Definition 4 (Observer-relevant pre-proto-section minimizer-image core)**.** *Fix* $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$ *and a benchmark-faithful pre-proto-section package in the sense of Definition 3. The* observer-relevant pre-proto-section minimizer-image core $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ *for sector* σ *consists of:*

1. *the compact minimizer-image body*

$$\mathcal{B}_\sigma^{\mathrm{ppsec,img}} \equiv \mathfrak{n}_\sigma^{\mathrm{ppsec}}(\mathcal{B}_\sigma^{\mathrm{psec}}) \subset \mathcal{B}_\sigma^{\mathrm{ppsec}},$$

together with the restricted projection

$$\Pi_\sigma^{\mathrm{ppsec,img}} \equiv \Pi_\sigma^{\mathrm{ppsec}}\big|_{\mathcal{B}_\sigma^{\mathrm{ppsec,img}}} : \mathcal{B}_\sigma^{\mathrm{ppsec,img}} \to \mathcal{B}_\sigma^{\mathrm{psec}};$$

2. *the restricted functional*

$$\mathscr{J}_\sigma^{\mathrm{ppsec,img}} \equiv \mathscr{F}_\sigma^{\mathrm{ppsec}}\big|_{\mathcal{B}_\sigma^{\mathrm{ppsec,img}}};$$

3. *the exact-shell image*

$$\mathcal{Z}_\sigma^{\mathrm{ppsec,img}} \equiv \mathfrak{n}_\sigma^{\mathrm{ppsec}}(\mathcal{Z}_\sigma^{\mathrm{psec}}) \subset \mathcal{Z}_\sigma^{\mathrm{ppsec}};$$

4. *benchmark faithfulness in the sense of Definition 3(4).*

Remark 2. *Definition 4 is the current benchmark-facing frontier before the present theorem is applied. The question now is whether its body, projection, functional, and shell constituents are all independently live, or whether some of them are already forced once the recorded proto-section benchmark base is fixed.*

4. Observer-Relevant Pre-Proto-Section Minimizer-Section Core

Definition 5 (Observer-relevant pre-proto-section minimizer-section core)**.** *Fix $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$ and a benchmark-faithful pre-proto-section package in the sense of Definition 3. The* observer-relevant pre-proto-section minimizer-section core $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ *for sector σ consists of:*

1. *the canonical minimizer section*

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}} \equiv \mathfrak{n}_\sigma^{\mathrm{ppsec}} : \mathcal{B}_\sigma^{\mathrm{psec}} \to \mathcal{B}_\sigma^{\mathrm{ppsec}};$$

2. *benchmark faithfulness in the sense of Definition 3(4).*

The image body $\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(\mathcal{B}_\sigma^{\mathrm{psec}})$, the shell restriction

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{psec}}} : \mathcal{Z}_\sigma^{\mathrm{psec}} \to \mathcal{Z}_\sigma^{\mathrm{ppsec}},$$

the inverse projection on that image, and the image-core functional induced from $\mathscr{E}_\sigma^{\mathrm{psec}}$ are understood as derived data rather than separately listed core data.

Remark 3. *Definition 5 is strictly smaller than Definition 4 at current scope. Once the recorded proto-section body, proto-section functional, and exact proto-section shell are fixed, the image body, restricted projection, shell image, and restricted image-core functional are all recovered from the single canonical minimizer section.*

5. Collapse of the Image Core

Proposition 1 (The canonical minimizer section reconstructs the image body and projection)**.** *For every benchmark-faithful pre-proto-section package,*

$$\mathcal{B}_\sigma^{\mathrm{ppsec,img}} = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(\mathcal{B}_\sigma^{\mathrm{psec}}),$$

and the restricted projection

$$\Pi_\sigma^{\mathrm{ppsec,img}} : \mathcal{B}_\sigma^{\mathrm{ppsec,img}} \to \mathcal{B}_\sigma^{\mathrm{psec}}$$

is a homeomorphism with inverse $\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}$.

Proof. The displayed identity is Definition 4(1) together with Definition 5(1). By Definition 3(2),

$$\Pi_\sigma^{\mathrm{ppsec}} \circ \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{psec}}}.$$

Restricting $\Pi_\sigma^{\mathrm{ppsec}}$ to $\mathcal{B}_\sigma^{\mathrm{ppsec,img}}$ yields

$$\Pi_\sigma^{\mathrm{ppsec,img}} \circ \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}} = \mathrm{id}_{\mathcal{B}_\sigma^{\mathrm{psec}}}.$$

Conversely, every $u \in \mathcal{B}_\sigma^{\mathrm{ppsec,img}}$ has the form

$$u = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y) \qquad \text{for some } y \in \mathcal{B}_\sigma^{\mathrm{psec}}.$$

Hence

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(\Pi_\sigma^{\mathrm{ppsec,img}}(u)) = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(\Pi_\sigma^{\mathrm{ppsec}}(u)) = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(\Pi_\sigma^{\mathrm{ppsec}}(\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y))) = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y) = u.$$

Therefore $\Pi_\sigma^{\mathrm{ppsec,img}}$ and $\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}$ are mutually inverse continuous maps, so the restricted projection is a homeomorphism with inverse $\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}$. $\square$

Proposition 2 (The canonical minimizer section reconstructs the image-core functional)**.** *For every benchmark-faithful pre-proto-section package, the restricted image-core functional is recovered from the canonical minimizer section and the fixed proto-section functional by*

$$\mathscr{J}_\sigma^{\mathrm{ppsec,img}}\big(\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y)\big) = \mathscr{E}_\sigma^{\mathrm{psec}}(y) \qquad \textit{for every } y \in \mathcal{B}_\sigma^{\mathrm{psec}}.$$

Equivalently,

$$\mathscr{J}_\sigma^{\mathrm{ppsec,img}}(u) = \mathscr{E}_\sigma^{\mathrm{psec}}\big((\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}})^{-1}(u)\big) \qquad \textit{for every } u \in \mathcal{B}_\sigma^{\mathrm{ppsec,img}}.$$

Proof. By Definition 4(2),

$$\mathscr{J}_\sigma^{\mathrm{ppsec,img}}\big(\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y)\big) = \mathscr{F}_\sigma^{\mathrm{ppsec}}\big(\mathfrak{n}_\sigma^{\mathrm{ppsec}}(y)\big).$$

Definition 3(2) then gives

$$\mathscr{F}_\sigma^{\mathrm{ppsec}}\big(\mathfrak{n}_\sigma^{\mathrm{ppsec}}(y)\big) = \mathscr{E}_\sigma^{\mathrm{psec}}(y)$$

for every $y \in \mathcal{B}_\sigma^{\mathrm{psec}}$. This proves the first displayed identity. The equivalent formula on $\mathcal{B}_\sigma^{\mathrm{ppsec,img}}$ follows from Proposition 1, which shows that every $u \in \mathcal{B}_\sigma^{\mathrm{ppsec,img}}$ has the unique form $u = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y)$. $\square$

Proposition 3 (The shell image is exactly the shell restriction of the canonical minimizer section)**.** *For every benchmark-faithful pre-proto-section package,*

$$\mathcal{Z}_\sigma^{\mathrm{ppsec,img}} = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big(\mathcal{Z}_\sigma^{\mathrm{psec}}\big),$$

and the shell restriction

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{psec}}} : \mathcal{Z}_\sigma^{\mathrm{psec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{ppsec,img}}$$

is a diffeomorphism with inverse

$$\Pi_\sigma^{\mathrm{ppsec,img}}\big|_{\mathcal{Z}_\sigma^{\mathrm{ppsec,img}}} : \mathcal{Z}_\sigma^{\mathrm{ppsec,img}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{psec}}.$$

Proof. The displayed equality is Definition 4(3) together with Definition 5(1). By Definition 3(3),

$$\Pi_\sigma^{\mathrm{ppsec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{ppsec}}} : \mathcal{Z}_\sigma^{\mathrm{ppsec}} \xrightarrow{\cong} \mathcal{Z}_\sigma^{\mathrm{psec}}$$

is a diffeomorphism, and

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big(\mathcal{Z}_\sigma^{\mathrm{psec}}\big) \subset \mathcal{Z}_\sigma^{\mathrm{ppsec}}.$$

Restricting the shell diffeomorphism to $\mathcal{Z}_\sigma^{\mathrm{ppsec,img}}$ gives

$$\Pi_\sigma^{\mathrm{ppsec,img}}\big|_{\mathcal{Z}_\sigma^{\mathrm{ppsec,img}}} \circ \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big|_{\mathcal{Z}_\sigma^{\mathrm{psec}}} = \mathrm{id}_{\mathcal{Z}_\sigma^{\mathrm{psec}}}.$$

Conversely, if $u \in \mathcal{Z}_\sigma^{\mathrm{ppsec,img}}$, then $u = \mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}(y)$ for some $y \in \mathcal{Z}_\sigma^{\mathrm{psec}}$, so

$$\mathfrak{s}_\sigma^{\mathrm{ppsec,sec}}\big(\Pi_\sigma^{\mathrm{ppsec,img}}(u)\big) = u.$$

Thus the shell restriction of the canonical minimizer section and the restricted shell projection are inverse diffeomorphisms. □

Proposition 4 (The full image core is reconstructed from the section core)**.** *For every benchmark-faithful pre-proto-section package, the full observer-relevant pre-proto-section minimizer-image core* $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ *is reconstructed from the smaller minimizer-section core* $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ *together with the fixed proto-section body* $\mathcal{B}_\sigma^{\mathrm{psec}}$*, proto-section functional* $\mathscr{E}_\sigma^{\mathrm{psec}}$*, and exact proto-section shell* $\mathcal{Z}_\sigma^{\mathrm{psec}}$*.*

Proof. By Proposition 1, the image body is the image of the canonical minimizer section and the restricted projection is its inverse. By Proposition 2, the restricted image-core functional is uniquely determined by the canonical minimizer section together with the fixed proto-section functional. By Proposition 3, the shell image is exactly the shell restriction of that same section. Benchmark faithfulness is already part of Definition 5(2). Therefore each constituent of Definition 4 is recovered from Definition 5 plus the fixed proto-section data. □

Proposition 5 (All current image-core uses factor through the section core)**.** *For every benchmark-faithful pre-proto-section package, all current benchmark-facing uses of the minimizer-image core* $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ *on the active line factor through the minimizer-section core* $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ *together with the fixed proto-section data. In particular, the downstream recovery of the current germ-anchored exact-shell transport-section core* $\mathfrak{P}^{\mathrm{sub,proto,sec}}$ *and the previously recorded seed, root, foundation, ground, origin, precursor, lift, shell-restriction, split-core, selector-law, combined-response, ambient-package, trace-core, exact-shell-affine-nucleus, continuity-Hessian compressed core, and benchmark one-metric observer-package consequences does not require the separate image-core presentation once the section core is fixed.*

Proof. Proposition 4 reconstructs the full image core from the section core and the fixed proto-section body, functional, and shell. The active line uses the current image core only through those constituents together with the fixed proto-section benchmark base recorded in Definition 2(3). Therefore every current benchmark-facing use of $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ factors through $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ together with the fixed proto-section data, and the separate image-core presentation is not needed to recover the recorded downstream consequences. □

Proposition 6 (Separate image-core presentation is benchmark neutral at current scope)**.** *For every benchmark-faithful pre-proto-section package, the separate presentation of*

$$\mathcal{B}_\sigma^{\mathrm{ppsec,img}}, \qquad \Pi_\sigma^{\mathrm{ppsec,img}}, \qquad \mathscr{J}_\sigma^{\mathrm{ppsec,img}}, \qquad \mathcal{Z}_\sigma^{\mathrm{ppsec,img}}$$

does not add independent benchmark-facing freedom beyond the minimizer-section core $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$*.*

Proof. By Proposition 4, each listed image-core constituent is reconstructed from the canonical minimizer section together with the fixed proto-section data. By Proposition 5, all current benchmark-facing uses of the image core already factor through that reconstructed data. Therefore the separate image-core presentation is not additional benchmark-facing information beyond the smaller minimizer-section core. □

Proposition 7 (The benchmark package remains fixed)**.** *Every observer-relevant pre-proto-section minimizer-section core preserves the same benchmark one-metric package* (1)*. In particular, the*

operative metric remains exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged.

Proof. This is part of benchmark faithfulness in Definition 5(2). The present note only removes presentational redundancy inside the current pre-proto-section image core. It does not alter the benchmark exact-closure package. □

6. Main Theorem

Theorem 1 (Observer-relevant pre-proto-section minimizer-image core collapse to an observer-relevant pre-proto-section minimizer-section core)**.** *Fix the primitive continuation data of Definition 1, the recorded proto-section benchmark base and downstream chain of Definition 2, and a benchmark-faithful pre-proto-section package in the sense of Definition 3. Then, for each sector $\sigma \in \{\mathrm{car}, \mathrm{cur}, \mathrm{hom}\}$, the live benchmark-facing burden inside the current pre-proto-section minimizer-image-core frontier collapses from the observer-relevant pre-proto-section minimizer-image core $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ to the smaller observer-relevant pre-proto-section minimizer-section core $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$. More precisely:*

1. *the image body and restricted projection are reconstructed from the canonical minimizer section by Proposition 1;*
2. *the restricted image-core functional is reconstructed from the same section together with the fixed proto-section functional by Proposition 2;*
3. *the exact-shell image is exactly the shell restriction of that section by Proposition 3;*
4. *the full image core is therefore recovered from the section core and the fixed proto-section data by Proposition 4;*
5. *all current benchmark-facing uses of the image core factor through the section core by Proposition 5;*
6. *the separate image-core presentation adds no independent benchmark-facing freedom beyond the section core by Proposition 6;*
7. *the benchmark boundary remains fixed by Proposition 7;*
8. *consequently the remaining honest burden below the previous image-core frontier is no longer the full observer-relevant pre-proto-section minimizer-image core $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$ as such. What remains is to derive or justify the sharper minimizer-section core $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ from still more primitive substrate structure, or else prove a still smaller theorem-level collapse, sharper necessity result, or sharper uniqueness result strictly inside that section core.*

Proof. Item (1) is Proposition 1. Item (2) is Proposition 2. Item (3) is Proposition 3. Item (4) is Proposition 4. Item (5) is Proposition 5. Item (6) is Proposition 6. Item (7) is Proposition 7. Item (8) is the routing consequence of the previous items together with the active safeguard against counting another same-output deeper-origin relay as new front-line progress when the live benchmark-relevant datum is unchanged. □

Corollary 1 (What must be done next)**.** *After Theorem 1, the next honest benchmark-facing manuscript must either:*

1. *derive or justify the observer-relevant pre-proto-section minimizer-section core* $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ *from still more primitive substrate structure in a way that changes benchmark-facing status;*

2. *identify a genuinely smaller theorem-level observer-relevant datum strictly inside* $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$ *and prove a sharper collapse to it;*

3. *do either of the previous two while preserving the same benchmark one-metric package, the same ordinary-matter route, and the same claim boundary.*

Another same-output deeper-origin relay that preserves this section core and therefore merely reproduces the same current pre-proto-section minimizer-image core $\mathfrak{R}^{\mathrm{sub,proto,presec,img}}$*, the same current pre-proto-section package* $\mathfrak{R}^{\mathrm{sub,proto,presec}}$*, the same current proto-section benchmark base* $\mathfrak{Q}^{\mathrm{sub,proto,secgen}}$*, and the same previously recorded downstream consequences, another re-expansion back to the larger minimizer-image-core presentation as if its recovered constituents were still independently live, another reopening of the already-screened full pre-proto-section package or larger proto-section / transport-section presentations as if they were again the active burden, or any move that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language does not satisfy the present burden.*

Proof. Theorem 1 shows that the image-core presentation is no longer the minimal benchmark-facing datum at this stage. Therefore a subsequent manuscript must improve on the smaller section core rather than merely restating the larger image core. □

7. Conclusion

The positive result of this note is a disciplined second compression step inside the current pre-proto-section frontier. The previous active-primary theorem already showed that the full pre-proto-section package is not the minimal benchmark-facing datum, because its benchmark-relevant content collapses to an observer-relevant minimizer-image core. The present theorem then takes the honest next internal route available there: it shows that even that image-core presentation is still larger than necessary.

What survives as the live burden is the observer-relevant pre-proto-section minimizer-section core $\mathfrak{R}^{\mathrm{sub,proto,presec,sec}}$. Relative to the already fixed proto-section body, proto-section functional, and exact proto-section shell, that sharper datum is just the canonical minimizer section over the recorded proto-section body. The image body is its image, the exact-shell image is its shell restriction, the restricted projection is its inverse, and the restricted image-core functional is transported from the recorded proto-section functional along the same section. Those separately listed image-core constituents therefore do not add independent benchmark-facing freedom.

This is the honest next burden after the present theorem. A new primary manuscript must derive or justify that sharper section core from still more primitive substrate structure, or else collapse it further, while preserving the same benchmark one-metric package, the same ordinary-matter route, and the same claim boundary. The current result does not yet complete a first-principles derivation of GR from substrate microphysics, but it does narrow the live derivational burden one level further on the active line.