The Æther-flow Interpretation of Relativity

Primitive-Reservoir Observer-Reduction
Kernel-Dynamics-Generating Substrate
Pre-Selector Pre-Kernel Dynamics
Next Benchmark Criterion

Abstract

The current active-primary theorem already removed the current selector-dynamics-generating substrate pre-selector kernel dynamics package $\mathfrak{F}^{\mathrm{presel,ker}}$ as the live benchmark-facing datum by deriving it canonically from deeper kernel-dynamics-generating substrate pre-selector pre-kernel dynamics $\mathfrak{G}^{\mathrm{presel,preker}}$. This renews the live frontier. Another same-output deeper-origin relay that merely preserves $\mathfrak{G}^{\mathrm{presel,preker}}$ and therefore merely reproduces the same current kernel package $\mathfrak{F}^{\mathrm{presel,ker}}$, the same current selector-dynamics package $\mathfrak{E}^{\mathrm{presel,sel}}$, the same current observer-relevant pre-selector minimizer-section core $\mathfrak{D}^{\mathrm{presel,sec}}$, the same current selector package $\mathfrak{C}^{\mathrm{yoc,sel}}$, the same current observer-relevant yocto-section minimizer-section core $\mathfrak{C}^{\mathrm{yoc,sec}}$, the same current observer-relevant yocto-section minimizer-image core $\mathfrak{C}^{\mathrm{yoc,img}}$, and the same downstream observer-relevant zepto-section, atto-section, femto-section, pico-section, nano-section, micro-section, and sub-section consequences no longer counts as the honest default next benchmark-facing manuscript. Neither does a re-expansion back to the current kernel package, the current selector-dynamics package, the larger pre-selector package, or the older yocto-section presentations, and neither does a quantum branch that does not do that same benchmark-facing work.

This note records the routing consequence of that theorem. The next honest benchmark-facing move must either derive or justify the kernel-dynamics-generating substrate pre-selector pre-kernel dynamics $\mathfrak{G}^{\mathrm{presel,preker}}$ from still more primitive substrate structure in a way that changes benchmark-facing status, or prove a genuinely smaller theorem-level collapse strictly inside $\mathfrak{G}^{\mathrm{presel,preker}}$. The benchmark boundary remains fixed throughout. The one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, the low-energy matter law is not enlarged, and no stronger promotion language is licensed. The positive result is therefore routing discipline at the current pre-selector pre-kernel-dynamics frontier.

1. Introduction

The active derivational program of Æther-flow Interpretation of Relativity is no longer at the current pre-selector kernel package as its default stopping point. The current active-primary theorem already showed that the selector-dynamics-generating substrate pre-selector kernel dynamics package $\mathfrak{F}^{\mathrm{presel,ker}}$ is not the minimal benchmark-facing datum at current scope, because that package is now generated canonically by the deeper kernel-dynamics-generating substrate pre-selector pre-kernel dynamics $\mathfrak{G}^{\mathrm{presel,preker}}$. That theorem therefore spent the kernel-dynamics presentation as the live burden below the current pre-selector kernel-dynamics criterion.

The present note records the routing consequence of that gain. It does not reopen the already-spent kernel package as if it were still the live unexplained datum, and it does not claim a completed first-principles substrate derivation of gravity. It records only which kind of next manuscript would now count as an honest benchmark-facing gain once the live burden has moved one level lower to the deeper pre-kernel dynamics themselves.

Framework and claim boundary. Æther / Æther-flow framework denotes the broader Æther / Æther-flow framework built on the claims that the Æther is the underlying four-dimensional substrate of reality, the Æther-flow is its intrinsic ordered motion, observed three-dimensional space is the local experiential slice of that deeper substrate, S-time is the experienced order of change arising from matter, light, and the Æther-flow, and observed expansion is the three-dimensional appearance of deeper four-dimensional ordered motion. Within that framework, Æther-flow Interpretation of Relativity denotes the exact-closure theory in which the effective gravitational dynamics are adopted to be exactly Einsteinian with universal matter coupling. In the active sequence, *adoption* means use of that established relativistic dynamics without claiming substrate derivation, while *derivation* is reserved for a first-principles recovery from explicit substrate variables.

The present note stays strictly inside that boundary. It records only which kind of next manuscript would now count as an honest benchmark-facing gain at the current pre-selector pre-kernel-dynamics frontier.

2. Fixed Inputs

Definition 1 (Pre-selector pre-kernel-dynamics frontier inputs)**.** *The criterion recorded here uses the following fixed inputs.*

1. *The benchmark exact-closure package, which fixes the public one-metric GR target of the repository.*
2. *The benchmark gatekeeping layer, including the recorded safeguard that blocks same-output deeper-origin relays from counting as new front-line progress once the live benchmark-relevant datum is unchanged.*
3. *The earlier pre-selector kernel-dynamics routing criterion, which already recorded that the honest next move below the current kernel frontier had to derive or justify* $\mathfrak{F}^{\mathrm{presel,ker}}$ *or collapse it further.*
4. *The current active-primary theorem, which proves that the current kernel package* $\mathfrak{F}^{\mathrm{presel,ker}}$ *is itself generated canonically by the deeper kernel-dynamics-generating substrate pre-selector pre-kernel dynamics* $\mathfrak{G}^{\mathrm{presel,preker}}$.

Remark 1. *The present note does not replace those manuscripts. It records the routing consequence of reading them together under the active safeguard against recursive depth drift.*

3. Why the Current Burden Now Sits at Pre-Selector Pre-Kernel Scope

Proposition 1 (The live burden is renewed at pre-selector pre-kernel scope)**.** *At the current stage of the primitive-reservoir observer-reduction line, the current active-primary theorem renews the*

live benchmark-facing burden at the level of the kernel-dynamics-generating substrate pre-selector pre-kernel dynamics $\mathfrak{G}^{\text{presel,preker}}$*.*

Proof. That theorem changes benchmark-facing status because it removes the current kernel package $\mathfrak{F}^{\text{presel,ker}}$ as the live unexplained stopping point at current scope. Once $\mathfrak{F}^{\text{presel,ker}}$ is shown to arise canonically from the deeper pre-kernel dynamics $\mathfrak{G}^{\text{presel,preker}}$, the live burden no longer sits on the kernel package itself. It sits on the deeper package that generates it. The earlier kernel-dynamics criterion remains preserved main-line history and routing handoff, but it no longer defines the live frontier once the current kernel package itself has been benchmark-facingly derived from deeper pre-kernel dynamics. □

Definition 2 (Benchmark-neutral deeper relay at current pre-selector pre-kernel-dynamics scope)**.** *A* benchmark-neutral deeper relay at current pre-selector pre-kernel-dynamics scope *is a manuscript that preserves the same benchmark one-metric output, the same ordinary matter route, the same kernel-dynamics-generating substrate pre-selector pre-kernel dynamics* $\mathfrak{G}^{\text{presel,preker}}$*, the same current kernel package* $\mathfrak{F}^{\text{presel,ker}}$*, the same current selector-dynamics package* $\mathfrak{E}^{\text{presel,sel}}$*, the same current observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\text{presel,sec}}$*, the same current selector package* $\mathfrak{C}^{\text{yoc,sel}}$*, the same current observer-relevant yocto-section minimizer-section core* $\mathfrak{C}^{\text{yoc,sec}}$*, the same current observer-relevant yocto-section minimizer-image core* $\mathfrak{C}^{\text{yoc,img}}$*, the same current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\text{zep,sec}}$*, the same current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\text{zep,img}}$*, the same current atto-section package* $\mathfrak{A}^{\text{attosec}}$*, the same current femto-section package* $\mathfrak{Z}^{\text{femtosec}}$*, the same current pico-section package* $\mathfrak{Y}^{\text{picosec}}$*, the same current pico-section minimizer-section core* $\mathfrak{Y}^{\text{pic,sec}}$*, the same current nano-section package* $\mathfrak{X}^{\text{nanosec}}$*, the same current micro-section package* $\mathfrak{W}^{\text{microsec}}$*, and the same current sub-section package* $\mathfrak{V}^{\text{subsec}}$ *while merely relocating the unexplained substrate layer deeper, repackaging the same current deeper pre-kernel package, or re-expanding the presentation back to the current kernel package, the current selector-dynamics package, the larger pre-selector package, or older yocto-section presentations without a new compression, necessity, uniqueness, or comparably sharp routing gain.*

4. The Current Pre-Selector Pre-Kernel-Dynamics Criterion

Definition 3 (Admissible next benchmark-facing manuscript at current pre-selector pre-kernel-dynamics scope)**.** *At the current pre-selector pre-kernel-dynamics frontier, a manuscript counts as an admissible next benchmark-facing move only if it does at least one of the following:*

1. *derives or justifies the kernel-dynamics-generating substrate pre-selector pre-kernel dynamics* $\mathfrak{G}^{\text{presel,preker}}$ *from still more primitive substrate structure in a way that does more than merely relocate the unexplained layer deeper;*
2. *proves a genuinely smaller theorem-level collapse strictly inside* $\mathfrak{G}^{\text{presel,preker}}$*;*
3. *does either of the previous two while preserving the same benchmark one-metric package, the same ordinary matter route, and the same claim boundary.*

Theorem 1 (Next honest benchmark-facing task at current pre-selector pre-kernel-dynamics scope)**.** *The next honest benchmark-facing manuscript below the current pre-selector pre-kernel-dynamics frontier must either derive or justify the kernel-dynamics-generating substrate pre-selector pre-kernel dynamics* $\mathfrak{G}^{\text{presel,preker}}$ *from still more primitive substrate structure in a benchmark-relevant way, or*

else prove a genuinely smaller theorem-level collapse strictly inside that deeper package. A manuscript that only repeats the same current pre-kernel dynamics through another deeper relay, re-expands the discussion back to the current kernel package, the current selector-dynamics package, the larger pre-selector package, or older yocto-section presentations without such a new gain, or invokes a quantum branch without doing the same benchmark-facing work does not satisfy the criterion.

Proof. By Proposition 1, the live burden already lies at the deeper pre-kernel dynamics $\mathfrak{G}^{\mathrm{presel,preker}}$ rather than at the current kernel package $\mathfrak{F}^{\mathrm{presel,ker}}$. Therefore a subsequent manuscript must improve on that status rather than merely accompany it. A deeper-origin manuscript can do so only if it changes benchmark-facing status by more than depth alone. If it simply reproduces the same current pre-kernel dynamics and their same downstream outputs, the routing safeguard classifies it as benchmark neutral. The remaining honest alternatives are therefore exactly those stated in the definition: either a more primitive derivation or justification of the current pre-kernel dynamics themselves, or a sharper internal collapse strictly inside that deeper package. □

Remark 2. *At present scope, the default next target is the first route unless a genuinely smaller observer-relevant theorem datum is isolated inside* $\mathfrak{G}^{\mathrm{presel,preker}}$*. No such sharper internal datum is yet fixed on the active line.*

5. What the Next Move Should Not Be

Proposition 2 (Screened next moves at the current pre-selector pre-kernel-dynamics frontier)**.** *At the current pre-selector pre-kernel-dynamics frontier, none of the following is the default next benchmark-facing move:*

1. *another same-output deeper-origin relay that merely preserves the current pre-kernel dynamics* $\mathfrak{G}^{\mathrm{presel,preker}}$ *and therefore merely reproduces the same current kernel package* $\mathfrak{F}^{\mathrm{presel,ker}}$*, the same current selector-dynamics package* $\mathfrak{E}^{\mathrm{presel,sel}}$*, the same current observer-relevant pre-selector minimizer-section core* $\mathfrak{D}^{\mathrm{presel,sec}}$*, the same current selector package* $\mathfrak{C}^{\mathrm{yoc,sel}}$*, the same current yocto-section minimizer-section core* $\mathfrak{C}^{\mathrm{yoc,sec}}$*, the same current yocto-section minimizer-image core* $\mathfrak{C}^{\mathrm{yoc,img}}$*, the same current observer-relevant zepto-section minimizer-section core* $\mathfrak{B}^{\mathrm{zep,sec}}$*, the same current observer-relevant zepto-section minimizer-image core* $\mathfrak{B}^{\mathrm{zep,img}}$*, the same current atto-section package* $\mathfrak{A}^{\mathrm{attosec}}$*, the same current femto-section package* $\mathfrak{Z}^{\mathrm{femtosec}}$*, the same current pico-section package* $\mathfrak{Y}^{\mathrm{picosec}}$*, the same current pico-section minimizer-section core* $\mathfrak{Y}^{\mathrm{pic,sec}}$*, and the same downstream nano-section, micro-section, and sub-section consequences;*

2. *another re-expansion back to the current kernel package, the current selector-dynamics package, the full pre-selector package, or the older yocto-section presentations as if those larger presentations were again independently live burdens;*

3. *a quantum branch that does not derive or justify the same deeper pre-kernel dynamics, collapse them further, or close a benchmark derivation gate in a genuinely new way;*

4. *a manuscript that introduces a second operative metric, enlarges the ordinary matter law, or uses stronger promotion language.*

Proof. Item (1) fails the preceding criterion because it leaves the renewed live burden unchanged. Item (2) likewise fails because it re-expands to larger already-spent presentations rather than

removing remaining freedom in $\mathfrak{G}^{\mathrm{presel,preker}}$ or proving a smaller internal datum there. Item (3) does not directly address the live burden at current scope unless it performs the same benchmark-facing work named above. Item (4) violates the fixed claim boundary of the benchmark package and therefore cannot count as a disciplined next step on the active line. The benchmark package remains the exact one-metric GR package already fixed by adoption, so any admissible next manuscript must preserve that boundary. □

Remark 3. *This screening statement is not a denial that those deeper or alternative manuscripts may matter strategically. It is a routing statement: they are not the default way to spend the next benchmark-facing move from the current pre-selector pre-kernel-dynamics frontier unless they do the same benchmark-facing work named above.*

6. Conclusion

The positive result of this note is routing discipline at the current pre-selector pre-kernel-dynamics frontier. The current active-primary theorem remains the live benchmark-facing gain because it already removes the current kernel package as the unexplained stopping point on the active line. The earlier kernel-dynamics criterion remains preserved main-line history, but under the recursive-depth safeguard it is no longer itself the default current frontier.

The scope remains narrow and honest. The benchmark package is unchanged: the one operative metric is still exactly $g^\sharp$, the ordinary matter route is unchanged, there is no second operative metric, and the low-energy matter law is not enlarged. Nothing here upgrades adoption to derivation or licenses stronger promotion language.

The next open burden is therefore clear. The next benchmark-facing manuscript should derive or justify the kernel-dynamics-generating substrate pre-selector pre-kernel dynamics from still more primitive substrate structure in a way that changes benchmark-facing status, unless the sharper honest gain available instead is a genuinely smaller theorem-level collapse strictly inside that deeper package. Another same-output deeper relay that merely preserves those pre-kernel dynamics, a re-expansion back to the current kernel package, the current selector-dynamics package, the larger pre-selector package, or older yocto-section presentations, or a quantum branch that does not do that same benchmark-facing work is not the clean next manuscript target at current scope.