

PERFORMANCE WORK STATEMENT

The work under this contract shall be performed in accordance with the following Performance Work Statement (PWS) and in accordance with any other terms, conditions and requirements reflected herein.

Background: Puget Sound Naval Shipyard & Intermediate Maintenance Facility (PSNS & IMF) Code 200 (Engineering Department) has had a long history of having a Marine Design and Engineering Services contract in place. The driving force behind this is, essentially, a fluctuating workload such that available Government resources in place at PSNS & IMF do not have the capacity to handle large surges in workload associated with ship repair and conversion. These contracts have given PSNS & IMF the flexibility to maintain a lean workforce, and still be able to fulfill the needs of its customers, in spite of workload surges. This requirement was previously fulfilled via contracts N4523A-19-D-1301 (Tridentis), N4523A-19-D-1302 (Gryphon Marine), and N4523A-19-D-1303 (Huntington Ingalls Industries).

1. SCOPE

1.1 The Contractor, subject to the provisions hereinafter set forth, shall establish a full service office in Kitsap County, Washington, within thirty (30) calendar days of contract award. A full service office is defined as an office capable of completing work set forth in this paragraph (also see the Section C contract provision titled "Location of Contractor's Facility" and the Section F contract provision titled "Place of Performance").

1.2 All deliverables prepared pursuant to this contract shall be subject to review and approval by the Commander, Puget Sound Naval Shipyard and Intermediate Maintenance Facility (PSNS & IMF), or a duly authorized Shipyard representative. Performance of the work shall be under the cognizance of the Chief Engineer, PSNS & IMF, or a duly authorized shipyard representative.

1.3 The requirements are to provide marine design and engineering services for PSNS & IMF. In connection with the performance of this work, the Contractor shall provide comprehensive services for all current and former U.S. Naval vessels, ships, craft and boats in the areas of naval architecture, civil, structural, mechanical, electrical, electronics, industrial, and environmental engineering. The work will include planning and estimating, engineering designs and calculations, technical research, material specifications, kitting support, troubleshooting and failure mode analysis, assessments and inspections, testing, grooming, minor repair and alignment of equipment, work control, testing and test direction, logistics support, oversight and technical support of industrial work, training, and detailed reports based on engineering studies and analysis relating to marine vessels and equipment (including but not limited to cranes, caissons and similar equipment used to support ship repairs, overhaul and dismantling). The requirements also include Computer Aided Design (CAD) drafting and modeling, computer programming and support services, and technical document preparation, publication and reproduction. Planning Yard requirements include ship checks, drawing development, Ship Alteration Record (SAR) and Ship Change Documents (SCD) development, Ship Selected Record (SSR) upkeep, and fleet technical support. The requirements include the need to install, monitor, test and troubleshoot equipment and minor installation/repair/replacement of components, equipment, and systems associated with various assessments and inspections.

1.4 The Contractor shall, in cooperation with and subject to the approval of the Government, perform all the work required hereunder in accordance with recognized professional standards in the field (see paragraph 3). It is recognized that problems may arise during the performance of the work that may be resolved more expeditiously by discussion in the Puget Sound Naval Shipyard and Intermediate Maintenance Facility and therefore, close liaison between the Contractor and the Government must be maintained. In view of this, face-to-face meetings at Shipyard facilities shall be scheduled as required by the Contracting Officer's Representative (COR) to discuss the Contractor's work-in-progress.

1.5 The Contractor may be required to perform work at Government facilities.

1.6 Performance is primarily expected to be in Kitsap County, WA (90%). Other areas of performance include San Diego, CA, and Norfolk, VA (10 %). Additional possible locations include, but are not limited to, Jacksonville, FL, Kings Point, GA, Guam, Hawaii, the Far East and Middle East operating areas and the

Mediterranean. The contract will require the contractor(s) to have a full service office facility located within Kitsap County, WA.

1.7 No Government Furnished Property (GFP) is presently anticipated for use under this contract. However, access to reference documents and data may be provided as needed, including drawings, technical manuals, and electronic media files required for accomplishment of task orders.

2. SPECIFICATIONS

2.1 The Contractor shall, in the performance of this contract, be governed by and implement the policies and procedures set forth in the General Specifications for Overhaul of Surface Ships (GSO), or the General Overhaul Specifications for Deep Diving SSN/SSBN Submarines (DDGOS), ABS rules, local directives, references cited in paragraph C-4, and references identified in any task order issued under this contract. These specifications, rules, local directives and references shall govern how the contractor's knowledge and expertise in the following systems and equipment shall be applied: Weight and Stability Control; Arrangements and Habitability; Structures; Fuel Systems (pumps and piping); Oil Systems (pumps and piping); Main Propulsion Systems; Hydraulics; Heating, Ventilation and Air Conditioning (HVAC); Piping, including, but not limited to: Low Pressure (LP), Medium Pressure (MP) and High Pressure (HP) Air, Collection Holding & Transfer (CHT), Countermeasure Washdown (CMWD), Firemain, Aqueous Film Forming Foam (AFFF), Salt Water (SW), Sprinkling (SPRG), Salt Water Flushing (SWFL), Plumbing Drains and Vent, Weather Drains, Potable Water, Nitrogen; Electrical Systems, including but not limited to: Lighting, Switchboards and Generators, Power Distribution, Electronics Systems, including but not limited to, Local Area Networks (LANs), Interior Communications, Alarms; Combat Systems; Configuration Data Manager; Ship Selected Records (SSR); Integrated Logistics Support; Temporary Services; Work Packaging; Planning and Execution (subs and surface); Material Support; Test Execution; Work Control Combat Systems (electronic systems, sail and towed systems, launcher systems), Scheduling, Lifting and Handling; Availability Analysis; Project Management Support; On-Site Representative (OSR) Support; Ship System Status Report (SSSP).

2.1.1 The Contractor shall coordinate, via the COR, the assigned work with the cognizant Engineering & Planning Branches and codes affected by, or performing work on, this contract prior to issuing the completed product. The Contractor shall provide written verification that all assigned work was properly coordinated by submitting all correspondence such as Job Information Sheets (JIS), service requests, records of phone conversations, informal memorandums, and electronic mail. All internal Contractor communications relating to the integration and coordination of work shall be documented and submitted to the cognizant PSNS & IMF Engineering & Planning Branches and codes.

2.1.2 All deliverables developed by the Contractor shall represent a practical engineering solution based on the best trade-off between total cost, reliability, maintainability, availability of material, labor skill, industrial capability, state of the art, and timely accomplishment of the task as it relates to task requirements and Government-provided task guidance.

2.2 DELIVERABLES AND SUPPORT SERVICES

The Contractor will provide, but not be limited to, the following deliverables and support services in accordance with the directives specified and as required by written task orders:

2.2.1 Engineering Drawings

2.2.1.1 Engineering drawings and manuals, which include, but are not limited to, Ship Installation Drawings (SIDs), Selected Record Drawings (SRDs), Ship's Information Book (SIB), and Propulsion Operating Guide (POG), shall be developed in accordance with the PSNS & IMF Engineering Planning Procedure Manual (EPPM) unless otherwise specified in the specific task order.

2.2.1.2 All drawings developed shall include pertinent notes and references, applicable weight control data and a structural penetration list, a complete list of material or equipment (depending on the type of drawing), and all other drawing elements as required by the EPPM, the current CAD standards, and the specific task order. In

addition, the technical content of all drawings shall be based on specific guidance which includes, but are not limited to: Job Information Sheets (JISs), informal memorandums, Ship Change Documents (SCDs), on-site survey notes, Installation Control Drawings (ICDs), Liaison Action Requests (LARs) and Preliminary Configuration Data (PCD). Guidance used to develop drawings shall be submitted with the final product.

2.2.1.3. Contractors may be required to provide their own stand-alone computers when working on-site at specific Government installations. All Government facility rules and requirements governing contractor computers shall be followed.

2.2.2 On-Site Surveys

2.2.2.1 The Contractor will be required to perform on-site surveys (i.e., shipchecks and inspections) as necessary, including outside the United States. These surveys may involve a wide variety of ship types such as, but not limited to: aircraft carrier, cruisers, amphibians, auxiliaries, and submarines.

2.2.2.2 The number of persons performing an on-site survey will be negotiated for each task order based on the scope of work and the spread of engineering disciplines involved. The Contractor will assign one on-site lead surveyor to act as a point of contact. Personnel assigned to these tasks will need the tact and diplomacy necessary to effectively work with civilian and military personnel in order to maintain the professional image of the Shipyard. Incidence of unsatisfactory performance by a Contractor team or employee will be brought to the attention of the Contractor via the Contracting Officer or COR for corrective action.

2.2.2.3 The Contractor shall be prepared to conduct an on-site survey within three (3) calendar days after notification by the Government unless otherwise specified in the task orders placed hereunder. The contractor shall be required to provide his/her own personal protective equipment.

2.2.2.4 In order to accomplish the survey requirements of a task order, the Contractor may be required to do the following: make on-site independent engineering decisions, coordinate interference control, photograph areas of concern (in accordance with security requirements), perform tests, take measurements and perform calculations, make arrangements for proper access to secured or locked spaces, provide licensed and certified gas free engineering services for Contractor personnel prior to entry into voids, tanks or other oxygen-depleted spaces, make provisions to transmit specialized expertise and information to military and civilian personnel, and conduct or attend meetings with on-site military and civilian personnel. In addition, the contractor may also be required to produce electronic sketches during the survey, using contractor provided and Government approved software (such as AutoCAD) and laptop computers. Laptop computers may also be required during surveys to perform calculations using either contractor or Government provided software. When marking up hard-copy drawings, such as to verify installations, the contractor will use the Planning Yard-approved color-coding system to annotate the drawing, e.g., red (remove), green or blue (add), and yellow (acceptable as is) unless otherwise directed in the task order.

2.2.2.5 **NUCLEAR POWERED SHIPS AND FACILITIES** - Contractor personnel are not permitted to enter posted radiation areas, to handle radioactive materials, or to wear radiation-measuring dosimetry without prior written permission from NAVSEA. Contractor personnel are required to inform the COR whenever it is determined that work cannot be completed without entering a radiation area. **DO NOT ENTER POSTED RADIATION AREAS UNLESS SPECIFICALLY TASKED IN WRITING TO DO SO.**

2.2.3 Engineering Calculations

Calculations may be required to support engineering designs. These may include Heating, Ventilation and Air Conditioning (HVAC) calculations, pipe stress analysis, piping pressure and flow loss calculations, complex structural finite element analysis for anisotropic and isotropic materials, vibration and shock analysis, system load analysis and fault current/protective device coordination analysis. All calculations shall be submitted in a compatible digital media format or as specified in individual task orders. Data collection may be needed for calculations, including development of mock-ups for system prototypes or models.

2.2.4 Material Specifications and Support

Research and prepare detailed material ordering specifications, prepare material ordering documents, track ordered material and conduct technical material inspections. This includes, but is not limited to processing and managing material procurement documents, researching material cost and availability, managing material inventory, researching material manufacturer part numbers, monitoring and tracking delivery dates, expediting material ordering and delivery, verifying and inventorying received material, and researching material availability on decommissioned ships.

2.2.5 Engineering Reports

2.2.5.1 Engineering reports shall be accomplished as specified in the task order. The content of engineering reports shall be intelligible, concise, all-inclusive, and presented in a logical format. All research and analysis performed to develop reports shall be submitted with the final product. Conclusions shall be as objective as possible and include all supporting data.

2.2.5.2 Engineering reports may include, but are not limited to:

2.2.5.2.1 Technical research to support development of SCDs, ICDs, Ship's Installation Drawings (SIDs) and engineering calculations.

2.2.5.2.2 Shipboard designs using new technology and concepts.

2.2.5.2.3 Reports or designs for equipment used to support the overhaul, repair and dismantling of ships.

2.2.5.2.4 Environmental engineering designs and issues relating to shipboard systems and equipment. The Navy must comply with environmental regulations that may be imposed on marine vessels, including their impact on operations and designs. Thus, "environmental issues" are considered to pertain to any environmental concerns for marine vessels that involve pollution abatement, air pollution, and waste management for hazardous and non-hazardous materials.

2.2.5.3 It is not the intent of the Government to use this contract as a hazardous waste handling or disposal vehicle. However, this contract must allow for the consideration of environmental issues in the engineering designs produced. This could include designing piping systems in which hazardous materials are distributed or collected throughout a ship and the development of hazardous waste plans or tracking systems.

2.2.5.4 Nothing contained in the work tasked by a task order under this contract shall relieve the Contractor from complying with applicable Federal, state, and local laws, codes, ordinances, and regulations, including the obtaining of licenses and permits that may be required for the Contractor or Subcontractor(s) to perform a particular function, such as hazardous waste sampling, handling or disposal.

2.2.5.5 As a result of future environmental regulations, the Contractor may be involved in the following types of work: conducting engineering studies, performing engineering analysis, developing work processes and flows, determining equipment or system requirements, providing engineering support for the administrative elements of marine environmental programs, and the taking of samples and providing laboratory analysis to determine hazardous material content as part of data collection. Based on the best information available at this time, the materials identified in the list below may be encountered during task performance.

HAZARDOUS MATERIALS

Asbestos
Oil/Water
Hydrochloric Acid
Sodium Nitrite
Ethylene Glycol (Antifreeze)
Cleaning Solvents
Sodium Chromates
Morpholine

Bilge Water
Chromic Acid
Nitric Acid
Sulfuric Acid
Sodium Hydroxide
Sodium Phosphates
Fluorocarbons
Hydrazine

Methyl Ethyl Ketone
 Miscellaneous Chemicals
 (Flammable)
 Miscellaneous Chemicals
 (TCLP Toxic)
 Paints (Enamel, Latex, Epoxy
 thinners, oil-based, rubber
 paint, non-skid, lacquer,
 remover, varnishes)
 Spent Abrasive Blast Material
 (Contaminated with a known
 hazardous waste)
 Mercury

Trichloroethane
 Miscellaneous Chemicals
 (Corrosive)
 Miscellaneous Chemicals
 (Reactive)
 Paints (May include lead,
 cadmium, or chrome)
 Oil (Synthetic)
 Paint Strippers (Phenols,
 lead, chromium)
 Petroleum sludges
 Polychlorinated Biphenals
 Sanitary Sewage (hydrogen sulphide &
 hydrogen)

2.2.5.6 All paints on U.S. Naval vessels are considered to contain heavy metals, including but not limited to, lead, chromium or cadmium unless it can be established otherwise by laboratory analysis. In disturbing or removing paint during data collection for a specific task, the Contractor and any Subcontractor(s) shall comply with the requirements of applicable safety and health laws and regulations such as Occupational Safety and Health standards which include Maritime Standards (29 CFR 1915), General Industry Standards (29 CFR 1910), and other applicable federal, state and local environmental protection laws, codes, ordinances and regulations. Additionally, the Contractor and Subcontractor(s) shall read and comply with NAVSHIPYDPUGET P5090 (4), "Contractor's Guide to Environmental Compliance." (Attachment 8)

2.2.5.4 The comprehensiveness of engineering reports shall be to the degree that the development of additional and follow-on documents, such as installation drawings, may be based solely on the information provided therein.

2.2.6 **Integrated Logistics Support**

Prepare and revise Integrated Logistics Support (ILS) documents. This includes, but is not limited to, performing Configuration Overhaul Planning (COP), researching data for the Ship's Configuration and Logistics Support Information System (SCLSIS) database, and performing ship inspections to validate logistics products such as Ship's Selected Records (SSR) and SCLSIS database information. Ship inspections also include, but are not limited to, Total Ships Readiness Assessment (TSRA), Combat Systems, Command, Control, Communications and Computer Readiness Assessment (CRA) and Combat Systems Assessment (CSA), during which the contractor will be required to work in the Fleet Assessment Support Tool (FAST) database, as well as inventories of ships' technical manuals, installed software, special tools and Maintenance Assistance Modules (MAM). The type of work anticipated includes preparing SCLSIS "Work Files" via Configuration Data Managers' Database-Open Architecture (CDMD-OA); processing CDMD-OA Work Files, including files submitted to the CDM by outside activities, such as In-Service Engineering Agents (ISEA) and ship generated Configuration Change Requests (OPNAV 4790/CK); preparing Provisional Technical Documents (PTDs) in Interactive Computer Aided Provisioning System (ICAPS) format. Contractors must have a working knowledge of software, including but not limited to, Advanced Industrial Management (AIM), Material Access Technology (MAT), Material Requirement System (MRQT), File Management Utility (FMU) and Navy Data Environment (NDE) as it applies to the ILS world. During Integrated logistics Review/ Integrated logistics Overhaul (ILO/ILR) evolution, contractor will perform critical equipment validations using validation aids generated through CDMD-OA and conduct test equipment, night vision, radiac and small arms analysis. Contractors must have a working knowledge of Ship/Shore Electrical/Electronic Test Equipment Requirements List (SPETERL) and software Organizational Maintenance Management System Next Generation (OMMS NG) and Relational Supply (R SUPPLY).

2.2.7 **Waterfront Support and Technical Work Documents**

Provide technical assistance in performing specified tasking in support of each maintenance or alteration item as required in the form of Task Group Instruction (TGI), Deficiency Log Entry or Deficiency Request. Provide

Trouble Desk support, Chief Test Engineer support, Work Control/Test Program support, Test Readiness Coordination, Scheduling and Work Planning Management. Prepare and revise Technical Work Documents (TWD), which include, but are not limited to, Task Group Instructions (TGI), Test Procedures, Work Authorization Forms, and Engineering Specifications (E-SPEC). All TWD products shall be developed in accordance with the EPPM and specific task order. TWD development may also include requirements for the development of planning, estimating, scheduling, and progressing data using Government computer software applications and equipment in a Shipyard facility.

2.2.8 Fleet Technical Support

Provide engineering, technical and program support services to perform troubleshooting and failure mode analysis, logistics support, fleet support, industrial support, equipment repair and minor installation services. This includes but is not limited to:

- 2.2.8.1 The assessment and maintenance of shipboard systems, equipment, and training.
- 2.2.8.2 Training in maintenance/overhaul processes as well as the identification, compilation and production of measures of effectiveness (MOE's).
- 2.2.8.3 Data analysis and reliability analysis.
- 2.2.8.4 Engineering, reverse engineering, maintenance, troubleshooting, and repair of shipboard HM&E equipment.
- 2.2.8.5 Provide program support for various programs, including but not limited to; Technical Assessment, Repair Guidance and Engineering Teams (TARGET), Combat System Readiness Reviews (CSRR), Ship Engineering Maintenance Assistance Team (SEMAT), Aircraft Carrier Climate Control Improvement Team (ACCCIT) and Inspection and Survey (INSURV).
- 2.2.5.6 Provide support of system or equipment grooms, on the job training, formal classroom training, on board maintenance training, feedback for training modules or curricula, and assist in functional system or equipment modifications, alterations and overhauls.

2.3 COMPUTER SUPPORT

2.3.1 Electronic drawings produced by Computer Aided Design (CAD) software, word-processed documents, spreadsheets and databases shall be provided in formats commonly in use within PSNS & IMF. Such formats currently include, but will not necessarily be limited to: Microsoft Office (Word, Excel, PowerPoint and Access), AutoDesk's AutoCAD, Crystal Reports, ArborText and Content@. Electronic file formats must be compatible with the applicable operating systems (e.g., Windows 2000 or higher), specific software product versions or releases, and printer and plotter drivers being used by the Shipyard.

2.3.2 It is anticipated that most computer output required under this contract will be CAD drawings. Approximately 1% of the estimated CAD hours, shown in the Section B contract provision titled "Level of Effort", will be for three-dimensional (3-D) product models and the remainder will be for two-dimensional (2-D) document output. The Contractor must have the ability to produce JPEG formatted digital photographs and AutoCAD formatted drawings and sketches while performing shipchecks on location. The Contractor shall maintain the skills and resources necessary to utilize standard commercial software applications, as well as Government-developed applications, in support of design analysis and engineering calculations.

2.3.3 The Contractor may be tasked to provide programming services using programming languages, including but not limited to, Visual Basic, C++, ASP.NET and MS Access. Services will include maintenance and modifications of existing programs as well as new program developments. This may include using software such as Crystal Reports on existing Naval Databases such as Ship Systems Status Report (SSSP).

2.3.4 The Contractor shall maintain electronic mail and fax services to support the transfer of drawing file attachments and the exchange of other technical and administrative contract information as needed.

2.4 **SUBMITTALS**

2.4.1 Submittals shall be “Completed Staff Actions”, that is, prior to any submittal, all deliverable items shall be thoroughly checked and reviewed by the Contractor for technical accuracy and compliance with the provisions of the applicable task order and this contract. All submittals shall be “ready for issue” without benefit of a Government review or rework. Unless the task order specifies otherwise, the following items shall accompany each submittal when applicable: review copy, on-site survey data, supporting calculations, guidance materials, source documentation, copy of the completed checklist used to ensure the quality of the deliverable item, and all electronic media reflecting the deliverable item. Where drawing checkprints are appropriate, the drawing checker shall sign and date the checkprint and submit with deliverable item.

2.4.2 If the Government finds errors, discrepancies, omissions or deficiencies during review of a deliverable item, the Contractor shall promptly (normally a one-day turn-around) make the corrections as indicated by the Government’s mark-up of the item. Subsequent deliverable item re-submittals shall include the Government’s mark-up of the item and all documentation required for the original submittal.

2.4.3 Each submittal required by a task order, and any submittal required as a result of Government mark-up of a prior submittal, shall be delivered to the Government via the COR with a Deliverable Item Receipt (DIR), PSNS 4330/34 (blank forms to be supplied by the Government). Deliverable items that are submitted later than the due date indicated on the task order, or that are returned to the contractor for rework shall be tracked in the COR’s database and shall be used at the end of each Lot Year as part of the **CONTRACTOR PERFORMANCE ASSESSMENT REPORT (CPAR)**.

2.5 **TRAVEL (also see the Section C contract provision titled “Reimbursement for Transportation and Travel Costs”)**

2.5.1 In order to support a specific task order the Contractor shall be prepared to travel within three (3) calendar days after notification by the Government unless specified otherwise in the task order.

2.5.2 The Government will reimburse the Contractor for allowable travel costs incurred by the Contractor in performance of the contract, per Joint Travel Regulations (JTR), Volume II.

2.5.3 The Contractor shall ensure that a minimum of two (2) key people in each of the following technical disciplines, for a total of six people, have a valid passport at all times: naval architecture, mechanical engineering, electrical, and electronics engineering.

2.6 **CONTRACTOR REPORTS**

Failure to submit any of the following reports will result in subsequent invoice rejections. Invoices may be resubmitted for payment upon submittal of the required report(s).

2.6.1 **Task Order Report (also see FAR 52.232-20 “Limitation of Cost”)** - The Contractor shall submit a Task Order Report to the COR as soon as total task order expenditures reach 75% of the authorized cost. This report shall not be used as a substitute for timely Contractor submittal of requests for task order modifications. In addition to the information listed below, the Contractor shall provide a prognosis for completion of the task in conformance with cost, schedule and work specifications. The Task Order Report shall include cumulative totals authorized, expended, and estimated to complete based on the task’s historic expenditure rate (a.k.a. burn rate), for each of the following categories:

2.6.1.1. Labor Hours

2.6.1.2. Labor Costs

2.6.1.3. Travel Costs

2.6.1.4. Material Costs

2.6.1.5. Other Indirect Costs

2.6.1.6. Total Costs

2.6.1.7. Contract Line Item Numbers (CLINs) are to be included in all categories that have one. Submittal of task order reports by simple e-mail, providing all the required information is provided, is acceptable.

2.6.2 **Deliverable Item Report** - The Contractor shall provide a weekly Outstanding Deliverable Item Report to the COR and attend COR scheduled meetings to discuss the contents if necessary. Completed reports shall be submitted by close of business (COB) the day before meetings are held and shall contain, at minimum, the following information for each deliverable item submittal:

2.6.2.1 Percent complete

2.6.2.2 Prognosis for on-time completion, or an estimated date for completion if the schedule specified by the task order will not be met.

2.6.2.3 Any problems or issues that need to be discussed.

2.6.3 **Actual Costs Incurred (ACI) Report** - The Contractor shall provide Actual Cost Incurred (ACI) Reports for individual task orders within three (3) working days of any Contracting Officer or COR request.

3. QUALITY PROGRAM REQUIREMENTS

3.1 The Contractor is responsible for the conformance of all work performed under this contract to all applicable specifications, standards, and requirements invoked. To assure conformance, the Contractor shall provide and maintain a Quality Program that parallels the applicable portions of the International Standards Organization (ISO) 9001:2008 Standard. Note that ISO certification is not required. The Contractor's Quality Program shall be documented and include policies and procedures specifically tailored to the work required by this contract.

3.2 The Government reserves the right to perform any audits or examinations deemed necessary to assure the adequacy of the Contractor's Quality Program and to reject any or all submittals, including engineering drawings, related data, and other documents, that do not conform to the requirements of this contract or to any invoked specification, standard, or instruction.

3.3 A checklist shall be used by the Contractor to document examinations and inspections of deliverable items prior to submittal. Checklists shall indicate that the submittal conforms to the requirements of the contract, task order and Contractor's Quality Program. Each checklist shall be signed by the Contractor's representative having final approval authority for deliverable item submittals. The signature of the Contractor's representative shall constitute a certification of compliance. Certified checklists shall be forwarded with each submittal.

3.4 The use of Government checklists may be required by a task order. These additional checklists shall not replace the Contractor's checklist unless otherwise specified in the task order.

3.5 In the absence of direct guidance from the technical code, the Contractor shall make every effort to conduct all research and analysis independent of cognizant Government technical leads. This includes obtaining and reviewing relevant reference documents, such as drawings and technical manuals, utilizing the Shipyard's Plan Files or other sources responsible for retention and distribution of original documentation. Further, the Contractor shall make all inquiries and provide any notice needed to coordinate system interfaces and to avoid interferences related to task order work requirements, by contacting the cognizant PSNS&IMF Engineering & Planning Branch. These inquiries and notices shall be documented by the Contractor and copies shall be provided to the COR.

4. REFERENCES

The following documents and referenced sub-tier specifications and standards, as well as all current instructions and directives from the Naval Sea Systems Command (NAVSEA), shall form a part of the technical requirements of work under the contract. The most current revision shall be used unless otherwise specified in the task orders.

COMMERCIAL SPECIFICATIONS (<http://www.ihserc.com>)

ABS Rules	American Bureau of Shipping & Affiliated Companies (Parts 1 through 5) (www.eagle.org/)
ISO 9001:2008 Standard	International Standards Organization (ISO), Quality Management System Requirements Standards (http://www.iso.org)
Commercial Drawings	ASME Y14.100, Engineering Drawing Practices
DoD Basic Practices	ASME Y 14.100 and the following Appendices, as applicable ○ Appendix B, Non-Commercial Drawing Practices ○ Appendix C, Drawing Titles ○ Appendix D, Numbering, Coding and Identification ○ Appendix E, Markings on Engineering Drawings
Types of Engineering Drawings	ASME Y14.24, Types and Application of Engineering Drawings
Revision of Engineering Drawings	ASME Y14.35M, Revision of Engineering Drawings and Associated Lists
Associated Lists	ASME Y14.34M, Associated Lists

DEPARTMENT OF DEFENSE STANDARDS (<https://assist.daps.dla.mil/online/start/>)

DOD-STD-2003	Electric Plant Installation Standard Methods for Surface Ships and Submarines (Sections 1 through 5)
--------------	---

MILITARY STANDARDS (<https://assist.daps.dla.mil/online/start/>)

MIL-STD-25	Structural Symbols for use on Ship Drawings
MIL-STD-438	Schedule of Piping, Valves, Fittings and Associated Components for Submarines
MIL-STD-777	Schedule of Piping, Valves, Fittings and Associated Piping Components for Surface Ships
MIL-STD-1310	Shipboard Bonding, Grounding, and other techniques for Electromagnetic compatibility and safety
IA Pub. 5239-22	Information Assurance Protected Distribution System (PDS) Publication
IA Pub. 5239-31	Information Assurance Shipboard Red/Black Installation Publication
NSTISSAM TEMPEST/2-95 12/12/95	Red/Black Installation Guidance
MIL-STD-1628	Fillet Weld Size, Strength and Efficiency Determination

NAVAL PUBLICATIONS (Available upon request)

NAVSEA-0900-LP-001-7000	Fabrication and Inspection of Brazed Piping Systems
NAVSEA S9AA0-AB-GOS-010	General Specifications for Overhaul of Surface Ships.
NAVSEA S9AA0-AB-GOS-020	General Specifications for Overhaul of Surface Ships.
NAVSEA-0902-018-2010	General Overhaul Specifications for Deep Diving SSN/SSBN Submarines (DDGOS)
NAVSEA-0908-LP-000-3010	Shock Design Criteria
NAVSEA-SE000-00-EIM-100	Navy Installation and Maintenance Book (NIMB), General
NAVSEA-SE000-00-EIM-110	Navy Installation and Maintenance Book (NIMB), Installation Standards
NAVSEA-0938-LP-018-0010	Heating, Ventilation & Air Conditioning (HVAC) Design Criteria Manual for Surface Ships of the U.S. Navy
NAVSEA T9500-AA-PRO-130	HVAC Design Practices Manual
NAVSEA-S9086-C6-STM-000	Weight and Stability (Chapter 096)
NAVSEA-S9086-CH-STM-000	Welding and Allied Processes (Chapter 074, Vol. I)
NAVSEA-S9086-CN-STM-020	NAVSEA Technical Manual, Practical Damage Control
NAVSEA S9086-KC-STM-010	Electric Plant General (chapter 300)
NAVSEA-T9074-AD-GIB-010-1688	Fabrication Welding Inspection of HY80/100 Submarine Applications
<i>9090 series tech specs (below) available at: http://www.fmp.navy.mil/</i>	
NAVSEA TECHNICAL SPECIFICATION 9090-600	Ship Alteration Drawing Preparation
NAVSEA TECHNICAL SPECIFICATION 9090-700	Ships Configuration & Logistics Support Information System (SCLSIS)
NAVSEA TECHNICAL SPECIFICATION 9090-800	Selected Record Drawings
NAVSEA DDS552-21	Magazine Sprinkling Handbook
NAVSEA T9500-AA-PRO-030	Design Criteria for Firemain on Surface Ships
Design Data Sheets (various)	

INSTRUCTIONS

DOD 5220.22	Industrial Security Regulation and Industrial Security Manual for Safeguarding Classified Information (http://www.dtic.mil/whs/directives/corres/ins1.html)
OPNAVINST 5510.1	Department of the Navy Information and Personnel Security Program Regulations (http://neds.nebt.daps.mil/)
NAVSEA INSTRUCTION 5511.32C	SAFEGUARDING OF NAVAL NUCLEAR PROPULSION INFORMATION (NNPI) (a NOFORN document)
PLANDEPTPUGET P5200(2)	Engineering Planning Procedures Manual (EPPM) (<i>Attachment 4</i>)
PSNS&IMF P5100(14)	Visitor and Contractor Handbook (<i>Attachment 6</i>)
	ESH Requirements at Bremerton Naval Complex (<i>Attachment 7</i>)
NAVSHIPYDPUGET P5090(4)	Contractor's Guide to Environmental Compliance (<i>Attachment 8</i>)
NAVSHIPYDPUGET P5090(5)	Contractor's Guide to Hazardous Waste Compliance (<i>Attachment 9</i>)
PHNS&IMF SOP JPL003	Non-nuclear Technical Work Document Preparation (<i>Attachment 10</i>)

5. **PERSONNEL REQUIREMENTS**

5.1 **MINIMUM STANDARDS**

5.1.1 The Contractor is responsible for maintaining proficient employees in each labor category throughout the life of this contract.

5.1.2 The required minimum qualifications established for labor categories 03, 04, 07, 09, 11, 13, 14 and 15, as defined in paragraph C-5.4 and C-5.5, will continue as the minimum standards for all personnel hired or relocated during the course of performance under this contract.

5.1.3 The required minimum and desired qualifications for labor categories 01, 02, 05, 06, 08, 10 and 12, as defined in paragraphs C-5.4 and C-5.5, will be superseded at the time of award by the personnel qualifications described in the resumes submitted for those labor categories. Those qualifications will then become the minimum standards for all personnel hired or relocated during the course of this contract for those categories.

5.1.4 The Contracting Officer and COR must be notified in writing within seven (7) calendar days after any personnel replacement action. If during the performance of the contract, the Contracting Officer or COR questions the adequacy of the qualifications of personnel occupying any labor category, the Contractor shall have the burden of establishing that the required qualifications are met by those personnel. The Contractor shall promptly provide resumes when requested by the Contracting Officer or COR.

5.2 **LABOR CATEGORIES**

The contract labor categories include the specific combinations of technical education, ability, and experience the Government considers necessary for performance of task order work. Labor categories are defined by the associated academic and experience qualifications set forth in this contract. For example, designations of "Engineer", and "Senior Engineer", when used, refer to progressive levels of competence and expertise, and imply an increasing complexity in the nature of assignments and a progressive increase in levels of responsibility. Each labor category is characterized in practice by a unique combination of three elements:

5.2.1 Nature of assignments handled is defined by the complexity of the job to be done and the techniques utilized to do it.

5.2.2 Level of responsibility is measured in terms of supervision received, guidelines and precedents utilized, and person-to-person contacts.

5.2.3 Qualifications are specified in terms of academic background, general and specialized experience.

5.3 GENERAL QUALIFICATIONS

5.3.1 For labor categories 01, 02, 03, 05, 06, 08, 10 and 12, the qualifications specified herein represent required minimum academic background and desired minimum level of experience. For labor categories 04, 07, 09, 11, 13, 14 and 15, the qualifications specified herein represent the required minimum acceptable qualifications.

5.3.2 For the purposes of this contract, technical personnel are divided into two (2) main groups: professional and non-professional. Academic qualifications stated for each main group apply to all positions in that group. Experience qualifications differ, and are therefore set forth separately for the various labor categories.

5.3.3 A “professional” is one whose occupation requires advanced formal education and training, and the application of intellectual skills. A “professional” engineer or naval architect is one who performs non-routine engineering work which requires: (1) ability to apply scientific methodology to engineering problems, (2) comprehensive in-depth knowledge of the mathematical, physical, and engineering sciences which characterize an academic engineering curriculum, and (3) continuing intensive development of this knowledge and ability.

5.3.4 A “non-professional” is one whose occupation is technical or clerical in nature.

5.3.5 Military experience, per se, is not considered to be an acceptable qualification or substitute for work experience related to the knowledge and abilities needed to produce the deliverables or provide the services required by this contract. To merit any further consideration, a description of the individual’s actual duties, work assignments and responsibilities is required.

5.4 QUALIFICATIONS FOR PROFESSIONAL POSITIONS

Resumes are required for professional labor categories 01, 02, 03 and 05. Offerors shall indicate the office/location where each of the resumed personnel will be assigned.

5.4.1 Academic Qualifications (Professional)

It is required that personnel employed in any of the professional labor categories have academic backgrounds which satisfy the following minimum criteria in their assigned technical discipline:

a. Successful completion of a professional curriculum in, civil, mechanical, electrical, electronics, chemical, or environmental engineering, naval architecture or computer science at an accredited college, signified by an appropriate Bachelor of Science degree, or

b. For a civil, mechanical, electrical, electronics engineer or naval architect, training or technical experience that furnishes a knowledge and understanding of the physical and mathematical sciences as well as specific sciences and techniques, equivalent to that provided by a professional curriculum resulting in a Bachelor of Science degree in engineering or naval architecture. The adequacy of such background would normally be demonstrated by current registration as a Professional Engineer or an Engineer-In-Training (EIT) by any State, the District of Columbia, Guam, or Puerto Rico.

5.4.2 Experience Qualifications (Professional)

5.4.2.1 **Project Manager** (civil, mechanical, electrical, electronics engineer, or naval architect) (labor category 01)

In addition to meeting the academic qualifications for professionals, fifteen (15) years of professional experience in engineering is desired, including the following, which should have been gained independently:

5.4.2.1.1. Ten (10) years of progressive engineering experience in the marine design field, including experience in civil, mechanical, electrical, electronics engineering or naval architecture for naval vessels, and

5.4.2.1.2 Five (5) years experience in management positions involving personnel supervision and technical cognizance over marine design products (a broad base of experience facilitating effective management of the various disciplines involved in this contract is highly desirable).

5.4.2.2 **Senior Engineer (mechanical, electrical or electronics engineer, or naval architect) (labor category 02)**

In addition to meeting the academic qualifications for professionals, ten (10) years or more of professional experience in civil, mechanical, electrical, electronics engineering or naval architecture, for marine vessels is desired, including the following, which may have been gained concurrently:

5.4.2.2.1 Seven (7) years of progressive engineering experience in the marine design field for naval vessels, including the use of steel, aluminum, wood and fiberglass reinforced plastics in engineering analysis and shipbuilding practices, (for naval architects this should include experience performing hull surveys and stability and docking analysis) and

5.4.2.2.2 Four (4) years of experience operating CAD software (does not apply to engineers who will strictly be used for non Planning Yard design-type tasks)

5.4.2.3 **Engineer (civil, mechanical, electrical, electronics engineer or naval architect) (labor category 03)**

In addition to meeting the academic qualifications for professional engineers, one (1) year of experience operating CAD software is required (does not apply to engineers who will strictly be used for non Planning Yard design-type tasks).

5.4.2.4 **Computer Specialist (labor category 05)**

In addition to meeting the academic qualifications for professional positions in computer science, five (5) years of experience in computer specialties work is desired, including the following:

5.4.2.4.1. Two (2) year specialized experience in at least one of the following areas: management analysis; technical, analytical, supervisory or administrative experience in a subject-matter field; project planning which has involved development of data processing systems, or any occupation demonstrating ability to analyze and organize work processes or problems into plans for computer solutions, and

5.4.2.4.2 Three (3) years specific experience in developing computer programs and database structures, or experience in the analysis of system requirements, computer applications, or basic plans for the processing of computer data.

5.5 QUALIFICATIONS FOR NON-PROFESSIONAL POSITIONS

Resumes are required for non-professional labor categories 04, 06, 08, 10 and 12. Offerors shall indicate the office/location where each of the resumed personnel will be assigned.

5.5.1 Academic Qualifications (Non-Professional)

Engineering technicians generally apply conventional well-established engineering practice to tasks involving a lesser degree of complexity, unique design problems, or responsibility than those typically assigned to their professional engineering counterparts.

A community college Associates Degree in a technical discipline or a technical trade school education or a trade apprenticeship in the marine field may be substituted for up to two (2) years of technician experience.

5.5.2 Experience Qualifications (Non-Professional)

5.5.3. Senior Engineering Technician (civil, mechanical, electrical or electronics engineering, or naval architecture) (labor category 06)

Fifteen (15) years or more of progressive practical experience in a technical discipline is desired, with ten (10) or more year's specialized experience in at least one of the following work areas:

5.5.3.1 Preparing and reviewing Advanced Industrial Management (AIM) planning and technical work documents (TWDs) (i.e. Job Summaries and TGI's), and provide Project Trouble Desk support as necessary, to support "waterfront" availabilities of U.S. Naval ships.

5.5.3.2 Test Control: Reviewing on Project Summaries to identify and/or clarify work. Work Package Review and associated planning functions, developing, writing and processing Work Authorization Forms (WAFs) and the resulting Tag Out Records Sheets (TORS), Database input, maintenance and upkeep of Work Control related documents including WAF reviews and audits.

5.5.3.2.1. Work Control: Write, review and/or process WAFs. Determine custody boundaries and develop tag-outs. Sign TORs as Repair Activity Representative. Provide posted tag checks. Maintain work control mapping boards. Provide database inputs and maintain work control related documents.

5.5.3.2.2 Material Ordering: Prepare and review Material Requirements (WEB/MRQT), Job Material Lists (JMLs) for pre-planning and Execution Phases to support Naval Ship availabilities.

5.5.3.2.3 Test Procedures.

5.5.3.3 Engineering Technician (civil, mechanical, electrical or electronics engineering, or naval architecture) (labor category 07)

Less than fifteen (15) years of progressive practical experience in a technical discipline is desired, with less than ten (10) years specialized experience in at least one of the following work areas:

5.5.3.3.1 Preparing and reviewing Advanced Industrial Management (AIM) planning and technical work documents (TWDs) (i.e. Job Summaries and TGI's), and provide Project Trouble Desk support as necessary, to support "waterfront" availabilities of U.S. Naval ships.

5.5.3.3.2 Test Control: Reviewing on Project Summaries to identify and/or clarify work. Work Package Review and associated planning functions, developing, writing and processing Work Authorization Forms (WAFs) and the resulting Tag Out Records Sheets (TORS), Database input, maintenance and upkeep of Work Control related documents including WAF reviews and audits.

5.5.3.3.3. Work Control: Write, review and/or process WAFs. Determine custody boundaries and develop tag-outs. Sign TORs as Repair Activity Representative. Provide posted tag checks. Maintain work control mapping boards. Provide database inputs and maintain work control related documents.

5.5.3.3.4 Material Ordering: Prepare and review Material Requirements (WEB/MRQT), Job Material Lists (JMLs) for pre-planning and Execution Phases to support Naval Ship availabilities.

5.5.3.3.5 Test Procedures.

5.5.3.6 Senior Logistician (labor category 10)

5.5.3.6.1 High school graduate with formal training in MS Windows-based Office programs such as Outlook, Word, Excel, and ACCESS. Working knowledge of AutoCAD (viewer), ATIS and JEDMICS will be needed for drawing extraction, interpretation and review. Ability to communicate both orally and written are required for this position.

5.5.3.6.2 Six (6) years or more shipyard or US Navy shipboard experience on operation of HM&E, Electronic or Ordnance equipment. Five (5) years or more experience using CDMD-OA both as viewing and building COP work files.

5.5.3.6.3 Must be able to read and interpret Ship Installation Drawings (SIDs). Must be familiar with Ship Configuration and Logistics Support Information System (SCLISIS), Technical Specification 9090-700 (latest revision in effect) and understanding of record types and related data fields.

5.5.3.6.4 Must be proficient in Hierarchical Structure Code (HSC) assignments and techniques. Must be proficient in the use of all types of ILS research and reference material/software (such as GDAPL, Haystack, TDMIS, FED LOG, ESWBS, SAC, RIC, EIC, and ASME Y14.38a2002).

5.5.3.6.5 Must be able to conduct inventories and identify discrepancies in the following areas: Special Tools, Software Products, Tech Manuals and Maintenance Assistance Modules (MAMs). Must be able to interpret data obtained from junior technicians during inspections and correlate deficiencies into EXCEL spreadsheet.

5.5.3.6.6 Must be able to expedite parts by all means possible. Must be proficient in OMMS-NG and R-Supply databases.

5.5.3.6.7 Must possess a CDMD-OA account/password and have completed an NSLC certified training course (ISEA Level), at the contractor's expense at time of the task assignment. A CDMD-OA training schedule may be accessed at <http://www.cdmd.navy.mil/training>.

5.5.3.6.8 Must be eligible to obtain a security clearance of "CONFIDENTIAL" or higher. Work on board submarines may require a security clearance of "SECRET".

5.5.3.7 **Logistician** (labor category 11)

5.5.3.7.1 High school graduate with formal training in MS Windows-based Office programs such as Outlook, Word, Excel, and ACCESS. Working knowledge of AutoCAD (viewer), ATIS and JEDMICS will be needed for drawing extraction, interpretation and review. Ability to communicate both orally and written are required for this position.

5.5.3.7.2 Less than six (6) years shipyard or US Navy shipboard experience on operation of HM&E, Electronic or Ordnance equipment. Less than five (5) years' experience using CDMD-OA both as viewing and building COP work files.

5.5.3.7.3 Must be able to read and interpret Ship Installation Drawings (SIDs). Must be familiar with Ship Configuration and Logistics Support Information System (SCLISIS), Technical Specification 9090-700 (latest revision in effect) and understanding of record types and related data fields.

5.5.3.7.4 Must be proficient in Hierarchical Structure Code (HSC) assignments and techniques. Must be proficient in the use of all types of ILS research and reference material/software (such as GDAPL, Haystack, TDMIS, FED LOG, ESWBS, SAC, RIC, EIC, and ASME Y14.38a2002).

5.5.3.7.5 Must be able to conduct inventories and identify discrepancies in the following areas: Special Tools, Software Products, Tech Manuals and Maintenance Assistance Modules (MAMs).

5.5.3.7.6 Must possess a CDMD-OA account/password and have completed an NSLC certified training course (ISEA Level), at the contractor's expense, within 15 days after assignment. A CDMD-OA training schedule may be accessed at <http://www.cdmd.navy.mil/training>.

5.5.3.7.7 Must be eligible to obtain a security clearance of "CONFIDENTIAL" or higher. Work on board submarines may require a security clearance of "SECRET".

5.5.3.8 **CAD IV Operator** (labor category 12)

High school, trade or industrial school graduate, where as a minimum, credits were received in all of the following: Algebra, plane geometry, trigonometry, drafting and physics. Additionally, fifteen (15) years or more of progressive technical experience in the marine design field for naval vessels, including:

5.5.3.8.1 Design drafting involving judgments in recommending alternative design or materials and in planning or conceiving engineering systems, structures, machinery, electrical or electronic installations in order to satisfy performance, economy, safety, size, strength, durability, producibility, and maintainability factors.

5.5.3.8.2 Technical responsibility for workability, producibility, economy of design, and a good background knowledge of new practices relative to manufacturing and shipboard installation techniques.

5.5.3.8.3 Responsibility for the review and checking of engineering drawings for completeness, adequacy, and compliance with instructions and appropriate standards and specifications.

5.5.3.8.4 Layout responsibility for actual drafting layout work.

5.5.3.8.5 Progressive design experience in the Naval Ship design field within the last ten (10) years involving design and working-plan development for construction, conversion, modernization or alteration of U.S. Naval ships in the specialty required herein.

5.5.3.8.6 Eight (8) years or more experience operating CAD software, where no fewer than 400 CAD machine time hours has been gained in each year.

5.5.3.8.7 Specialized Experience Requirements (in area of assigned cognizance): Creditable experience includes:

5.5.3.8.7.1 Responsibility for preparation of and modification of engineering drawings.

5.5.3.8.7.2 Making engineering investigations to gather data for use in plan preparation, engineering reports, test agenda, etc.

5.5.3.8.7.3 Responsibility for making necessary calculations, diagrams, and analysis to develop plans, reports, etc.

5.5.3.8.7.4 Ten (10) or more years' experience managing the output of engineers and naval architects.

5.5.3.9 **CAD III Operator** (labor category 13)

High school, trade or industrial school graduate, where as a minimum, credits were received in all of the following: Algebra, plane geometry, trigonometry, drafting and physics. Additionally, less than fifteen (15) years of progressive technical experience in the marine design field for naval vessels, including:

5.5.3.9.1 Progressively increasing design drafting experience involving judgments in recommending alternative design or materials and in planning or conceiving engineering systems, structures, machinery, electrical or electronic installations in order to satisfy performance, economy, safety, size, strength, durability, producibility, and maintainability factors.

5.5.3.9.2 Progressively increasing technical responsibility for workability, producibility, economy of design, and a good background knowledge of new practices relative to manufacturing and shipboard installation techniques.

5.5.3.9.3 Progressively increasing responsibility for the review and checking of engineering drawings for completeness, adequacy, and compliance with instructions and appropriate standards and specifications.

5.5.3.9.4 Progressively increasing layout responsibility for actual drafting layout work.

5.5.3.9.5 Naval progressive design experience in the Naval Ship design field within the last five (5) years involving design and working-plan development for construction, conversion, modernization or alteration of U.S. Naval ships in the specialty required herein.

5.5.3.9.6 Up to eight (8) years experience operating CAD software, where no fewer than 400 CAD machine time hours has been gained in each year.

5.5.3.10 **Drafter (CAD OperatorII)** (labor category 14)

High school, community college, or technical trade school education, which includes specialized CAD training, and at least two (2) years of experience operating CAD software is required.

5.5.3.11 **Office Automation Clerk** (labor category 15)

At least two (2) years of experience in word processing and spreadsheet data entry for technical reports and correspondence is required.

5.6 **SECURITY CLEARANCES**

5.6.1 Facility and personnel security clearances shall be in accordance with the requirements of the Industrial Security Manual for Safeguarding Classified Information, DOD 5220.22, and the Department of Defense Contract Security Classification Specification, **DD Form 254 for this contract (Attachment X)**. Personnel directly involved in task orders issued hereunder shall be U.S. citizens and have a proper security clearance for the work assigned to them. Some task orders may require access to classified technical documents, secured areas of the Shipyard facilities, or shipboard spaces requiring a clearance of CONFIDENTIAL or SECRET. Resumes required by this contract must include the current level of security clearance held by the individual (if none, show "Pending" status). This indicates that the individual is capable of obtaining the required security clearance.

5.6.2 Upon award of the contract, the Contractor shall submit visit clearance requests to the COR, for all employees who will be visiting Government Installations. These requests shall be prepared in accordance with DOD 5220.22. The Contractor shall revise visit clearance requests as often as necessary to reflect current status. All Contractor personnel visiting Puget Sound Naval Shipyard or traveling for performance of work under this contract shall read and adhere to PSNS&IMF P5100(14), Visitor and Contractor Handbook (Attachment 6).

5.6.3 The Contractor shall submit visit clearance requests in time to support task order requirements, including Government-issue of a visit clearance message if needed. The Contractor shall prepare and submit visit clearance messages only if specifically required by a task order. The Contractor shall provide a copy of all Contractor prepared visit clearance messages to the COR. Otherwise, when traveling for performance of work under this contract, the Contractor shall submit information required for Government preparation of visit clearance messages to the COR.

5.6.4 Contractor personnel requiring continual access to Shipyard facilities shall be identified by a separate visit clearance request for Shipyard badges. Badge requests shall be granted, at the discretion of the COR and/or the Shipyard Security Officer, for the duration of the current contract lot year, after which the Contractor shall request renewal. Examples of this type of access would be as follows: key personnel assigned to work on task orders that will require periodic interface with Government technical personnel, couriers who will be assigned to pick up reference documents from the Shipyard's Plan Files, senior managers who will visit often to discuss contract performance and related issues, and personnel who are working on-site as a requirement of a task order. The Contractor shall be responsible for retaining Shipyard badges of employees whose badges have not expired and are not actively working on Shipyard business or tasking (as described in "examples" above). In other words, the employee shall not be in possession of a Shipyard badge unless he/she is actively working on a Shipyard task or engaged in the day-to-day business with the shipyard connected with this contract. This includes sub-contractors, who will return their badges to the prime contractor upon task completion. The contractor shall return Shipyard badges when an employee will no longer be assigned to work on this contract, or at any time the COR requests it.

5.6.5 At the request of the COR, the Contractor shall provide a list of employees working on this contract, including their security clearance, badge color and badge expiration date.

6. **CONTRACT PERFORMANCE REQUIREMENTS**

6.1. The main outcomes anticipated for this contract as a whole will be based on task specific Performance Requirements Summary (PRS) charts included in each task order. Two examples of these PRS charts are shown below, one for Planning Yard type completion tasks and the other for Waterfront type term tasks. Each PRS chart is divided into four of the basic categories found in Contract Performance and Assessment Reporting System (CPARS) with specific performance objectives that will be tailored to each task. At the end of the task the Government technical lead will be required to complete their portion of the contractor evaluation using the PRS included in their task and return it to the COR. The COR will enter the data into the Contracting Management Database (CMS) and complete the evaluation for the last two CPARS categories, namely Cost Control and Management of Key

Personnel. At the end of each year 1-5, a CMS report consolidating all of the data into one report will be used as the basis for completing the on-line yearly CPARS evaluation. The scale used to evaluate performance is the same one used on the preceding contracts to evaluate the contractor in the CPARS system at the end of each year. This PSNS & IMF C/400 derived scale will hence be referred to as the “CPARS Scale” since the outcomes of each task order and the basic contract in general will be reported according to these percentages in CPARS at the end of each year.

97-100% - Exceptional
 92-96% - Very Good
 86-91% - Satisfactory
 70-85% - Marginal
 0-69% - Unsatisfactory

6.2. TASK ORDER CONTRACT PERFORMANCE REQUIREMENT SUMMARY (PRS) CHART

6.2.1 Sample Task Order PRS for Planning Yard two-phase, shipcheck & drawing development task.

Phase 1 Shipcheck Performance Objectives	Performance Standard/AQL	Performance Assessment Method
Quality:		
1. Provide assessment of the accuracy of reports/data required.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
2. Shipcheck notes easily interpretable by third party drafter/technician.	86%-100% CPARS Scale	TL will review mark-ups and sketches.
3. Shipchecker uses PSNS & IMF mark-up standards.	86%-100% CPARS Scale	TL will review mark-ups and sketches
4. Shipchecker completes package checklist, validating work completion.	86%-100% CPARS Scale	TL will review check-list and sketches.
5. Contractor was able to perform with minimal Government technical direction/guidance.	86%-100% CPARS Scale	TL will review and evaluate.
Schedule:		
6. Contractor able to meet internal task deadlines (delivery on-board of shipcheck packages/reports).	86%-100% CPARS Scale	TL will review and evaluate.
Business Relations:		
7. Contractor maintained close liaison and good communications with the Government. Project issues/discrepancies reported to TL/COR within 24 hours of discovery. Solutions implemented same day provided.	86%-100% CPARS Scale	TL will review and evaluate.
8. Shipchecker reports aboard on time and puts in full day in tandem with TL.	86%-100% CPARS Scale	Daily muster checks by TL.
9. Shipchecker reports aboard with all required PPE.	86%-100% CPARS Scale	TL will confirm as needed.
Technical:		
10. Shipchecker submits pertinent service requests.	86%-100% CPARS Scale	TL will verify with follow codes.
11. All dimensioning for correct removal, temporary access and installation included.	86%-100% CPARS Scale	TL will review mark-ups and sketches
12. All interferences were identified and sized/located w/dimensions, including but not limited to potential interferences to foundation backup stiffening on the far side of deck or bulkhead.	86%-100% CPARS Scale	TL will review mark-ups and sketches
13. Compartment outline and structure shown with correct frame numbers and dimensions.	86%-100% CPARS Scale	TL will review mark-ups and sketches

Phase 2 Drawing Development Performance Objectives	Performance Standard/AQL	Performance Assessment Method
Quality:		

Phase 2 Drawing Development Performance Objectives	Performance Standard/AQL	Performance Assessment Method
1. Evaluation of quality shall be based on deliverable item receipt (DIR) record for rework required on submittals.	86%-100% CPARS Scale	DIR info fed into CMS database for evaluation.
Schedule:		
2. Evaluation of schedule performance shall be based on DIR record for on-time delivery of submittals.	86%-100% CPARS Scale	DIR info fed into CMS database for evaluation.
Business Relations:		
3. Contractor maintained close liaison and good communications with the Government.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
4. Contractor provided adequate notice when guidance or technical problems/conflicts arose.	86%-100% CPARS Scale	Gov't TL will evaluate overall at end of task.
5. Contractor was able to perform with minimal Government technical direction/guidance.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
6. Contractor submittals met task and contract requirements and could be judged completed actions.	86%-100% CPARS Scale	Gov't TL will check for conformity.
Technical:		
7. Drawings conform to Weight and Moment requirements.	86%-100% CPARS Scale	Gov't TL will check for conformity.
8. Drawings conform to Front Sheet requirements.	86%-100% CPARS Scale	Gov't TL will check for conformity.
9. Drawings conform to I.D.E.A. CAD Standards.	86%-100% CPARS Scale	Gov't (Technical Lead) TL will check for conformity.
10. Contractor adequately incorporated design requirements that are <u>not</u> addressed by Shipcheck package.	86%-100% CPARS Scale	Gov't TL will verify with follow codes.
11. The Contractor provided a technically knowledgeable point of contact.	86%-100% CPARS Scale	Gov't TL will evaluate.

6.2.2 Sample Task Order PRS for "Waterfront" AIM document prep & Trouble Desk Support.

Performance Objectives	Performance Standard/AQL	Performance Assessment Method
Quality:		
1. Technical Work Documents (TWD) are of sufficient detail and clarity to provide shop with clear guidance.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
2. Material research and ordering is accurate and timely to allow material to be on job site on time.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
3. Overall percentage of rework required. (Rework is defined as work turned in by contractor which, when checked by Gov't, had to be sent back to contractor or worked on by another person in order to make it useable.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
4. Contractor was able to perform with minimal Government technical direction/guidance.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
Schedule:		
5. Overall performance regarding delivering required documents "on time" to meet internal deadlines.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
Business Relations:		
6. Contractor maintained close liaison and good communications with the Government.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.

Performance Objectives	Performance Standard/AQL	Performance Assessment Method
7. Contractor followed the guidelines specified in PSNS&IMF P5100(14). Technical:	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate. COR may interview.
8. Quality Assurance (QA) documents for functions including, but not limited to, joint makeup, welding and epoxy are correctly done and incorporated into DM2.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
9. PC bolt torque calculations (using PSNS program) are accurate and complete.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
10. ATIS, CITIS, & SDI drawing research are relevant and complete.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
11. Relevant Allowance Parts List (APL), Submarine Maintenance Standards (SMS), & Unrestricted Operations/Maintenance Requirement Cards (URO/MRC) are researched and provided.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
12. For already completed AIM document review, the Contractor was successful at resolving technical problems and deficiencies.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
13. Internet - Historical Information Tool Kit (Hit Kit) / Technical Information Management (TIMS) - Database support programs for historical documents & Lessons learned	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
14. Project Trouble Desk support - responding to DF/DL/DRs to evaluate deficiencies	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.
15. Shipchecks systems and components to evaluate the need for repairs or removal as interference.	86%-100% CPARS Scale	Technical Lead (TL) will review and evaluate.

6.2.3 The COR will enter a score in the CMS database for each task order for COST CONTROL based on:

6.2.3.1. Submission of DD250s per requirements of this contract

6.2.3.2. Whether the contractor was effective in controlling costs

6.2.3.3. The completeness of invoices including all required supporting documentation and receipts.

6.2.3.4. Whether sub-contractors invoices are complete, as described above.

6.2.3.5. Any other relevant COST CONTROL associated factors relevant to the task.

6.2.4 The COR will enter a score in the CMS database for each task order for MANAGEMENT OF KEY PERSONNEL based on:

6.2.4.1 The contractor was able to provide skilled personnel in each labor category required by the task.

6.2.4.2 The contractor was successful in finding a replacement candidate when selectee withdraws.

6.2.4.3. The contractor was successful in managing sub-contractor personnel via sub-contractor management.

6.2.4.4 When working on-site at a Government facility, contractor personnel identify themselves as follows:

6.2.4.4.1 Contractor spaces/desks shall be clearly marked with contractor name and company name.

6.2.4.4.2. All email addresses used by Contractor personnel shall identify the sender as a contractor, and include the company name in the contractor's signature block.

6.2.4.4.3. All Contractor correspondence shall be clearly marked with company name.

6.2.4.4.4. Contractor personnel shall insure that when answering telephones, or in meetings that they identify themselves as Contractor personnel.

6.2.4.5 Any other relevant MANAGEMENT OF KEY PERSONNEL associated factors relevant to the task as determined by the COR.