



You have temporary access to administrative functions. Drop access if you no longer require it.
For more information, refer to [the documentation](#).

Confluence administration

CONFIGURATION

General Configuration

Further Configuration

Backup Administration

Manage Referrers

Languages

Shortcut Links

External Gadgets

Global Templates and Blueprints

Import Templates

Recommended Updates
Email

Mail Servers

User Macros

In-app Notifications

HipChat Integration

Attachment Storage

Spam Prevention

PDF Export Language
Support

Configure Code Macro

Office Connector

WebDAV Configuration

DRAW.IO ADD-ON

Add-on Configuration

License

Clustering

A cluster of multiple Confluence nodes provides high availability and performance at scale. Learn more about clustering.

Node ID	Node name	Cluster address	Hostname	Load	Memory	Uptime	More
3...	N..	1...	ip-10-...	1..	5..	9...	•
3...	N..	1...	ip-10-...	1..	8..	1...	•

New nodes can join the cluster without downtime.
Learn how to add a node.

ATLASSIAN MARKETPLACE

Find new add-ons

Manage add-ons

USERS & SECURITY

SAML SingleSignOn

Users

Groups

Security Configuration

Global Permissions

Space Permissions

User Directories

Whitelist

PUBLISHING

Configuration

LOOK AND FEEL

Themes

Colour Scheme

Layouts

Stylesheet

Site Logo and Favicon

PDF Layout

PDF Stylesheet

Sidebar, header and footer

Default Space Logo

Custom HTML

ADMINISTRATION

System Information

Backup & Restore

Content Indexing

Mail Queue

Scheduled Jobs

Cache Management

License Details

Logging and Profiling

Application Links

Application Navigator

Analytics

Atlassian Support Tools

Clustering
