

Module sui::zklogin_verified_id

Possession of a VerifiedID proves that the user's address was created using zklogin and the given parameters.

Returns the address associated with the given VerifiedID

Returns the name of the key claim associated with the given VerifiedID

Returns the value of the key claim associated with the given VerifiedID

Returns the issuer associated with the given VerifiedID

Returns the audience (wallet) associated with the given VerifiedID

Delete a VerifiedID

This function has been disabled.

This function has been disabled.

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

Struct

Possession of a VerifiedID proves that the user's address was created using zklogin and the given parameters.

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Returns the address associated with the given VerifiedID

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Returns the name of the key claim associated with the given VerifiedID

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Returns the value of the key claim associated with the given VerifiedID

```
```bash
```

```
...
```

```
```bash
```

```
'''
```

Returns the issuer associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the audience (wallet) associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Constants

```
'''bash
```

```
'''
```

Returns the address associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the name of the key claim associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the value of the key claim associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the issuer associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the audience (wallet) associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Function

Returns the address associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the name of the key claim associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the value of the key claim associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the issuer associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the audience (wallet) associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EINVAL` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Function

Returns the name of the key claim associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the value of the key claim associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the issuer associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the audience (wallet) associated with the given VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a VerifiedID

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
```bash
```

```
```
```

```
```bash
```

```
```
```

Function

Returns the value of the key claim associated with the given `VerifiedID`

```
```bash
```

```
```
```

```
```bash
```

```
```
```

Returns the issuer associated with the given `VerifiedID`

```
```bash
```

```
```
```

```
```bash
```

```
```
```

Returns the audience (wallet) associated with the given `VerifiedID`

```
```bash
```

```
```
```

```
```bash
```

```
```
```

Delete a `VerifiedID`

```
```bash
```

```
```
```

```
```bash
```

```
```
```

This function has been disabled.

```
```bash
```

```
```
```

```
```bash
```

```
```
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Function

Returns the issuer associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns the audience (wallet) associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.


```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Function

Returns the audience (wallet) associated with the given `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Delete a `VerifiedID`

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Function

Delete a `VerifiedID`

```
```bash
```

```
...
```

```
```bash
```

```
...
```

This function has been disabled.

```
```bash
```

```
...
```

```
```bash
```

```
...
```

This function has been disabled.

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Returns true if address was created using `zklogin` and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
```bash
```

```
...
```

```
```bash
```

```
...
```

Function

This function has been disabled.

```
```bash
```

```
...
```

```
'''bash
```

```
'''
```

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

## Function

This function has been disabled.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
'''bash
```

```
'''
```

## Function

Returns true if address was created using zklogin and the given parameters.

Aborts with `EInvalidInput` if any of `kc_name`, `kc_value`, `iss` and `aud` is not a properly encoded UTF-8 string or if the inputs are longer than the allowed upper bounds: `kc_name` must be at most 32 characters, `kc_value` must be at most 115 characters and `aud` must be at most 145 characters.

```
'''bash
```

```
'''
```

```
```bash
```

```
```
```