

1.INTRODUCTION

1.1 OVERVIEW OF THE PROJECT

Floral Fantasia is an innovative and comprehensive e-commerce platform specifically designed to meet the needs of the floral industry. The system is meticulously crafted to provide a seamless and efficient experience for administrators, shop owners, and customers, facilitating the management of floral shops, product listings, customer interactions, and order processing. By integrating multiple modules tailored to different user roles, Floral Fantasia ensures that all aspects of a floral e-commerce business are streamlined and effective. This system not only enhances operational efficiency but also aims to deliver an exceptional user experience across all levels of engagement.

At the core of Floral Fantasia is the Admin module, which offers extensive control and oversight capabilities to administrative users. This module encompasses a wide array of functionalities, such as managing shops and categories, viewing items, shops, ratings, bookings, and handling customer complaints. The Admin module also includes tools for tracking payment transactions and delivery statuses, sending replies to complaints, and generating comprehensive reports. These features empower administrators to maintain a well-organized platform, ensuring that every component operates smoothly and efficiently.

The Shop module is designed to empower shop owners with the tools necessary to manage their products and orders effectively. Shop owners can securely log in to the system, manage product categories and individual items, monitor product ratings, and track bookings and payments. Additionally, the module allows shop owners to update the status of order dispatches and deliveries, ensuring that customers are kept informed throughout the purchasing process. By providing these capabilities, the Shop module enables shop owners to maintain high standards of service and customer satisfaction.

For customers, Floral Fantasia offers a user-friendly module that facilitates a seamless shopping experience. Customers can register and log in to the platform, browse products by category or specific items, and view detailed shop information. The system allows customers to add products to their cart, review their cart, proceed with purchases, and complete payments with ease. Furthermore, customers can track their orders, view detailed order information, rate purchased products, monitor delivery statuses, and lodge complaints if necessary. This comprehensive set of features ensures that customers have a positive and convenient shopping experience.

Supporting the robust functionality of Floral Fantasia is a meticulously designed database structure. This structure includes tables for managing user credentials, shop details, customer information, product categories, product details, payment transactions, and order information. Each table is designed to store essential data efficiently, facilitating quick access and updates. The well-organized database ensures that all components of the system work harmoniously, providing a reliable and scalable platform for the floral e-commerce industry.

1.2 PROBLEM DEFINITION AND OBJECTIVE OF THE PROJECT

The current challenge faced by floral shops is the lack of a unified platform that seamlessly integrates all aspects of their business operations, from inventory management to customer service. Traditional systems often involve disparate tools that do not communicate well with each other, leading to inefficiencies, poor customer experiences, and lost revenue opportunities. The need for a centralized system that can handle everything from shop management to order processing and customer feedback is crucial for maintaining competitiveness in the digital marketplace.

The primary objective of the “Floral Fantasia” project is to develop an all-encompassing online platform that simplifies the management of floral businesses. This system aims to provide a robust framework that allows administrators to oversee shop operations, shop owners to manage their inventory and sales, and customers to effortlessly browse, purchase, and interact with the shops. By integrating these functionalities into a single platform, the project seeks to enhance operational efficiency, improve customer satisfaction, and ultimately boost the profitability of floral businesses.

2. SYSTEM ANALYSIS

2.1 INTRODUCTION

System analysis of study is an important phase of any system development process .The system is studied to the minutest details and analysed .The system analyst plays the role of an interrogator and dwells deep into the working of the present system .The system is viewed as a whole and the inputs to the system are identified .The outputs from the organization are traced to through the various processing that the input phases through in the organization. A detailed study of this process must be made by various techniques like interviews: questionnaires etc. The data collected by these sources must be scrutinized to arrives to a conclusion . The conclusion is an understanding of the system function. This system is called existing system . Now the existing system is close study and problem solver tries to sort out difficulties that the enterprise faces.

2.2 IDENTIFICATION OF NEED

Software engineering is the analysis, design, construction, verification and management of technical or social entities. The work associated with software engineering can be categorized into three generic phases. The system requirement analysis is done by the user in order to me the required project is to introduce application that facilities and provide faster dealings with the indexing data that we can regain our old methods.

The system analyst plays a deeper role in developing software. It is the responsibility of a system analyst to identify, analyse and find satisfactory solutions or program of actions. System analysis refers to an orderly structured process for identifying and solving problem using computer. It is the process of gathering and interpreting facts, diagnosing problems adjusting the information to recommended improvement to the system. Training, experience and common sense are required for the collection of information needed to do the analysis. To analysis a system one has to study the system work in detail, before designing the appropriate computer based system that will meet the requirements of the system. In other words system analysis specifies what the system analyst specifies what the system should do. This project basically includes the requirements for providing the internship vacancies and apply it, managing online internship training process.

2.3 EXISTING SYSTEM AND IT'S LIMITATIONS

Existing Systems/Websites Related to the Project:

- **1-800-Flowers:** A popular online flower and gift retailer that offers a wide range of floral arrangements and other gifts for delivery. Their system allows users to browse through categories, make purchases, and track orders.
- **ProFlowers:** Another prominent flower delivery service known for its fresh flowers and on-time delivery. It provides features such as order tracking, customer reviews, and various bouquet options.
- **FTD (Florists' Transworld Delivery):** A well-known floral wire service that connects local florists and offers a similar range of services including gift baskets and floral arrangements with features like same-day delivery.
- **Teleflora:** A flower delivery network that partners with local florists to deliver flowers worldwide. It provides customers with a variety of floral designs and easy-to-use online ordering.

LIMITATIONS OF EXISTING SYSTEM :

- **High Service Fees:** The existing systems typically charge significant service fees, especially for same-day deliveries, which can be a deterrent for customers.
- **Complicated User Interface:** Some users find the interfaces of these websites cluttered and not user-friendly, making it difficult to navigate and place orders.
- **Lack of Personalization:** There is often little to no personalization in terms of recommendations based on user preferences or previous orders.

2.4 PROPOSED SYSTEM

The proposed system, Floral Fantasia, aims to address these limitations by offering a more integrated, user-friendly, and customizable platform for ordering flowers and related products.

ADVANTAGES OF PROPOSED SYSTEM :

- **Cost Efficiency:** Lower service fees and better integration with local shops will make the service more cost-effective for both customers and florists.
- **Improved Delivery Reliability:** Reduce delivery times and increase the reliability of service, enhancing overall customer trust.
- **Broader Market Reach:** With a more user-friendly platform and competitive pricing, the proposed system is likely to attract a broader customer base, including those who may have been deterred by the limitations of existing systems.

This system overview illustrates how Floral Fantasia will not only fill gaps left by current market leaders but also set a new standard in the online flower and saplings delivery industry.

2.4.1 BENEFITS OF PROPOSED SYSTEM

1. Wide Range of Floral Offerings

- **Diverse Flower Selection:** Floral Fantasia can offer a broad range of flowers for various occasions, such as birthdays, weddings, anniversaries, funerals, and corporate events. This variety ensures that customers have plenty of options to suit their preferences and needs.
- **Customized Floral Arrangements:** By offering custom-designed bouquets and arrangements, the shop can cater to specific customer requests, making each floral gift unique and personal.

2. High-Quality, Fresh Products

- **Freshness Guarantee:** The shop can ensure the flowers are sourced directly from growers or reputable suppliers, maintaining freshness and quality. This helps build trust with customers, who can rely on the shop for beautiful, long-lasting flowers.

- **Seasonal & Rare Flowers:** Floral Fantasia could specialize in seasonal blooms and rare flower varieties, giving customers access to exclusive or hard-to-find flowers, which can make their occasions even more special.

3. Convenient Delivery Services

- **Same-Day Delivery:** Offering reliable same-day or next-day delivery services ensures that customers can surprise their loved ones with fresh flowers, even on short notice. This can be a huge selling point for time-sensitive events like anniversaries or hospital visits.
- **Nationwide or International Delivery:** With partnerships with flower delivery networks, Floral Fantasia could extend its reach beyond the local area, offering customers the ability to send flowers to loved ones in other regions or countries.

4. Personalized Customer Experience

- **Friendly and Knowledgeable Staff:** Having well-trained and helpful staff who understand the language of flowers (e.g., flower symbolism, color meanings) can enhance the shopping experience. Personalized service helps customers choose the best flowers for their specific occasion.
- **Event Planning & Consultation:** The shop can offer event consultation services for weddings, corporate events, and other celebrations, providing tailored flower arrangements, décor, and delivery coordination.

5. Specialized Floral Products

- **Gift Bundles and Add-Ons:** Floral Fantasia could sell complementary products such as chocolates, greeting cards, vases, and plush toys, creating gift bundles that appeal to customers looking for a one-stop shop for special occasions.
- **Subscription Services:** Offering flower subscription services where customers can receive fresh flowers delivered to their home or office weekly or monthly can help generate recurring revenue and build customer loyalty.

2.5 FEASIBILITY ANALYSIS

All projects are feasible when given unlimited resource and infinite time. It is both necessary and prudent to evaluate the feasibility of a project at the earliest possible time. An estimate is made of whether the identified user need may be satisfied using current software and

hardware technologies. The study will decide if the proposed system will be cost effective for the business point of view and if it can be developed in the given existing budgetary constraints. The feasibility study should be relatively cheap and quick. The result should inform the decision of whether to go ahead with a more detailed analysis.

- Technical feasibility
- Economic feasibility
- Operational feasibility
- Behaviour feasibility

2.5.1 ECONOMICAL FEASIBILITY

a. Startup Costs:

- **Initial Investment:** The capital required to open a flower shop will vary depending on the location, size of the shop, and whether it's starting as an online business or with a physical storefront. Some of the key costs include:
 - **Store Lease/Rent:** Costs will depend on location.
 - **Renovation/Interior Design:** Setting up an aesthetically appealing store, purchasing display fixtures, coolers for flowers, etc.
 - **Inventory:** Initial stock of flowers, vases, accessories, gift items, and supplies.
 - **Website Development:** Initial setup costs for an e-commerce platform, domain, hosting, and payment system integration.
 - **Marketing & Advertising:** Budget for initial marketing campaigns (online ads, social media promotions, local advertising).
 - **Equipment:** POS system, flower arranging tools, delivery vehicles (if needed), etc.

b. Revenue Model:

- **Sales Revenue:** Revenue will primarily come from selling flowers, arrangements, and related products (vases, chocolates, greeting cards, etc.). Pricing will vary depending on flower type, bouquet size, and customization.
- **Subscription Model:** Offering flower subscriptions (weekly, monthly) could generate a steady income stream and enhance customer loyalty.

- Event Planning and Corporate Sales: Weddings, corporate gifting, and event floral arrangements can provide a high margin and increase sales volume.

c. Profitability and Break-Even Point:

- Margins: Flower shops typically operate with relatively low margins on flowers, but higher margins on value-added services like event décor, arrangements, and delivery.
- Fixed & Variable Costs: Rent, staff salaries, utilities, and inventory purchases are fixed costs. Variable costs will depend on flower procurement, delivery costs, and marketing campaigns.
- Break-Even Analysis: Based on fixed costs, profit margins, and average sales volume, Floral Fantasia could expect to break even within the first 12 to 18 months, assuming a well-executed marketing and operational plan.

2.5.2 TECHNICAL FEASIBILITY

a. Website and Online Ordering System:

- Platform & Development: The development of an e-commerce website with a user-friendly interface, secure payment gateways (e.g., Stripe, PayPal), and an intuitive order management system is technically feasible. Open-source platforms like Shopify, WordPress (WooCommerce), or custom-built solutions using React and Node.js can be used for cost-effective development.
- Mobile Compatibility: The website needs to be mobile-responsive, as many customers will access it via smartphones. This can be achieved through responsive design practices.
- Delivery Logistics: Integration with delivery services (local delivery or third-party services like UberEats, DoorDash, or local courier services) can be automated through APIs, making the delivery system both efficient and easy to manage.
- Technical Support & Maintenance: Regular website updates, bug fixes, and customer service software (like Zendesk) can ensure smooth operation. This requires skilled IT personnel or outsourcing to reliable agencies.

b. POS (Point of Sale) and Inventory Management:

- POS Systems: The shop will need an efficient POS system to handle in-store transactions. Systems like Square, Lightspeed, or Toast are popular, user-friendly, and compatible with small businesses.
- Inventory Tracking: Real-time inventory management is essential to ensure that popular flowers or arrangements are always available. Inventory management systems can be linked to the website and POS system for seamless stock tracking.

c. Supplier & Logistics Management:

- The technology used to manage flower suppliers and ensure timely delivery of fresh flowers (from wholesalers or local growers) is critical. Solutions like TradeGecko or Zoho Inventory can be used to manage suppliers and streamline orders.

2.5.3 OPERATIONAL FEASIBILITY

a. Location and Store Setup:

- **Physical Storefront:** The physical location should be in a high-traffic area (e.g., near shopping centers, in a busy neighborhood, or near event venues like wedding halls) to attract walk-in customers. Rental costs will vary depending on the location.
- **Store Design:** The store needs to be designed to showcase flowers effectively. A pleasant, aesthetically pleasing atmosphere can enhance the customer experience and drive sales.
- **Staffing:** The shop will require skilled florists who can create beautiful arrangements, knowledgeable sales staff for customer interactions, and delivery personnel for local deliveries. Hiring costs will need to be factored into the operational expenses.

b. Inventory and Supply Chain:

- **Freshness Management:** Flowers are perishable, so efficient supply chain management is essential. Regular inventory restocking from reputable suppliers, maintaining proper storage (coolers, temperature control), and having systems for quick turnover are crucial.
- **Waste Management:** Minimizing waste through careful ordering and offering services like "flower recycling" or composting can be considered to reduce losses and contribute to sustainability.

c. Delivery Services:

- **Local Delivery:** For local deliveries, Floral Fantasia can either manage its own delivery fleet or partner with third-party services (like Postmates or Uber Delivery). Ensuring timely, safe delivery of flowers will be a key operational focus.
- **Shipping for Non-Local Orders:** For nationwide or international orders, the shop can partner with global flower delivery networks, such as FTD or Interflora, which have existing delivery infrastructure in place.

2.6 SYSTEM SPECIFICATIONS

PHP (HYPER TEXT PREPROCESSOR)

PHP (Hypertext Processor) is a general-purpose scripting language and interpreter that is freely available and widely used for web development. The language is used primarily for server-side scripting, although it can also be used for command-line scripting and, to a limited degree, desktop applications. The acronym PHP was originally derived from Personal Home Page Tools, but it now stands for PHP: Hypertext Preprocessor, which the PHP Group's documentation describes as a "recursive acronym."

When used for server-side scripting, PHP is added to a webpage for the purpose of generating dynamic content when the page is accessed through a client browser. The web server runs the script before transmitting the page to the browser. To support this process, the web server requires PHP to be installed on the server, along with a PHP parser -- either a Common Gateway Interface (CGI) parser or a server module.

When a user requests a webpage from the server, the parser interprets the PHP portion of the page, performs the operations called for in the PHP script, and generates the Hypertext Markup Language (HTML) that results from those operations. The HTML is then sent to the client browser, along with any other HTML on the page, providing a seamless rendering of the content. Webpages that contain PHP script are considered to be dynamic HTML pages because content varies based on the results of interpreting the script.

Most major operating systems support PHP, including Linux, macOS, Windows and many Unix variants, as do most of today's web servers, such as Apache and Microsoft Internet Information Services. PHP can also interface with a wide range of database platforms, including MySQL, SQLite3, MongoDB, dBase, PostgreSQL and IBM Db2. In addition, PHP can communicate with other services through its support for protocols such as Lightweight Directory Access Protocol, Internet Message Access Protocol and Simple Network Management Protocol. PHP is often contrasted with Microsoft's ASP.NET, an open source web framework. As with ASP.NET, a PHP script can be embedded within a webpage along with HTML elements.

PHP is free and open source. Developers can find the source code on GitHub. PHP is currently licensed under the PHP License, version 3.01, which provides for its use in both source and binary forms, with or without modifications. The license also outlines specific conditions that must be met in order to use PHP. These mostly have to do with copyright notices, the use of the PHP name and general acknowledgements. The latest release of PHP is 8.2.3, which became available in February 2023.

HTML (HYPER TEXT-MARKUP LANGUAGE)

It is the standard mark-up language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript.

Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document.

HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page. HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by *tags*, written using angle brackets.

Tags such as `<img />` and `<input />` directly introduce content into the page. Other tags such as `<p>` surround and provide information about document text and may include other tags as subelements. Browsers do not display the HTML tags but use them to interpret the content of the page. HTML can embed programs written in a scripting language such as JavaScript, which affects the behavior and content of web pages. Inclusion of CSS defines the look and layout of content.

JAVASCRIPT

It is a lightweight, interpreted, object-oriented language with first-class functions, and is best known as the scripting language for Web pages, but it's used in many non-browser environments as well. It is a prototype-based, multi- paradigm scripting language that is dynamic, and supports object oriented, imperative, and functional programming styles. JavaScript runs on the client side of the web, which can be used to design / program how the web pages behave on the occurrence of an event. JavaScript is an easy to learn and powerful scripting language, widely used for controlling web page behavior.

JavaScript can function as both a procedural and an object oriented language. Objects are created programmatically in JavaScript, by attaching methods and Properties to otherwise empty objects at run time, as opposed to the syntactic class definitions common in compiled languages like C++ and Java. Once an object has been constructed it can be used as a blueprint (or prototype) for creating similar objects.

CSS (CASCADING STYLE SHEET)

It is a style sheet language used to describe the presentation of a document written in HTML or XML (including XML dialects such as SVG, Math or XHTML). CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.

MYSQL

MySQL is an Oracle-backed open source relational database management system (RDBMS) based on Structured Query Language (SQL). MySQL runs on virtually all platforms, including Linux, UNIX and Windows. Although it can be used in a wide range of applications, MySQL is most often associated with web applications and online publishing.

MySQL is an important component of an open-source enterprise stack called WAMP. WAMP is a web development platform that uses Linux as the operating system, Apache as the web server, and MySQL as the relational database management system and PHP as the object oriented scripting language. (Sometimes Perl or Python is used instead of PHP.)

Originally conceived by the Swedish company MySQL AB, MySQL was acquired by Sun Microsystems in 2008 and then by Oracle when it bought Sun in 2010. Developers can use MySQL under the GNU General Public License (GPL), but enterprises must obtain a commercial license from Oracle. Today, MySQL is the RDBMS behind many of the top websites in the world and countless corporate and consumer-facing web-based applications, including Facebook, Twitter and YouTube.

- MySQL is the database management system, or a database server.

HOW MySQL WORKS

MySQL is based on a client-server model. The core of MySQL is MySQL server, which handles all of the database instructions (or commands). MySQL server is available as a separate program for use in a client-server networked environment and as a library that can be embedded (or linked) into separate applications.

MySQL operates along with several utility programs which support the administration of MySQL databases. Commands are sent to MySQL Server via the MySQL client, which is installed on a computer.

MySQL was originally developed to handle large databases quickly. Although MySQL is typically installed on only one machine, it is able to send the database to multiple locations, as users are able to access it via different MySQL client interfaces. These interfaces send SQL statements to the server and then display the results.

MySQL FEATURES

Relational Database Management System (RDBMS): MySQL is a relational database management system

- Easy to use: MySQL is easy to use. You have to get only the basic knowledge of SQL. You can build and interact with MySQL with only a few simple SQL statements.
- It is secure: MySQL consist of a solid data security layer that protects sensitive data from intruders. Passwords are encrypted in MySQL.
- Client/ Server Architecture: MySQL follows a client /server architecture. There is a database server (MySQL) and arbitrarily many clients (application programs), which communicate with the server; that is, they query data, save changes, etc.
- Free to download: MySQL is free to use and you can download it from MySQL official website.
- It is scalable: MySQL can handle almost any amount of data, up to as much as 50 million rows or more. The default file size limit is about 4 GB. However, you can increase this number to a theoretical limit of 8 TB of data.
- Compatible on many operating systems: MySQL is compatible to run on many operating systems, like Novell NetWare, Windows* Linux*, many varieties of UNIX* (such as Sun* Solaris*, AIX, and DEC* UNIX), OS/2, FreeBSD*, and others. MySQL also provides a facility that the clients can run on the same computer as the server or on another computer (communication via a local network or the Internet).
- Allows roll-back: MySQL allows transactions to be rolled back, commit and crash recovery.
- High Performance: MySQL is faster, more reliable and cheaper because of its unique storage engine architecture.
- High Flexibility: MySQL supports a large number of embedded applications which makes MySQL very flexible.
- High Productivity: MySQL uses Triggers, Stored procedures and views which allows the developer to give a higher productivity.

CORE MySQL FEATURES

MySQL enables data to be stored and accessed across multiple storage engines, including Inorb, CSV, and NDB. MySQL is also capable of replicating data and partitioning tables for better performance and durability. MySQL users aren't required to learn new commands; they can access their data using standard SQL commands.

Before 2016, the main difference between MySQL and SQL was that the former could be used on multiple platforms, whereas the latter could only be used on Windows. Microsoft has since expanded SQL to support Linux, a change which went into effect in 2017. When MySQL is installed via Linux, its package management system requires custom configuration to adjust security and optimization settings.

MySQL also allows users to choose the most effective storage engine for any given table, as the program can utilize multiple storage engines for individual tables. One of MySQL's

engines is Inorb. Inorb was designed for high availability. Because of this, it is not as quick as other engines. SQL uses its own storage system, but it does maintain multiple safeguards against loss of data. Both systems are able to run in clusters for high availability. SQL Server offers a wide variety of data analysis and reporting tools. SQL Server Reporting Services is the most popular one and is available as a free download. There are similar analysis tools for MySQL available from third-party software companies, such as Crystal Reports XI and Actuate BIRT.

WHAT IS WINDOWS

Windows 10 professional integrates the strengths of windows 2008 professional such as standards based security, manageability, and reliability, with the best business features of windows 98 and windows Millennium Edition, such as plug and play, simplified user interface, and innovative support services. This combination creates the best desktop operating system for business.

It is more users friendly and a stable operating system equipped with much more added features. The operating system supports new technologies such as digital video disks, multiple monitors etc. along with plug and play and multi display features. It has a graphical user interface operating environment. Faster computing, easy access to remote information and control remote computers are some added features. Following are the common features of Windows 10.

Faster computing, easy access to remote information and control remote computers. Built in networking and messaging facility.

- Easier to set up, add or remove.
- Increase system security and control.
- Support advanced networking and communication.

2.6.1 SOFTWARE SPECIFICATIONS

The software requirements specification (SRS) is a means of translating the ideas in the minds of clients into a formal documentation. This document forms the development and software validation. The basic reason for the difficulty in software requirement specification comes from the fact that there are three interested parties-the clients, the end users and the software developer. The requirements document has to be such that the client and the user can understand easily, and the developers can use it as a basis for software development. Due to the diverse parties involved in software requirement specification, a communication gap exists.

This gap arises when the client does not understand software or the software development processor when the developer does not understand the client's problem and application area of SRS bridges this communication gap.

Problem analysis is done to obtain a clear understanding of the needs of the clients and the users, and what exactly is desired from the software. Analysis leads to the actual specification. People performing the analysis called analysts, are also responsible for specifying the requirements. The software project is initiated by the client's needs. In the beginning these needs are in the minds of various people in the client organization. The requirement analyst must identify their requirements by talking to these people and understanding their needs. These people and the existing documents about the current mode of operation are the basis source of information for the analyst.

2.6.2 HARDWARE SPECIFICATIONS

Machine	Intel Dual Core
Mother Board	Intel 945 Chipset
Memory	4 GB
Hard Disk	500 GB
Monitor	18.5" LED Monitor
Keyboard	USB/3
Mouse	USB/3

2.6.3 TOOLS/PLATFORM SPECIFICATIONS

Operating System	Windows
Web Technologies	PHP, JavaScript, HTML, CSS
Database	MySQL
Web Browser	Google Chrome/Mozilla Firefox
Web Server	WAMP

3.SYSTEM DESIGN

3.1 INTRODUCTION

The most creative and challenging phase of system development is system design, which is a solution to how to approach the creation of the proposed system. It refers to the technical specification that will be applied. It provides the understanding and procedural details necessary for implementing the system recommended in the feasibility study. Design goes through the logical and physical stages of development. At an early stage in designing a new system, the system analyst must have a clear understanding of the objectives, which the design is aiming to fulfil. The first step is to determine how the output is to be produced and in what format. Second input data and master files (database) have to be designed to meet the requirements of the proposed output. The operational (processing) phases are handled through program construction and testing the system design.

System design is the process of defining the architecture, modules, interfaces, and data for a system to satisfy specified requirements. System design could be seen as the application of systems theory to product development. There is some overlap with the disciplines of system analysis, systems architecture and systems engineering.

TYPES OF SYSTEM DESIGN

LOGICAL DESIGN

Logical design pertains to an abstract representation of the data flow, inputs and outputs of the system. It describes the inputs (source), outputs (destinations), databases (data stores), procedures (data flows) all in a format that meets the user requirements.

PHYSICAL DESIGN

Physical design relates to the actual input and outputs processes of the system. It focuses on how data is entered into a system, verified, processed, and displayed as output.

ARCHITECTURAL DESIGN

It is also known as high level design that focuses on the design of system architecture. It describes the structure and behavior of the system. It defines the structure and relationship between various modules of system development process.

Detailed Design

It follows Architectural design and focuses on development of each module.

CONCEPTUAL DATA MODELLING

It is representation of organization data which includes all the major entities and relationship. System analyses develop a conceptual data model for the current system that supports the scope and requirement for the proposed system.

3.2 INPUT DESIGN

Input design is the link that ties the information system into the world of its users. The input design involves determining what the input is, how the data should be performed, how to validate data, how to minimize data entry and how to provide a multiuser facility, inaccurate input data are the most common cause of errors in data processing. Errors entered by data entry operator can be controlled by input design. Input design is the process of converting user originated input to a computer-based format. Input data are collected and organized into groups of similar data. Once identified, appropriate input media are selected for processing. All the input data are validated in the order and if any data violates any conditions, the user is warned by a message. If the data satisfies all the conditions, then it is transferred to the appropriate table in the database. A form is designed to enter the details should be user friendlier so that authorized users with even less knowledge can enter the data. The form is designed using v b tools like command boxes, text boxes, labels, option buttons, combo boxes etc. System analyst decodes the following input design details.

Input design is a part of the overall design. The input methods can be broadly classified. Internal controls must be established for monitoring the number of inputs and for ensuring that the data are valid. The basic steps involved in input design are:

- ✦ Review input requirements.
- ✦ Decide how the input data flow will be implemented.
- ✦ Decide the source document.
- ✦ Prototype online input screens.
- ✦ Design the input screens.

The quality of the system input determines the quality of the system output. Input specifications describe the way data enter the system for processing. Input design features can ensure the reliability of the system and produce result.

3.3 OUTPUT DESIGN

Output design is a very important concept in the computerized system, without reliable output the user may feel the entire system unnecessary and avoid using it. The proper output design is important in any system and facilitates effective decision making. The output design of this system includes various reports. Output requirements are designed during system analysis. An application is successful only when it can provide efficient and effective reports. The goal of the output design is to capture the output and get the data into a format suitable for the computer. It is very helpful to produce clear, accurate and speedy information for end users. A major form of the output is the hard copy from the printer and screen reports. Printouts are designed around the output requirements of the user. Allowing the user to view the sample screen is important because the user is the ultimate judge of the quality of output. Output of this project is provided in the form of reports created using crystal report tool.

A quality is one, which meets the requirements of end user and present the information clearly. In any system results of processing are communicated to the user and to the other system through outputs. In the outputs design it is determined how the information is to be displayed for immediate need.

It is the most important and direct source information is to user. Efficient and intelligent output design improves the system's relationships with the user and helps in decision making. The objectives of the output design are to convey the information of all the past activities, current status and to emphasis important events. The output generally refers to the results and information that is generated from the system. Outputs from computers are required primarily to communicate the result of processing to the users.

Output also provides a means of storage by copying the results for later reference in consultation. There is a chance that some of the end users will not actually operate the input data or information through workstations but will see the output from the system.

Two phases of the output design are:

1. Output Definitions
2. Output Specification

Output definitions considers the type of outputs contents, its frequency and its volume, the appropriate outputs media is determined for output. Once the media is chosen, the details specification of output documents are carried out. The nature of output required from the proposed system is determined during logical design stage. It takes the outline of the output from the logical design and produces output as specified during the logical design phase. In a project, when designing the output, the system must accomplish the following:

- Determine the information to present.
- Decide whether to display, speak the information and select the output medium.□
Arrange the information in acceptable format.
- Decide how to distribute the output to the intended receipt.

Thus, by following the above specification, a high-quality output can be generated. Outputs from compute system are required primarily to communicate thee result of processing to users. Computer output is the most important and direct source of information to the user. Efficiency, intelligible output should improve the system's relationship with the user and help in decision making. The output devices to consider depend on factors as compatibility of the device with the system, response time requirements, expected print quality, number of copies needed etc.

3.4 DATABASE DESIGN

A database is a collection of interrelated data stored with minimum redundancy to serve many users quickly and efficiently. The general objective is to make information access easy, quick, inexpensive and flexible for users. The general theme behind a database is to integrate all information. Database design is recognized as a standard of management information system and is available virtually for every computer system. In database design several specific objectives are considered:

- Ease of learning and use
- Controlled redundancy
- Data independence
- More information at low cost
- Accuracy and integrity
- Recovery from failure
- Privacy and security

NORMALIZATION

Designing a database is complete task and the normalization theory is a useful aid in the design process. The process of normalization is concerned with transformation of conceptual schema into computer representation form. There will be need for most databases to grow by adding new attributes and new relations. The data will be used new ways. Tuple will be added and deleted. Information stored may undergo updating also. New association may also be added. In such situation the performance of a database is entirely depend upon its design. A bad database design may lead to certain undesirable things like:

- Repetition of information

- Inability to represent certain information.
- Loss of information

To minimize these anomalies, normalization may be used. If the database is in a normalized form, the data can be growing without, in most cases, forcing the rewriting application programs. This is important because of the excessive and growing cost of maintaining an organization's application programs and its data from the disrupting effects of database growth. As the quality of application programs increase, the cost of maintaining the without normalization will rise to prohibitive levels, A normalized database can also encompass many related activities of an organization thereby minimizing the need for rewriting the applications of programs. Thus, normalization helps one attain a good database design and there by ensures continued efficiency of database.

We can define the procedure as the successive reduction of a given collection of relations to some more desirable form. This procedure is reversible. That is, it is always possible to take the output from the procedure and convert them back into input. In this process, no information is lost.

So, it is also called “no lose decomposition”.

- First normal form (1NF)
- Second normal form(2NF)
- Third normal form(3NF)
- Boyce - Codd normal form (BCNF)

FIRST NORMAL FORM:

A relation is first normal form (1NF) if and all its attributes are based on single domain. The objective of normalization a table is to remove its repeating groups and ensure that all entries of the resulting table have at most single value.

SECOND NORMAL FORM:

A table is said to be second normal form (2NF), when it is in 1NF and every attribute in the record is functionally dependent upon the whole key, and not just a part of the key.

THIRD NORMAL FORM:

A table is in third normal form (3NF). When it is in 2NF and every non-key attribute is functionally dependent on just the primary key.

BOYCE CODD NORMAL FORM (BCNF) :

It is an advanced version of 3NF that's why it is also referred to as 3.5NF. BCNF is stricter than 3NF. A table complies with BCNF if it is in 3NF and for every functional dependency $X \rightarrow Y$, X should be the super key of the table.

3.5 DATA FLOW DIAGRAM(DFD)

The Data flow diagram (DFD) also known as bubble chart. It is a simple graphical formalism that can be used to represent a system in terms of the input data to the system, various processing carried out on these data and the output data generated by the system. The main reason why this DFD technique is so popular is probably because of the fact that DFD is a very simple formalism- it is simple to understand and use. A DFD model uses a very limited number of primitive symbols to represent the functions performed by a system and the data flow among these systems. Starting with a set of high-level functions that a system performance of DFD model in hierarchically it represents various sub functions. The Data Flow Diagramming technique also follows a simple set of intuitive concepts and rules.

A data flow diagram (DFD) is a graphical representation of the "flow" of data through an information system, modelling its process aspects. A DFD is often used as a preliminary step to create an overview of the system without going into detail, which can later be elaborated, DFDs can also be used for the visualization of data processing (structured design). A DFD shows what kind of information will be input to and output from the system, how the data will advance through the system, and where the data will be stored. It does not show information about process timing or whether processes will operate in sequence or in parallel, unlike a traditional structured flowchart which focuses on control flow, or a UML activity workflow diagram, which presents both control and data flows as a unified model.

RULES FOR DRAWING DATA FLOW DIAGRAM :

- Each data store should have at least one data flow in and one data flow out.
- Data stored in a system must go through a process.
- All process in a DFD go to another process or a data store.
- Data cannot flow from one data store to another directly.


BASIC DFD SYMBOLS

External Entity Symbol:




An external entity such as a user, project manager etc. is represented by a rectangle. The external entities are essentially those physical entities external to the application system, which interact with the system by inputting data to the system or by consuming the data produced by the system.

Process Symbol:



The functions are using circles. Bubbles are annotated with the names of the corresponding functions. They convert data into information.

Data Flow Symbol:



A directed arc or an arrow is used as a Data Flow Symbol. This represents the data flow occurring between two processes or between an external entity and a process: in direction of the Data Flow Arrow. Data flow Symbols are annotated with corresponding data names.


Data Store Symbol:




A Data Store represents a logical file; it is represented using two parallel lines. A logical file can represent either Data Store Symbol, which can represent either data structure or a physical file on disk. Each data store is connected to a process by means of a Data Flow Symbol.

DFD FOR FLORAL FANTASIA :


Level 0 :




ADMIN : Level 1




Level 2 :




Shop : Level 1 :



Level 2 :



Customer : Level 1 :



3.6 ENTITY RELATIONSHIP DIAGRAM

An Entity-Relationship (ER) diagram is a visual representation of a database's structure, showcasing the relationships between entities (tables) and their attributes. It's a fundamental tool for database design, development, and modeling.

Benefits:


1. Visualizes database structure
2. Identifies relationships between entities
3. Helps design efficient database schema
4. Enhances data integrity and consistency
5. Facilitates communication among stakeholders

ER diagrams simplify complex database designs, ensuring a robust and scalable foundation for your applications.

ER Diagrams contain different symbols that use rectangles to represent entities, ovals to define attributes and diamond shapes to represent relationships.


Attributes:

Attributes are the properties which define the entity type. In ER diagram, attribute is represented by an oval.



Relationship:

A relationship type represents the association between entity types. In ER diagram, relationship type is represented by a diamond.




Entity

An entity is an object or component of data. An entity is represented as rectangle in an ER diagram.



ER DIAGRAM OF FLORAL FANTASIA :




3.7 USECASE DIAGRAM

In software and systems engineering, a use case is a list of actions or event steps typically defining the interactions between a role (known in the Unified Modelling Language (UML) as an actor) and a system to achieve a goal. The actor can be a human or other external system. A use case diagram is a visual representation of the interactions and relationships within a system. It shows the different ways and possible scenarios of using a system, such as a website or an app. Use case are a set of actions, services and functions that the system needs to perform. Use case diagram specify the events in a system and how those events flow. Use cases are used in system analysis to identify, clarify and organize system requirements.

The use cases are represented by either circles or ellipses.

Actor:

Actors are external entities that interact with the system. These can include users, other systems, or hardware devices. In the context of a Use Case Diagram, actors initiate use cases and receive the outcomes. Proper identification and understanding of actors are crucial for accurately modeling system behavior.




ACTOR

System:

The system boundary is a visual representation of the scope or limits of the system you are modeling. The system boundary is typically represented by a rectangular box that surrounds all the use cases of the system.

All use cases outside the box would be considered outside the scope of that system.



Association:

A line between actors and use cases. In complex diagrams, it is important to know which actors are associated with which use cases.




Use cases:

Horizontally shaped oval that represent the different uses that they might have. Use cases are like scenes in the play. They represent specific things your system can do.



USE CASE DIAGRAM OF FLORAL FANTASIA :



4.SYSTEM DEVELOPMENT

SYSTEM DEVELOPMENT

System development, in the context of a project, refers to the process of designing, creating, testing, and implementing a software system or application to meet specific requirements or needs. It involves a combination of technical, managerial, and organizational activities to develop a system that is efficient, effective, and scalable. System development encompasses various stages, including planning, analysis, design, implementation, testing, deployment, and maintenance.

4.1 MODULE DESCRIPTION

1. Admin Module

The Admin module is the backbone of the Floral Fantasia system, enabling the business owner or managers to control and oversee various operations within the shop.

Key Features of the Admin Module:

1. Dashboard:
 - Provides a high-level view of all business metrics, such as total sales, inventory levels, recent orders, and customer interactions.
 - Visual reports (charts, graphs) to help admins track business performance over time.
2. Product Management:
 - Add/Update/Remove Products: Admins can manage the flower catalog by adding new flowers, removing discontinued products, and editing existing product information (name, price, description, etc.).
 - Inventory Management: Keeps track of stock levels for each product and flower type, with notifications for low stock or out-of-stock items.
 - Categories Management: Allows the admin to categorize flowers by types (roses, lilies, orchids, etc.), occasions (weddings, anniversaries, etc.), or seasons (spring, summer, etc.).
3. Order Management:
 - View Orders: Admins can view all customer orders, track their status (pending, in progress, shipped, delivered), and manage any issues related to order fulfillment.
 - Order Fulfillment: Approve or modify orders, assign delivery personnel, and ensure timely processing.
 - Cancel/Return Orders: Admins can manage order cancellations, returns, or exchanges, and apply refund processes when necessary.

2. Shop Module

The Shop module represents the online storefront where customers interact with the system, browse flowers, place orders, and complete their purchases.

Key Features of the Shop Module:

1. Product Catalog:

- Browse Products: Customers can browse various flower arrangements, bouquets, and add-ons. Products can be categorized (e.g., flowers, vases, gift items).
- Search & Filters: A search bar allows customers to find specific products or types of flowers, and filters help refine results based on criteria like price, occasion, and flower type.
- Product Details: Detailed pages for each product with high-quality images, descriptions, pricing, and available customization options.

2. Shopping Cart:

- Add to Cart: Customers can easily add products to their cart and proceed to checkout.
- Cart Management: Customers can review and modify their cart, such as removing items or adjusting quantities before finalizing the order.
- Promo Code Application: Option to enter discount codes or coupons for applicable discounts.

3. Checkout and Payment:

- Customer Login/Guest Checkout: Customers can either log into their account or check out as a guest.
- Delivery Options: Customers can choose delivery options, including same-day delivery, next-day delivery, or scheduled delivery.
- Secure Payment Gateway: Integration with payment systems like Stripe, PayPal, or credit card processing to complete the transaction securely.
- Order Summary: After entering payment details, customers can view an order summary with items, delivery details, and total cost before confirming the purchase.

3. Customer Module

The Customer module focuses on the interaction between the end-users (customers) and the Floral Fantasia platform. It enables customers to browse, order, and manage their activities on the flower shop's website or mobile app.

Key Features of the Customer Module:

1. Account Registration & Login:
 - Sign Up/Login: New customers can create accounts by registering with their email address or via social media logins (e.g., Facebook, Google).
 - Profile Management: Registered customers can manage their account details, including email, phone number, and saved addresses for quicker checkouts.
2. Product Search and Discovery:
 - Search Functionality: Customers can search for specific flowers, arrangements, or products.
 - Recommendations: Personalized product recommendations based on browsing history, previous purchases, or occasion (e.g., "Flowers for Birthday").
 - Product Pages: Detailed pages showcasing flower arrangements with pictures, descriptions, and relevant details.
3. Order Placement:
 - Add to Cart: Customers can select products, add them to the cart, and choose any additional items like greeting cards, vases, or chocolates.
 - Order Customization: Customers can personalize their flowers or gift items (e.g., color preferences, bouquet size).
 - Checkout: Simple and secure checkout process, including selecting a delivery method (same-day, next-day, etc.).

5.SYSTEM IMPLEMENTATION

5.1 TESTING

Software testing is a critical process in the software development lifecycle that involves evaluating a software application to identify and resolve defects, errors, and vulnerabilities. The primary goal of software testing is to ensure that the software functions correctly, meets the specified requirements, and delivers a high level of quality to end-users. There are testing conditions that the system must pass to say that it is tested and working properly. The quality and reliability are also attained by going through the process of testing.

There are six types of testing techniques:

- Unit testing
- Integration testing
- Validation testing
- System testing
- Output testing
- Acceptance testing
- Regression testing

UNIT TESTING :

Unit testing is a level of a software testing where individual units/components of software are tested. The purpose is to validate that each unit of the software performs as designed. A unit is the smallest testable part of any software. It usually has one or a few inputs and usually a single output. In procedural programming, a unit may be an individual program, function, procedure, etc. In object-oriented programming, the smallest unit is a method, which may belong to a base/ super class, abstract class or derived/ child class. (Some treat a module of an application as a unit. This is to be discouraged as there will probably be many individual units within that module.) Unit testing frameworks, drivers, stubs, and mock/ fake objects are used to assist in unit testing.

INTEGRATION TESTING :

Integration testing is a level of software testing where individual units are combined and tested as a group. The purpose of the level of testing is to expose faults in the interaction between integrated units. The purpose of this level of testing is to expose faults in the intersection between integrated units. The drivers and test stubs are used to assist in Integration Testing.

VALIDATION TESTING :

Validation testing is done to confirm that the software meets the specified requirements and functions as intended. For each input form, validation testing is done to ensure only the allowed values will be entered.

SYSTEM TESTING :

System testing was performed to verify that all the system elements have been properly integrated and perform all allocated functions. It is done to validate its functionality against requirements.

OUTPUT TESTING :

After performing Validation Testing, the next step is Output Testing. No system will be useful if it does not produce the intended output. Verifying that the software generates the expected outputs or results based on specific inputs or actions is Output Testing.

ACCEPTANCE TESTING

Acceptance testing is performed to ensure that the functional, behavioral, and performance requirements of the software are met IEEE defines acceptance testing as a ‘formal testing with respect to user needs, requirements, and business processes conducted to determine whether or not a system satisfies the acceptance criteria and to enable the user, customers or other authorized entity to determine whether or not to accept the system.’

During acceptance testing, the software is tested and evaluated by a group of users either at the developer’s site or user’s site. This enables the users to site. The enables the users to test the software themselves and analyses whether it is meeting their requirements. To perform acceptance testing, a predetermined set of data is given to the software as input. It is important to know the expected output before performing acceptance testing so that outputs produced by the software as a result of testing can be compared with them. Based on the results of tests, users decide whether to accept or reject the software is correct and is accepted; otherwise, it is rejected.

REGRESSION TESTING :

Regression testing is the retesting of a software system to confirm that changes made to few parts of the codes has not any side effects on existing system functionalities. It is to ensure that old codes are still working as they were before introduction of the new change. The ideal process would be to create an extensive test suite and run it after each and every change.

TEST CASE :

Test Case	Form	Module	Description	Test Result	Pass/Fail
1	Login	Admin, Shop, Customer	Check result on entering valid username and password	Login successful	Pass
2	Login	Admin, Shop, Customer	Check results on entering invalid username and password	Print error of "Invalid username or password"	Pass
3	Login	Admin, Shop, Customer	Check response when username is empty and login button is pressed.	Login should not proceed	Pass
4	Manage Shop	Admin	Add a new shop	Shop added successfully	Pass
5	Manage Shop	Admin	Update shop details	Shop updated successfully	Pass
6	Manage Shop	Admin	Delete a shop	Shop Deleted Successfully	Pass
7	Manage category	Admin	Add a new category	Category added successfully	Pass
8	Manage category	Admin	Update category	Category updated successfully	Pass
9	Manage category	Admin	Delete category	Category deleted successfully	Pass
10	View Item	Admin	View all products	View successfully	Pass
11	View Item	Admin	View all shops	View successfully	Pass

12	View Item	Admin	View all ratings	View successfully	Pass
13	View Booking	Admin	View order details	View successfully	Pass
14	View Booking	Admin	View payment details	View successfully	Pass
15	View Booking	Admin	View user details	View successfully	Pass
16	View report	Admin	View financial report	View successfully	Pass
17	View complaints	Admin	View complaints and reply	View successfully	Pass
18	View category	Shop	View all category	View successfully	Pass
19	Manage category	Shop	Add products to category	Product added successfully	Pass
20	Update category	Shop	Update Product details	Product details updated	Pass
21	Delete category	Shop	Delete a category	Category deletion successfull	Pass

22	View booking	Shop	View order details	View successfully	Pass
23	View booking	Shop	View payment details	View successfully	Pass
24	View booking	Shop	View user details	View successfully	Pass
25	View report	Shop	View Financial report	View successfully	Pass
26	View complaints	Shop	View complaints and replies	View successfully	Pass
27	View category	Customer	View category details	View successfully	Pass
28	Search category	Customer	Search a product in category	Product displayed successfully	Pass
29	Buy Product	Customer	Purchasing a product	Purchased successfully	Pass
30	View Shop	Customer	View shop details	View successfully	Pass
31	View cart	Customer	View items in cart	View successfully	Pass

32	View order	Customer	View order details	View successfully	Pass
33	View payment	Customer	View payment details	View successfully	Pass
34	Send complaint	Customer	Send a complaint	Complaint sent successfully	Pass
35	View Reply	Customer	View reply to complaint send	View successfull	Pass

5.2 VALIDATION CHECK :

It is the process of verifying and validating user input or data entered into a web application's forms or fields. It is a crucial step to ensure that the data submitted by users is accurate, consistent, and secure. Validation checks are typically performed on both the client side (in the user's web browser) and the server side (on the web server) to provide a robust level of data integrity and security.

A validation check ascertains that the value (or data) input into a computer is valid. Validation checks are performed automatically by computer to ensure that entered data is correct and reasonable. Validation means check the input submitted by the user. There are two types of validation are available in PHP.

They are as follows :

- Client-Side Validation – Validation is performed on the client machine web browsers.
- Server-Side Validation – After submitted by data, the data has sent to a server and perform validation checks in server machine

1. Client-side Validation:

Client-side validation is performed in the user's web browser before the data is sent to the web server. It is primarily implemented using front-end technologies such as HTML, JavaScript, and sometimes CSS. Here's how it works:

- Immediate Feedback: When a user submits a form or interacts with an input field, client-side validation checks the data entered in real-time. If the data does

not meet the specified criteria (e.g., required fields are empty, invalid email format, numeric values in a text-only field), the web page can provide immediate feedback to the user, such as displaying error messages or highlighting the problematic input fields.

- **Improved User Experience:** Client-side validation helps improve the user experience by preventing unnecessary server requests and reducing the likelihood of submitting invalid data. Users receive instant feedback, which makes it easier for them to correct errors before submitting the form.

2. Server-Side Validation:

Server-side validation is the validation process that occurs on the web server after the client has submitted the data. It is the more critical and secure form of validation because it cannot be bypassed by users who manipulate the client-side code. Here's how it works:

- **Data Integrity:** Server-side validation checks the submitted data to ensure it meets the required criteria, such as data type, length, format, and constraints. This helps maintain data integrity in the database and ensures that only valid data is accepted.
- **Security:** Server-side validation is crucial for security purposes. It protects against various types of attacks, such as SQL injection and cross-site request forgery (CSRF). By validating data on the server, you can prevent malicious input from compromising your web application's security.
- **Consistency:** Server-side validation guarantees that all data is consistently validated, even if the client-side validation fails or is bypassed. This ensures that your web application's business rules are enforced uniformly.

5.3 SYSTEM IMPLEMENTATION :

The implementation is the final state, and it is an important phase. It involves the individual programming; system testing, user training and the operational running of developed proposed system that constitutes the application subsystems. A major task of preparing for implementation is education of users, which should really have taken place much earlier in the project when they were being involved in the investigation and design work. During the implementation phase the system takes physical shape. In order to develop a system, implemented planning is very essential. The implementation phase of the software development is concerned with translating design specification into source code. The user tests the developed system and changes are made according to their needs. The Medi-Connect system has been successfully implemented. Before implementation several tests have been conducted to ensure that no errors are encountered during the operation. The implementation phase ends with an evaluation of the system after placing it into the operation for a period of time. The process of putting the developed system to actual use is called system

implementation. This includes all those activities that take place to convert from the old system to new system. The system can be implemented only after testing is done and is found to be working to specifications.

The implementation stage involves following tasks:

- Test system with sample data
- Detection and correction errors
- Make the necessary changes in the system
- Check with the existing system
- Installation of hardware and software utilities
- Training and involvement of user personnel
- Investigation of system and constraints.
- Design of method to achieve change over.
- Evaluation of the changeover method.

5.4 SECURITY :

The protection of computer-based resources that includes hardware, software, data, procedures and against unauthorized use or natural.

- Integrity
- Privacy
- Disaster is known as system security.
- System security can be divided into four related issues.
- Confidentiality

Data security is the protection of data from loss, disclosure, modification and destruction.

System Integrity refers to the proper functioning of hardware and programs, appropriate physical security, and safety against external threats such as eavesdropping and wiretapping.

6. SYSTEM MAINTENANCE AND FUTURE ENHANCEMENT

6.1 SYSTEM MAINTENANCE :

Software maintenance is the process of modifying a software system or component after its delivery in order to correct faults, improve the performance and other attributes, or to adapt to the changed environment. Maintenance covers a wide range of activities including correcting errors and design coding, updating the documentation and test data, and upgrading the user hardware and software. Maintenance is always necessary to keep the software usable and useful. Hardware also requires periodic maintenance to keep the system up to its standards. After installation is completed and user start is adjusted to the changes created by the candidate system. Evaluation and maintenance begin. If new information is consistent with design specification the changes have to be made. Hardware also requires periodic maintenance to keep in tune with design specifications. User priorities changes in organizational requirements or environmental factors are also called for system enhancements.

Maintenance covers a wide range of activities, including correcting, coding and design errors, updating documentation and test data, and upgrading user support. Any activities classified as maintenance are enhancements. Maintenance means restoring something to its original condition. Unlike hardware, software does not wear out; it is corrected. In contrast, enhancement means adding, modifying or redeveloping the code to support changes in the specifications. It is necessary to keep up with changing user needs the operational environment.

Maintenance means repairing processing or performance failures or making changes because of previously uncorrected problems or false assumptions. Adaptive maintenance means changing the program function. Perfective maintenance means enhancing the performance or modifying the program to respond to the user's additional or changing needs. Of these types, more time and money are spent on perfective than on corrective and adaptive maintenance together. Maintenance activities begin where conversion leaves off. Maintenance is handled by the same planning and control used in a formal system project. A major problem with Software maintenance is its Labour-intensive nature. Documentation is as much a part of maintenance as it is of system development. To put maintenance in its proper perspective requires considerable skill and experience and is an important and ongoing aspect of system development.

System maintenance can be classified into four types-

- Corrective Maintenance
- Adaptive Maintenance
- Perfective Maintenance
- Preventive Maintenance

Corrective Maintenance :

Corrective Maintenance deals with the repair of faults or defects found in day- today system functions. A defect can result due to errors in software design, logic and coding. Design errors occur when changes made to the software are incorrect, incomplete, wrongly communicated,

or the change request is misunderstood. Logical errors result from invalid tests and conclusions, incorrect implementation of design specifications, faulty logic flow, or incomplete implementation of design specifications, faulty logic flow, or incomplete test of data. All these errors, referred to as residual errors, prevent the software from confirming to its agreed specifications. Note that the need for corrective maintenance is usually initiated by big reports drawn by the users.

Adaptive Maintenance :

Adaptive Maintenance is the implementation of changes in a part of the system, which has been affected by a change that occurred in some other part of the system. Adaptive Maintenance consists of adapting software to changes in the environment such as the hardware or the operating system. The term environment in this context refers to the conditions and the influences which act (from outside) on the system. For example, business rules, work patterns and government policies have a significant impact on the software system.

Perfective Maintenance :

Perfective Maintenance mainly deals with implementing new or changed user requirements. Perfective Maintenance involves making functional enhancements to the system in addition to the activities to increase the system's performance even when the changes have not been suggested by faults. This includes enhancing both the function and efficiency of the code and changing the functionalities of the system as per the users' changing needs.

Preventive Maintenance :

Preventive Maintenance involves performing activities to prevent the occurrence of errors. It tends to reduce the software complexity thereby improving program understand ability and increasing software maintainability. It comprises documentation updating, code optimization and code restructuring. Documentation updating involves modifying the documents affected by the changes in order to correspond to the present state of the system. Code optimization involves modifying the programs for faster execution or efficient use of storage space. Code restructuring involves transforming the program structure for reducing the complexity in source code and making it easier to understand.

6.2 FUTURE ENHANCEMENTS :

Future Enhancements for Floral Fantasia Flower Shop

As Floral Fantasia grows and adapts to changing customer needs, market trends, and technological advancements, several future enhancements can be implemented to increase

efficiency, customer satisfaction, and business profitability. These enhancements will help the shop remain competitive and improve its operational capabilities.

Here are some key future enhancements that can be considered for Flal Fantasia Flower Shop:

1. Advanced Inventory Management

- **AI-Based Inventory Forecasting:** Integrating Artificial Intelligence (AI) to predict flower demand based on historical trends, seasonal patterns, and special occasions (like Valentine's Day, Mother's Day, etc.) can optimize inventory levels and reduce waste. AI can also forecast which types of flowers or bouquets are likely to be popular during upcoming seasons.
- **Smart Restocking Alerts:** With better stock monitoring and integration with suppliers, the system can automate restocking orders based on the historical demand for specific products, ensuring that the shop is always well-stocked, especially for high-demand flowers.
- **Perishability Management:** Implement an advanced perishability management system that helps track flower shelf life, ensuring that flowers that are nearing their expiration date are offered at discounted rates or used in last-minute arrangements.

2. Augmented Reality (AR) for Product Visualization

- **AR-Based Bouquet Customization:** Implement an AR feature that allows customers to visualize how different flower arrangements would look in their home or office environment before making a purchase. For example, they can point their smartphone camera at a space in their house and place an AR-generated bouquet to see how it fits.
- **Interactive Floral Design Tool:** Customers could use a virtual design tool that lets them create their own bouquet by choosing flowers, vases, and other accessories through a drag-and-drop interface, providing a fun, interactive shopping experience.

3. Subscription Services & Custom Packages

- **Flower Subscription Services:** Launch subscription services for regular flower deliveries, such as weekly, monthly, or quarterly subscriptions. These can be tailored for specific customer needs (e.g., weekly flower delivery for offices, monthly subscription for home décor, or special occasion-based subscriptions for weddings or anniversaries).
- **Personalized Gift Packages:** Offer customized gift packages that include flowers, chocolates, wine, greeting cards, or plush toys for various occasions (birthday, anniversary, graduation, etc.). Customers could create personalized bundles online.

4. Sustainability and Eco-Friendly Practices

- **Eco-Friendly Packaging:** Shift to sustainable packaging options, such as biodegradable wrapping, recyclable gift boxes, or reusable vases. Communicate these eco-friendly initiatives to environmentally conscious customers.
- **Sustainable Flower Sourcing:** Partner with local and organic flower growers to source flowers sustainably, promoting eco-friendly sourcing. You could even provide a service that offers flower recycling—allowing customers to return used flowers to be repurposed into new arrangements.

5. Enhanced Customer Experience Through AI and Chatbots

- **AI-Powered Chatbots:** Enhance customer service by integrating AI chatbots into your website and social media platforms. These bots can answer common customer questions about flower types, pricing, delivery times, and order status. They can also recommend bouquets based on customer preferences, making it feel like a personalized shopping experience.
- **Voice Search & Voice Ordering:** Implement voice-assisted ordering capabilities via Google Assistant, Alexa, or Siri, allowing customers to place orders simply by speaking. This is particularly useful for customers on-the-go or in need of hands-free interaction.

6. Smart Delivery and Logistics Optimization

- **Drone Delivery:** In select urban areas, explore the possibility of drone delivery for fast, efficient, and eco-friendly flower delivery. Drones could be used for local deliveries of smaller orders, providing customers with quick delivery (same-day or even within hours).
- **Autonomous Delivery Vehicles:** Invest in self-driving delivery vehicles or electric bikes for local deliveries, reducing the reliance on traditional couriers and helping reduce the carbon footprint.

7. Expanded Payment Options & International Shipping

- **Cryptocurrency Payments:** Accept cryptocurrencies (like Bitcoin, Ethereum, or stablecoins) as payment options, appealing to tech-savvy customers or those looking for alternative payment methods.
- **International Shipping:** Expand the service to offer international flower deliveries to countries around the world by partnering with global flower delivery networks such as Interflora, FTD, or Teleflora. This would allow Floral Fantasia to reach customers beyond its local market.

8. Artificial Intelligence for Customer Insights

- **Personalized Recommendations:** Use AI and machine learning algorithms to offer more personalized recommendations based on customer behavior and preferences. For

example, if a customer frequently buys roses, the system can suggest similar products or related items such as chocolate bouquets or flower arrangements for specific occasions.

- **Predictive Analytics:** Implement predictive analytics to anticipate trends in floral preferences (e.g., popular flowers for upcoming seasons or events) and adapt marketing or inventory strategies accordingly. This can also help reduce stockouts or overstock situations.

9. Integration with Events & Wedding Planners

- **Event Planner Integration:** Build partnerships with event planners and wedding coordinators to offer bespoke floral services for weddings, corporate events, and large gatherings. Integrating directly with event planning software or CRM tools used by these professionals could streamline the booking and customization process.
- **Wedding & Event Planning Portal:** Create a dedicated portal for wedding and event clients to view available arrangements, customize floral designs, and book consultations with designers. This could also include features like event budgeting and guest list management integrated with floral purchases.

10. Gamification and Interactive Features

- **Loyalty Rewards Program:** Implement a gamified loyalty program where customers earn points for every purchase, which can be redeemed for discounts, free products, or exclusive offerings. Gamify the shopping experience with challenges (e.g., "Order a bouquet every month for a discount").

11. AI-Powered Floral Arrangement Design

- **AI-Based Flower Arrangement Designer:** Introduce an AI-powered floral design tool that can automatically generate flower arrangements based on customer preferences (e.g., color schemes, flowers, and event types). Customers could adjust the design based on their personal style, and the AI would suggest optimal combinations.
- **Virtual Floral Workshops:** Offer online floral arrangement workshops where customers can learn how to design their own flower arrangements, perhaps even with live assistance from professional florists. This could appeal to DIY enthusiasts or those looking for unique gifts.

12. Mobile App for Enhanced Customer Experience

- **Mobile App:** Develop a mobile app for iOS and Android that allows customers to easily browse flowers, make purchases, track orders, manage subscriptions, and access loyalty points. The app can also include features like push notifications for special offers or last-minute deals.

7. CONCLUSION

CONCLUSION

Floral Fantasia is a flower shop that blends traditional floral arrangements with modern technology, offering a seamless and delightful experience for customers both online and in-store. Through the Admin, Shop, and Customer modules, the business can operate efficiently, ensuring smooth management of inventory, orders, customer interactions, and deliveries.

1. Efficiency & Simplification:

- The Admin Module empowers the shop owner to oversee the entire business process, from managing inventory to tracking sales and analyzing customer data. By integrating features like inventory forecasting, customer relationship management (CRM), and financial reporting, Floral Fantasia can run smoothly and efficiently, minimizing manual processes and maximizing productivity.

2. Customer-Centric Experience:

- The Shop Module ensures that customers have a pleasant and personalized shopping experience. Through an easy-to-navigate online catalog, various customization options, and secure checkout, customers can seamlessly find and purchase their desired flowers and related products. The integration of features like wishlist, product search, and flexible payment options enhances the user experience and fosters customer satisfaction.

3. Customer Engagement & Loyalty:

- The Customer Module offers robust engagement tools, such as personalized recommendations, order tracking, and loyalty programs, to retain customers and encourage repeat business. With features like wishlists, order history, and the ability to customize flower arrangements, customers feel more connected to the brand, increasing their chances of returning for future purchases.

4. Adaptability for Future Growth:

- Floral Fantasia is well-positioned for future enhancements. With the integration of emerging technologies like AI for inventory management, Augmented Reality (AR) for product visualization, and drone delivery for faster service, the business can stay competitive and evolve with changing customer expectations.
- Furthermore, introducing subscription services, sustainable practices, and personalized subscription-based offerings can allow Floral Fantasia to meet the growing demand for convenience and eco-conscious shopping.

5. Operational Excellence:

- The future of Floral Fantasia lies in its ability to streamline operations while keeping customers happy. The combination of technology-driven solutions for inventory management, delivery logistics, and customer support will enable the flower shop to stay nimble and responsive to market trends. Additionally, the potential for expanding into new markets through international shipping and advanced payment options positions the business for long-term success.

6. Sustainability and Social Responsibility:

- With growing consumer interest in sustainability, Floral Fantasia could further enhance its reputation by adopting eco-friendly practices such as biodegradable packaging, sustainable flower sourcing, and partnerships with local growers. Promoting these practices can attract environmentally conscious customers and differentiate the brand in the competitive floral market.

In conclusion, Floral Fantasia is a flower shop that offers more than just flowers—it offers an experience. By focusing on operational efficiency, customer-centric services, and future innovations, Floral Fantasia is poised for success. By continuing to enhance its offerings and embracing new technologies, it can not only meet the evolving demands of its customers but also pave the way for growth in the highly competitive flower industry.

By staying true to its mission of delivering quality, creativity, and customer satisfaction, Floral Fantasia has the potential to blossom into a leading name in the floral business—both locally and globally.

8. APPENDIX

8.1 APPENDIX A . TABLE DESIGN :

Table 1 : Login Table :

Field	Type	Length	Constraints	Comments
login_id	int	11	Not Null, Primary Key, Auto Increment	User Identity Number
username	varchar	50	Not Null	Unique Name For User
password	varchar	50	Not Null	Password To Login
user_type	varchar	50	Not Null	Type Of User

Table 2 : Category Table :

Field	Type	Length	Constraints	Comments
Category_id	int	11	Not Null, Primary Key, Auto Increment	Category Identity Number
Category_name	varchar	50	Not Null	Name given for category
description	varchar	50	Not null	Description about category
Status	varchar	50	Not null	Status of category

Table 3 : Complaints Table :

Field	Type	Length	Constraints	Comments
Com_id	int	11	Not Null, Primary Key, Auto Increment	Complaint identity number
Customer_id	int	11	Not null	Customer identity number
complaint	varchar	50	Not null	Complaint registered
reply	varchar	50	Not null	Reply from admin
Date	varchar	50	Not null	Complaint sent date

Table 4 : Customer Table :

Field	Type	Length	Constraints	Comments
customer_id	int	11	Not Null, Primary Key, Auto Increment	Identity number for customer
Login_id	int	11	Not null	Login identity number
fname	varchar	50	Not null	First name of customer
lname	varchar	50	Not null	Last name of customer
gender	varchar	50	Not null	Gender of customer
Dob	varchar	50	Not null	Date of birth of customer
House_name	varchar	50	Not null	House name of customer
street	varchar	50	Not null	Street name of customer

City	Varchar	50	Not null	City of customer
State	Varchar	50	Not null	State of customer
Pincode	Varchar	50	Not null	Pincode of customer
Phone	Varchar	50	Not null	Phone no. of customer
Email	Varchar	50	Not null	Email id of customer

Table 5 : Order_details table :

Field	Type	Length	Constraints	Comments
Order_detail_id	int	11	Not Null, Primary Key, Auto Increment	Identity number of order details
Order_master_id	int	11	Not null	Order master Identity Number
Product_id	Int	11	Not null	Identity number of product
quantity	varchar	50	Not null	Quantity of product
Total_price	varchar	50	Not null	Total price of products

Table 6 : Order_master Table :

Field	Type	Length	Constraints	Comments
Order_master_id	int	11	Not Null, Primary Key, Auto Increment	Identity number for order master
Customer_id	int	11	Not null	Identity number of customer
Total_amount	varchar	50	Not null	Total amount of order
Date	varchar	50	Not null	Date of Order placed
Order_status	varchar	50	Not null	Status Of order placed

Table 7 : Payment table :

Field	Type	Length	Constraints	Comments
Payment_id	int	11	Not Null, Primary Key, Auto Increment	Identity number of payment
Order_master_id	int	11	Not null	Identity number of order master
amount	varchar	50	Not null	Amount paid
date	varchar	50	Not null	Date when payment is made

Table 8 : Product Table :

Field	Type	Length	Constraints	Comments
Product_id	int	11	Not Null, Primary Key, Auto Increment	Identity number of product
Shop_id	int	11	Not null	Identity number of shop
Category_id	Int	11	Not null	Identity number of category
Product_name	varchar	50	Not null	Name of product
Product_description	varchar	50	Not null	Description about product
Price	varchar	50	Not null	Price of product
Product_image	varchar	50	Not null	Image of product
Stock	varchar	50	Not null	Total stock of product
Status	varchar	50	Not null	Status of product

Table 9 : Ratings Table :

Field	Type	Length	Constraints	Comments
Rate_id	int	11	Not Null, Primary Key, Auto Increment	Identity number of rate
Customer_id	int	11	Not null	Identity number of customer
Product_id	int	11	Not null	Identity number of product
Rate	varchar	50	Not null	Rate of product


Review	varchar	50	Not null	Review of product
date	varchar	50	Not null	Product reviewed date

Table 10 : Shop Table :


Field	Type	Length	Constraints	Comments
Shop_id	Int	11	Not Null, Primary Key, Auto Increment	Identity Number Of Shop
Login_id	Int	11	Not null	Identity number for login
Name	Varchar	50	Not null	Name of shop
Place	Varchar	50	Not null	Place of shop
Pincode	Varchar	50	Not null	Pincode of shop
Phone	Varchar	50	Not null	Phone Number Of shop
Email	Varchar	50	Not null	Email id of shop

8.2 APPENDIX B. SAMPLE INPUT AND OUTPUT DESIGN

Home Page :



Admin Home :



Admin Manage Category :

FLORAL FANTASIA
Home
Manage
View
Report
Complaint
Logout
X
f
i
l
n

Add category

Category Name

Category Description

Status

Submit

View category

Category Name	Category Description	Status	
Artificial Flowers	Silk Flowers, Plastic Arrangements	Available	Update Delete
Vases & Flower Pots	Ceramic, Glass, Decorative Pots	Available	Update Delete
Floral Accessories	Ribbons, Wrappers, Stands, Floral Wires	Available	Update Delete
Fresh Flowers	Bouquets, Loose Flowers, Floral Arrangements	Available	Update Delete

Admin Manage Report :

FLORAL FANTASIA
Home
Manage
View
Report
Complaint
Logout
X
f
i
l
n

Report

Start Date:
End Date:

Filter

Product	Amount	Date
Tulip Bulbs	1495	2024-12-18
Rose	1990	2024-12-18

Admin Manage Shop :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

Shop Registration

Shop Name

Place

Pincode

Phone

Email

user name

password

Please fill out this field.

Submit

View Shop

Shop Name	Shop Description	Mobile	Postal	E-mail		
flordia	kochi	6789368497	789535	benjames@gmail.com	Update	delete
kstore	kochi	9207343454	685606	kstore4@gmail.com	Update	delete

Admin View Bookings :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

view orders

Product name	quantity	total price	status		
Tulip Bulbs	5	1495	paid	payment details	User details
Rose	10	1990	delivered	payment details	User details

Floral Fantasia

A108 Adam Street

New York, NY 535092

Useful Links

[Home](#)
[About us](#)

Our Services

[Web Design](#)
[Web Development](#)

Hic solutasetp

[Molestiae accusamus iure](#)
[Excepturi dignissimos](#)

Nobis illum

[Ipsam](#)
[Laudantium dolorum](#)

Admin View Complaint :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

View Complaint

Customer	Complaint	Date and Time	Reply
shreyas	not good	2024-08-19 10:58:19	thankyou
shreyas	not good	2024-08-19 10:59:06	hggggggggggggggg
shreyas	not good	2024-08-19 11:00:25	kjinkl
shreyas	not good	2024-08-19 11:00:35	reply
shreyas	kjzdhckl	2024-08-23 14:43:43	reply
komal	Wrong flower sent	2024-12-18 03:28:18	We can issue you a refund

Floral Fantasia

[Useful Links](#)
[Our Services](#)
[Hic solutasetp](#)
[Nobis illum](#)

[Home](#)
[Web Design](#)
[Molestiae accusamus lute](#)
[Ipsam](#)

Admin View Customer :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

Customer Details

First name	Last name	Phone	Email	Gender	Pincode
komal	thatal	2345678905	kstores@gmail.com	male	683577

Floral Fantasia

[Useful Links](#)
[Our Services](#)
[Hic solutasetp](#)
[Nobis illum](#)

Admin View Item :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

View Products

Product Name	Product Description	Product Image	Product Stock		
Tulip Bulbs	Colorful Tulip bulbs		10	View shop	View Rating
Rose	Red Rose		0	View shop	View Rating
Vase	Finest Ceramic Vase		5	View shop	View Rating

Admin View Payment Details :

FLORAL FANTASIA

[Home](#)
[Manage](#)
[View](#)
[Report](#)
[Complaint](#)
[Logout](#)

Payment Details

First name	Last name	Total Amount	Date	Status
komal	thatal	1990	2024-12-18	paid

Floral Fantasia

A108 Adam Street
New York, NY 535022
Phone: +1 5589 55488 55
Email: info@example.com

Useful Links

[Home](#)
[About us](#)
[Services](#)
[Terms of service](#)
[Privacy policy](#)

Our Services

[Web Design](#)
[Web Development](#)
[Product Management](#)
[Marketing](#)
[Graphic Design](#)

Hic solutasetp

Molestiae accusamus iure
Excepturi dignissimos
Suscipit distinctio
Dilecta
Sit quas consectetur

Nobis illum

Ipsam
Laudantium dolorum
Diterna
Trodelas
Fleso

Admin View Ratings :

FLORAL FANTASIA

Home Manage View Report Complaint Logout

View rating

fname	Rate	Review	Date and time
komal	★★★★★	Good product	2024-12-28 22:35:37

Floral Fantasia
A108 Adam Street
New York, NY 535022
Phone: +1 5589 55488 55
Email: info@example.com

Useful Links
Home
About us
Services
Terms of service
Privacy policy

Our Services
Web Design
Web Development
Product Management
Marketing
Graphic Design

Hic solutasetp
Molestiae accusamus iure
Excepturi dignissimos
Suscipit distinctio
Dilecta
Sit quas consectetur

Nobis illum
Ipsam
Laudantium dolorum
Dinera
Trudelas
Flexo

Customer Order Product :

FLORAL FANTASIA


Home View Send Complaint Logout

ADD TO CART

Amount	199
Available Quantity	5
Quantity	2
Total	398


CART

Customer Payment :



The image shows a payment interface. On the left is a blue and purple Visa card graphic with the text "Pay Now", "VISA", "0000 0000 0000 0000", "CARD HOLDER: ((NAME)) Your Name", and "VALID THRU MM/YY". On the right is a "Payment Details" form with the following fields: "Cardholder Name" (placeholder: "Enter your Name"), "Card Number" (placeholder: "0000 0000 0000 0000"), "Exp Date" (placeholder: "MM/YY"), and "CVV" (placeholder: "0000"). A blue "Confirm" button is at the bottom right.

Customer Rating :



The image shows a web page for "FLORAL FANTASIA". The header includes links for "Home", "View", "Send Complaint", and "Logout", along with social media icons. The main content area is titled "Add Rating" and features a "Rating" section with five orange stars. Below this is a "Review" text area containing the text "Nice product". A blue "Submit" button is located at the bottom of the review area.

Customer Send Complaint :

FLORAL FANTASIA

[Home](#)
[View](#)
[Send Complaint](#)
[Logout](#)

Send Complaint

complaint

Submit

View Complaint And Reply

complaint

Wrong flower sent

reply

We can issue you a refund

date&time

2024-12-18 03:28:18

Floral Fantasia

A108 Adam Street
New York, NY 535022
Phone: +1 5589 55488 55
Email: info@example.com

Useful Links

[Home](#)
[About us](#)
[Services](#)
[Terms of service](#)
[Privacy policy](#)

Our Services

[Web Design](#)
[Web Development](#)
[Product Management](#)
[Marketing](#)
[Graphic Design](#)

Hic solutasetp

[Molestiae accusamus iure](#)
[Excepturi dignissimos](#)
[Suscipit distinctio](#)
[Dilecta](#)
[Sit quas consectetur](#)

Nobis illum

[Ipsam](#)
[Laudantium dolorum](#)
[Dinera](#)
[Trudelas](#)
[Fleo](#)

Customer View Cart :

FLORAL FANTASIA

[Home](#)
[View](#)
[Send Complaint](#)
[Logout](#)

Cart

Total Price	Date	Status	
9000	2024-12-17 15:49:54	paid	View details
3000	2024-12-17 16:04:15	paid	View details
17388	2024-12-18 03:33:33	paid	View details
796	2024-12-18 03:21:47	paid	View details
1990	2024-12-18 12:10:46	paid	View details
1495	2024-12-18 04:19:46	paid	View details
398	2024-12-28 22:40:00	accept	View details
897	2024-12-28 22:32:23	delivered	View details

[cancel order](#)
[Pay](#)

Customer View Category :

FLORAL FANTASIA Home View Send Complaint Logout

Search Category

Search Category search

View Category

Category Name	Description	Status
Artificial Flowers	Silk Flowers, Plastic Arrangements, Home decor	Available
Vases & Flower Pots	Ceramic, Glass, Decorative Pots	Available
Floral Accessories	Ribbons, Wrappers, Stands, Floral Wires	Available
Fresh Flowers	Bouquets, Loose Flowers, Floral Arrangements	Available

Products

Customer View Shop :

FLORAL FANTASIA Home View Send Complaint Logout

View Shop

Shop Name	Place	Pincode	Phone	Email
flordia	kochi	789535	6789368497	benjames@gmail.com

Floral Fantasia

A108 Adam Street
New York, NY 535022
Phone: +1 5589 55488 55
Email: info@example.com

Useful Links

- Home
- About us
- Services
- Terms of service
- Privacy policy

Our Services

- Web Design
- Web Development
- Product Management
- Marketing
- Graphic Design

Hic solutasetp

- Molestiae accusamus iure
- Exceperni dignissimos
- Suscipit distinctio
- Dilecta
- Sit quas consetetur

Nobis illum

- Ipsam
- Laudantium dolorum
- Dinera
- Trodelas
- Flexo

© Copyright: Floral Fantasia. All Rights Reserved.

Customer Registration :

FLORAL FANTASIA
Home Login Customer
X f o in

Customer Registration

First Name

Last Name

Gender
Male Female

DOB
dd-mm-yyyy

House Name

Street

City

State
Select

Pincode

Phone

Email

user name

password

Submit

Customer View Order Details :

FLORAL FANTASIA
Home View Send Complaint Logout
X f o in

View Order Details

Product Name	Product Quantity	Product Price	Product Total Price
Vase	3	299	897

rate

Shop Add Product :

FLORAL FANTASIA

[Home](#)
[View](#)
[Report](#)
[Logout](#)


Add Product

Product Name	
Product Description	
Price	
Product Image	Choose File No file chosen
Stock	
Add Product	

View Products

Product Name	Description	Price	Product Image	Stock	Actions
Rose	Red Rose	199		5	Update Delete

Shop Home :



Shop Manage Report :

FLORAL FANTASIA

[Home](#)
[View](#)
[Report](#)
[Logout](#)

Report

Start Date:
End Date:

Product	Amount	Date
Vase	897	2024-12-28

Shop View Bookings :

FLORAL FANTASIA

[Home](#)
[View](#)
[Report](#)
[Logout](#)


View orders

Product name	quantity	total price	status
Vase	3	897	delivered
Rose	2	398	accept

User details

User details

Shop View Customer :




FLORAL FANTASIA Home View ▾ Report Logout X f o i n

Customer Details

First name	Last name	Phone	Email	Gender	Pincode
komal	thatal	2345678905	kstores@gmail.com	male	683577

Shop View Rating :



FLORAL FANTASIA Home View ▾ Report Logout X f o i n

View rating

fname	Rate	Review	Date and time
komal	★★★★★	Good product	2024-12-28 22:35:37

Floral Fantasia A108 Adam Street

Useful Links	Our Services	Hic solutasetp	Nobis illum
Home	Web Design	Molestiae accusamus iure	Ipsam
About us	Web Development	Excepturi dignissimos	Laudantium dolorum

8.3 APPENDIX C. SOURCE CODE

Home.php

```
<?php include 'public_header.php' ?>

<main class="main">

  <!-- Slider Section -->

  <section id="slider" class="slider section dark-background">

    <div class="container" data-aos="fade-up" data-aos-delay="100">

      <div class="swiper init-swiper">

        <script type="application/json" class="swiper-config">
          {
            "loop": true,
            "speed": 600,
            "autoplay": {
              "delay": 5000
            },
            "slidesPerView": "auto",
            "centeredSlides": true,
            "pagination": {
              "el": ".swiper-pagination",
              "type": "bullets",
              "clickable": true
            },
            "navigation": {
              "nextEl": ".swiper-button-next",
              "prevEl": ".swiper-button-prev"
            }
          }
        </script>
      </div>
    </div>
  </section>
</main>
```

```

</script>

<div class="swiper-wrapper">

  <div class="swiper-slide" style="background-image: url('assets/img/f1.jpg');">

    <div class="content">

      <h1>WELCOME TO FLORAL FANTASIA</h1>

      <h2>"A rose by any other name would smell as sweet."</h2>

      <p>This classic quote reflects the timeless beauty and fragrance of roses,
symbolizing that true beauty remains unchanged, no matter how it's named.</p>

    </div>

  </div>

  <div class="swiper-slide" style="background-image: url('assets/img/f2.jpg');">

    <div class="content">

      <h1>WELCOME TO FLORAL FANTASIA</h1>

      <h2>"Where flowers bloom, so does hope."</h2>

      <p>Flowers are a symbol of hope and renewal, reminding us that even in the hardest
times, life continues to grow and blossom with promise.</p>

    </div>

  </div>

  <div class="swiper-slide" style="background-image: url('assets/img/f3.jpg');">

    <div class="content">

      <h1>WELCOME TO FLORAL FANTASIA</h1>

      <h2>"Happiness radiates like the fragrance from a flower and draws all good things
towards you."</h2>

      <p>Just as flowers spread their lovely scent, happiness attracts positivity, enriching
both our lives and the lives of those around us.</p>

    </div>

  </div>

  <div class="swiper-slide" style="background-image: url('assets/img/f4.jpg');">

    <div class="content">

```

```

        <h1>WELCOME TO FLORAL FANTASIA</h1>

        <h2>"If we could see the miracle of a single flower clearly, our whole life would
change."</h2>

        <p>Flowers hold profound beauty and wisdom in their simplicity, and understanding
their nature could shift our perspective on life and its wonders.</p>

        </div>

        </div>

    </div>

    <div class="swiper-button-next"></div>

    <div class="swiper-button-prev"></div>

    <div class="swiper-pagination"></div>

</div>

</div>

</section><!-- /Slider Section -->

</main>

<br>

<br>

<br>

<br>

<br>

<?php include 'footer.php' ?>

```

Login.php

```

<?php include 'public_header.php' ?>

<main class="main">

    <!-- Slider Section -->

    <section id="slider" class="slider section dark-background">

        <div class="container" data-aos="fade-up" data-aos-delay="100">

<div class="swiper init-swiper">

```

```

<script type="application/json" class="swiper-config">
{
  "loop": true,
  "speed": 600,
  "autoplay": {
    "delay": 5000
  },
  "slidesPerView": "auto",
  "centeredSlides": true,
  "pagination": {
    "el": ".swiper-pagination",
    "type": "bullets",
    "clickable": true
  },
  "navigation": {
    "nextEl": ".swiper-button-next",
    "prevEl": ".swiper-button-prev"
  }
}
</script>

<div class="swiper-wrapper">
  <div class="swiper-slide" style="background-image: url('assets/img/f1.jpg');">
    <div class="content">
      <h1>WELCOME TO FLORAL FANTASIA</h1>
      <h2>"A rose by any other name would smell as sweet."</h2>
      <p>This classic quote reflects the timeless beauty and fragrance of roses,
symbolizing that true beauty remains unchanged, no matter how it's named.</p>
    </div>
  </div>
</div>

```

```

</div>

<div class="swiper-slide" style="background-image: url('assets/img/f2.jpg');">

  <div class="content">

    <h1>WELCOME TO FLORAL FANTASIA</h1>

    <h2>"Where flowers bloom, so does hope."</h2>

    <p>Flowers are a symbol of hope and renewal, reminding us that even in the hardest
times, life continues to grow and blossom with promise.</p>

  </div>

</div>

<div class="swiper-slide" style="background-image: url('assets/img/f3.jpg');">

  <div class="content">

    <h1>WELCOME TO FLORAL FANTASIA</h1>

    <h2>"Happiness radiates like the fragrance from a flower and draws all good things
towards you."</h2>

    <p>Just as flowers spread their lovely scent, happiness attracts positivity, enriching
both our lives and the lives of those around us.</p>

  </div>

</div>

<div class="swiper-slide" style="background-image: url('assets/img/f4.jpg');">

  <div class="content">

    <h1>WELCOME TO FLORAL FANTASIA</h1>

    <h2>"If we could see the miracle of a single flower clearly, our whole life would
change."</h2>

    <p>Flowers hold profound beauty and wisdom in their simplicity, and understanding
their nature could shift our perspective on life and its wonders.</p>

  </div>

</div>

</div>

<div class="swiper-button-next"></div>

<div class="swiper-button-prev"></div>

```

```

<div class="swiper-pagination"></div>
    </div>
</div>
</section><!-- /Slider Section -->
</main>
<br>
<br>
<br>
<br>
<br>
<?php include 'footer.php' ?>

```

Connection.php

```

<?php include 'public_header.php' ?>
<main class="main">
    <!-- Slider Section -->
    <section id="slider" class="slider section dark-background">
        <div class="container" data-aos="fade-up" data-aos-delay="100">
            <div class="swiper init-swiper">
                <script type="application/json" class="swiper-config">
                    {
                        "loop": true,
                        "speed": 600,
                        "autoplay": {
                            "delay": 5000
                        },
                        "slidesPerView": "auto",
                        "centeredSlides": true,

```



```

    "pagination": {
      "el": ".swiper-pagination",
      "type": "bullets",
      "clickable": true
    },
    "navigation": {
      "nextEl": ".swiper-button-next",
      "prevEl": ".swiper-button-prev"
    }
  }
}
</script>
<div class="swiper-wrapper">
  <div class="swiper-slide" style="background-image: url('assets/img/f1.jpg');">
    <div class="content">
      <h1>WELCOME TO FLORAL FANTASIA</h1>
      <h2>"A rose by any other name would smell as sweet."</h2>
      <p>This classic quote reflects the timeless beauty and fragrance of roses,
symbolizing that true beauty remains unchanged, no matter how it's named.</p>
    </div>
  </div>
  <div class="swiper-slide" style="background-image: url('assets/img/f2.jpg');">
    <div class="content">
      <h1>WELCOME TO FLORAL FANTASIA</h1>
      <h2>"Where flowers bloom, so does hope."</h2>
      <p>Flowers are a symbol of hope and renewal, reminding us that even in the hardest
times, life continues to grow and blossom with promise.</p>
    </div>
  </div>
  <div class="swiper-slide" style="background-image: url('assets/img/f3.jpg');">

```

```

<div class="content">

    <h1>WELCOME TO FLORAL FANTASIA</h1>

    <h2>"Happiness radiates like the fragrance from a flower and draws all good things
towards you."</h2>

    <p>Just as flowers spread their lovely scent, happiness attracts positivity, enriching
both our lives and the lives of those around us.</p>

</div>

</div>

<div class="swiper-slide" style="background-image: url('assets/img/f4.jpg');">

    <div class="content">

        <h1>WELCOME TO FLORAL FANTASIA</h1>

        <h2>"If we could see the miracle of a single flower clearly, our whole life would
change."</h2>

        <p>Flowers hold profound beauty and wisdom in their simplicity, and understanding
their nature could shift our perspective on life and its wonders.</p>

    </div>

</div>

</div>

</div>

<div class="swiper-button-next"></div>

<div class="swiper-button-prev"></div>

<div class="swiper-pagination"></div>

</div>

</div>

</section><!-- /Slider Section -->

</main>

<br>

<br><br>

<br><br>

<?php include 'footer.php' ?>

```

Customer_registration.php

```

<?php include 'public_header.php' ?>

<?php

    if (isset($_POST['submit'])) {

        extract($_POST);

        $w="insert into login values(null,$uname,$password,'user')";

        $lid=insert($w);

        $u="insert into customer
values(null,$lid,$fname,$lname,$gender,$dob,$house,$street,$city,$state,$pincode,'
$phone',$email)";

        insert($u);

        alert("registered successfully");

        // return redirect("login.php");

    }

?>

<style>

body {

    position: relative;

    width: 100%; /* Set to 100% width */

    height: 110vh; /* Set height to the full viewport */

    margin: 0;

    padding: 0;

    background-image: url('assets/img/f3.jpg');

    background-repeat: no-repeat;

    background-size: cover;

    background-position: center;

    color: white;

    overflow: auto; /* Enables scrolling */

}

```

```
body::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 160%;
    background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */    z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}
input[type="submit"] {
```

```

background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
color: white;
border: none;
padding: 10px 40px;
cursor: pointer;
}
input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}
table {
    position: relative;
    z-index: 2;
}
center {
    margin-top: 50px;
}
</style>
<form method="post">
    <center>
        <h1>Customer Registration</h1>
        <br>
        <br>
<table style="width: 500px;height: 200px;">
    <tr>
        <th>First Name</th>
        <td><input type="text" name="fname" pattern="[a-zA-Z]+$"
required="" class="form-control"></td>
    </tr>

```

```

        <tr>

            <th>Last Name</th>

            <td><input type="text" name="lname" pattern="[a-zA-Z]+$"
required=""class="form-control"></td>

        </tr>

    </tr>

    <tr>

        <th>Gender</th>

        <td><input type="radio" name="gender" value="male"
required=""><span style="color: white">Male</span>

            <input type="radio" name="gender" value="female"
required=""><span style="color: white">Female</span></td>

    </tr>

    <tr>

        <th>DOB</th>

        <td><input type="date" name="dob" required=""class="form-
control"></td>

    </tr>

    <tr>

        <th>House Name</th>

        <td><input type="text" name="house" pattern="[a-zA-Z]+$"
required=""class="form-control"></td>

    </tr>

    <tr>

        <th>Street</th>

        <td><input type="text" name="street" required=""class="form-
control"></td>

    </tr>

    <tr>

        <th>City</th>

```

```

control"></td>
<td><input type="text" name="city" required="" class="form-
control"></td>
</tr>
<tr>
<th>State</th>
<td>
<select name="state" id="states" class="form-control">
<option value="" selected="selected" disabled="disabled"
hidden>Select</option>
<option value="Andhra Pradesh">Andhra Pradesh</option>
<option value="Arunachal Pradesh">Arunachal Pradesh</option>
<option value="Assam">Assam</option>
<option value="Bihar">Bihar</option>
<option value="Chhattisgarh">Chhattisgarh</option>
<option value="Goa">Goa</option>
<option value="Gujarat">Gujarat</option>
<option value="Haryana">Haryana</option>
<option value="Himachal Pradesh">Himachal Pradesh</option>
<option value="Jharkhand">Jharkhand</option>
<option value="Karnataka">Karnataka</option>
<option value="Kerala">Kerala</option>
<option value="Madhya Pradesh">Madhya Pradesh</option>
<option value="Maharashtra">Maharashtra</option>
<option value="Manipur">Manipur</option>
<option value="Meghalaya">Meghalaya</option>
<option value="Mizoram">Mizoram</option>
<option value="Nagaland">Nagaland</option>
<option value="Odisha">Odisha</option>
<option value="Punjab">Punjab</option>

```

```

        <option value="Rajasthan">Rajasthan</option>
        <option value="Sikkim">Sikkim</option>
        <option value="Tamil Nadu">Tamil Nadu</option>
        <option value="Telangana">Telangana</option>
        <option value="Tripura">Tripura</option>
        <option value="Uttarakhand">Uttarakhand</option>
        <option value="Uttar Pradesh">Uttar Pradesh</option>
        <option value="West Bengal">West Bengal</option>
    </select>
</td>

</tr>

<tr>

    <th>Pincode</th>

    <td><input type="text" name="pincode" maxlength="6"
pattern="[0-9]{6}" required="" class="form-control"></td>

</tr>

<tr>

    <th>Phone</th>

    <td><input type="text" name="phone" maxlength="10"
pattern="[0-9]{10}" required="" class="form-control"></td>

</tr>

<tr>

    <th>Email</th>

    <td><input type="Email" name="email" pattern="[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}" required="" class="form-control"></td>

</tr>

<tr>

    <th>user name</th>

```



```

                <td><input type="text" name="uname"
required="" class="form-control"></td>

            </tr>

            <tr>

                <th>password</th>

                <td><input type="password" name="password"
required="" class="form-control"></td>

            </tr>

            <tr>

                <td colspan="2" align="center"><input type="submit"
name="submit" class="btn btn-secondary"></td>

            </tr>

        </table>

    </center>

</form>

<?php include 'footer.php' ?>

```

Shop_view_booking.php

```

<?php include 'public_header.php' ?>

<?php

    if (isset($_POST['submit'])) {

        extract($_POST);

        $w="insert into login values(null,'$uname','$password','user')";

        $lid=insert($w);

        $u="insert into customer
values(null,$lid,'$fname','$lname','$gender','$dob','$house','$street','$city','$state','$pincode','
$phone','$email')";

        insert($u);

        alert("registered successfully");

        // return redirect("login.php");
    }

```

```

    }
?>
<style>
    body {
        position: relative;
        width: 100%; /* Set to 100% width */
        height: 110vh; /* Set height to the full viewport */
        margin: 0;
        padding: 0;
        background-image: url('assets/img/f3.jpg');
        background-repeat: no-repeat;
        background-size: cover;
        background-position: center;
        color: white;
        overflow: auto; /* Enables scrolling */
    }
    body::before {
        content: "";
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
        height: 160%;
        background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
        z-index: 1;
    }
    h1, th, td, input, select {
        position: relative;

```

```

    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}
input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
    color: white;
    border: none;
    padding: 10px 40px;
    cursor: pointer;
}
input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}
table {
    position: relative;

```

```

        z-index: 2;
    }
    center {
        margin-top: 50px;
    }
</style>
<form method="post">
    <center>
        <h1>Customer Registration</h1>
        <br>
        <br>
        <table style="width: 500px;height: 200px;">
            <tr>
                <th>First Name</th>
                <td><input type="text" name="fname" pattern="[a-zA-Z]+$"
required="" class="form-control"></td>
            </tr>
            <tr>
                <th>Last Name</th>
                <td><input type="text" name="lname" pattern="[a-zA-Z]+$"
required="" class="form-control"></td>
            </tr>
            <tr>
                <th>Gender</th>
                <td><input type="radio" name="gender" value="male"
required=""><span style="color: white">Male</span>
                <input type="radio" name="gender" value="female"
required=""><span style="color: white">Female</span></td>
            </tr>
        </table>
    </center>
</form>

```

```

        </tr>
        <tr>
            <th>DOB</th>
            <td><input type="date" name="dob" required="" class="form-
control"></td>
        </tr>
        <tr>
            <th>House Name</th>
            <td><input type="text" name="house" pattern="[a-zA-Z]+"
required="" class="form-control"></td>
        </tr>
        <tr>
            <th>Street</th>
            <td><input type="text" name="street" required="" class="form-
control"></td>
        </tr>
        <tr>
            <th>City</th>
            <td><input type="text" name="city" required="" class="form-
control"></td>
        </tr>
        <tr>
            <th>State</th>
            <td>
                <select name="state" id="states" class="form-control">
                    <option value="" selected="selected" disabled="disabled"
hidden>Select</option>
                    <option value="Andhra Pradesh">Andhra Pradesh</option>
                    <option value="Arunachal Pradesh">Arunachal Pradesh</option>
                    <option value="Assam">Assam</option>

```

```

<option value="Bihar">Bihar</option>
<option value="Chhattisgarh">Chhattisgarh</option>
<option value="Goa">Goa</option>
<option value="Gujarat">Gujarat</option>
<option value="Haryana">Haryana</option>
<option value="Himachal Pradesh">Himachal Pradesh</option>
<option value="Jharkhand">Jharkhand</option>
<option value="Karnataka">Karnataka</option>
<option value="Kerala">Kerala</option>
<option value="Madhya Pradesh">Madhya Pradesh</option>
<option value="Maharashtra">Maharashtra</option>
<option value="Manipur">Manipur</option>
<option value="Meghalaya">Meghalaya</option>
<option value="Mizoram">Mizoram</option>
<option value="Nagaland">Nagaland</option>
<option value="Odisha">Odisha</option>
<option value="Punjab">Punjab</option>
<option value="Rajasthan">Rajasthan</option>
<option value="Sikkim">Sikkim</option>
<option value="Tamil Nadu">Tamil Nadu</option>
<option value="Telangana">Telangana</option>
<option value="Tripura">Tripura</option>
<option value="Uttarakhand">Uttarakhand</option>
<option value="Uttar Pradesh">Uttar Pradesh</option>
<option value="West Bengal">West Bengal</option>
</select>
</td>
</tr>

```

```

        <tr>

            <th>Pincode</th>

            <td><input type="text" name="pincode" maxlength="6"
pattern="[0-9]{6}" required="" class="form-control"></td>

        </tr>

        <tr>

            <th>Phone</th>

            <td><input type="text" name="phone" maxlength="10"
pattern="[0-9]{10}" required="" class="form-control"></td>

        </tr>

        <tr>

            <th>Email</th>

            <td><input type="Email" name="email" pattern="[a-zA-Z0-
9._%+~]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}" required="" class="form-control"></td>

        </tr>

        <tr>

            <th>user name</th>

            <td><input type="text" name="uname"
required="" class="form-control"></td>

        </tr>

        <tr>

            <th>password</th>

            <td><input type="password" name="password"
required="" class="form-control"></td>

        </tr>

        <tr>

            <td colspan="2" align="center"><input type="submit"
name="submit" class="btn btn-secondary"></td>

        </tr>

    </table>

```

```

        </center>
    </form>
    <?php include 'footer.php' ?>

```

Shop_view_catogery.php

```

<?php include 'shop_header.php' ?>
<style>
    body {
        position: relative;
        width: 100%;
        min-height: 100vh; /* Allows the page to grow with content */
        margin: 0;
        padding: 0;
        background-image: url('assets/img/f6.jpg');
        background-repeat: no-repeat;
        background-size: cover;
        background-position: center;
        color: white;
    }
    body::before {
        content: "";
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
        height: 100%;
        background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
        z-index: 1;
    }

```



```

}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
td {
    color: white;
    font-size: 20px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}
input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
    color: white;
    border: none;
    padding: 10px 40px;
}

```

```

        cursor: pointer;
    }
    input[type="submit"]:hover {
        background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
    }
    table {
        position: relative;
        z-index: 2;
    }
    center {
        margin-top: 50px;
    }
</style>
<form method="post">
    <center>
        <h1>View Category</h1>
        <br>
        <table style=" width: 600px">
            <tr>
                <th>Category name</th>
                <th>Description</th>
                <th>Status</th>
            </tr>
            <?php
                $t="select * from category";
                $j=select($t);
                foreach ($j as $as) {
                    ?>

```

```

        <tr>

            <td><?php echo $as['category_name'] ?></td>

            <td><?php echo $as['description'] ?></td>

            <td><?php echo $as['status'] ?></td>

        <?php
            if ($as['status']=='Available') {
                # code...
            }?>

            <td><a class="btn btn-success"
href="shop_add_product.php?aids=<?php echo $as['category_id']?>">Add Item</a></td>

        <?php } ?>
    </tr>

    <?php } ?>
</table>

<br>

</center>

</form>

<br><br><br><br><br><br><br><br><br>

<?php include 'footer.php' ?>

```

Shop_view_product.php

```

<?php include 'shop_header.php' ?>

<?php
$shop_ids=$_SESSION['shop_id'];

if (isset($_GET['did'])) {
    extract($_GET);

    $d="delete from product where product_id='$did'";

```

```

delete($d);

alert("deleted succesfully");

return redirect("shop_add_product.php?aids='$aids'");
}
?>

<form>

    <center>

<h1>View Product</h1>

<table style="width: 1000px;">
    <tr>

        <th>Product Name</th>

        <th>Description</th>

        <th>Price</th>

        <th>Product Image</th>

        <th>Stock</th>

    </tr>

    <?php
        $k="select * from product where shop_id='$shop_ids'";
        $g=select($k);
        foreach ($g as $m) {
    ?>

    <tr>

        <td><?php echo $m['product_name'] ?></td>

        <td><?php echo $m['product_description'] ?></td>

        <td><?php echo $m['price'] ?></td>

        <td></td>

        <td><?php echo $m['stock'] ?></td>

```

```

        <td><a class="btn btn-success"
href="shop_view_rating.php?aids=<?php echo $m['product_id']?>">View Rating</a></td>

```

```

        <td><a class="btn btn-info"
href="shop_add_product.php?upid=<?php echo $m['product_id']; ?>&aids=<?php echo
$m['category_id']; ?>">update</a></td>

```

```

        <td><a class="btn btn-warning" href="?did=<?php echo $m['product_id'];
?>">delete</a></td>

```

```

</tr>

```

```

        <?php } ?>

```

```

</table>

```

```

        </center>

```

```

</form>

```

```

<br>

```

```

<br>

```

```

<?php include 'footer.php' ?>

```

Shop_manage_report.php

```

<?php include 'shop_header.php';

```

```

$shop_ids=$_SESSION['shop_id'];

```

```

?>

```

```

<br>

```

```

        <br>

```

```

<br>

```

```

<br>

```

```

<br>

```

```

<!DOCTYPE html>

```

```

<html lang="en">

```

```

<head>

```

```

        <meta charset="UTF-8">

```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title> Report</title>

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<style>

  body {

    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

  }

  .report-container {

    max-width: 1200px;

    margin: 0 auto;

    padding: 20px;

    background-color: #fff;

    border: 1px solid #ddd;

    border-radius: 8px;

    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);

  }

  .report-header {

    text-align: center;

    padding: 30px 0;

  }

  .report-header h1 {

    font-size: 60px;

    margin-bottom: 10px;

  }

  .report-header h2 {

    font-size: 24px;

    color: #555;

  }
```

```

}

.report-table {
    width: 100%;
    border-collapse: collapse;
    margin-top: 20px;
}

.report-table th, .report-table td {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: left;
}

.report-table th {
    background-color: #f8f9fa;
}

.report-table tr:nth-child(even) {
    background-color: #f2f2f2;
}

.report-footer {
    text-align: center;
    margin-top: 20px;
}

.date-filter-form {
    margin-bottom: 20px;
    text-align: center;
}
</style>

<script>

function printDiv() {

```

```

var divContents = document.getElementById("div_print").innerHTML;

var a = window.open("", "height=500, width=500");

a.document.write('<html>');

a.document.write('<head><title>Payment Report</title></head>');

a.document.write('<body>');

a.document.write(divContents);

a.document.write('</body></html>');

a.document.close();

a.print();
}

function filterByDate() {

    var startDate = new Date(document.getElementById('start-date').value);
    var endDate = new Date(document.getElementById('end-date').value);
    var rows = document.querySelectorAll('.report-table tbody tr');
    rows.forEach(row => {

        var dateCell = row.querySelector('td:last-child').textContent;
        var date = new Date(dateCell);

        if (date >= startDate && date <= endDate) {

            row.style.display = "";

        } else {

            row.style.display = 'none';

        }

    });

}

</script>

</head>

<body onload="printDiv()">

```



```

<form method="post">
    <center>
        <div id="div_print" class="report-container">
            <div class="report-header">
                <h1>Report</h1>
            </div>
            <div class="date-filter-form">
                <label for="start-date">Start Date:</label>
                <input type="date" id="start-date" name="fdate">
                <label for="end-date">End Date:</label>
                <input type="date" id="end-date" name="tdate">
                <button class="btn btn-info" onclick="filterByDate()" name="sub">Filter</button>
            </div>
            <table class="table" style="width: 500px">
                <tr>
                    <th>Product</th>
                    <th>Amount</th>
                    <th>Date</th>
                </tr>
                <?php
                    if (isset($_POST['sub'])) {
                        extract($_POST);
                        $p="select *,payment.date as o_date from payment
inner join order_master using(order_master_id) inner join order_details
using(order_master_id) inner join product using(product_id) where shop_id='$shop_ids' and
payment.date between '$fdate' and '$tdate' ";
                        $lp=select($p);

```

```

        }
        else
        {
            $p="select *,payment.date as o_date from payment
inner join order_master using(order_master_id) inner join order_details
using(order_master_id) inner join product using(product_id) where shop_id='$shop_ids' ";
            $lp=select($p);
        }

        foreach ($lp as $ke) {

?>
<tr>

<td><?php echo $ke['product_name'] ?></td>
<td><?php echo $ke['total_amount'] ?></td>
<td><?php echo $ke['o_date'] ?></td>
</tr>

<?php } ?>

</table>
</center>
</form>
<div class="report-footer">
    </div>
</div>
</body>
</html>
<br>    <br>
<br>
<br><br>

```

```
<br><br>
<br><br><br>
<?php include'footer.php' ?>
```

Customer_order_product.php

```
<?php include 'customer_header.php' ?>

<br>

<br>

<br>

<?php
extract($_GET);

    $customer_ids=$_SESSION['customer_id'];
if (isset($_GET['bids'])) {
    $bids = $_GET['bids'];
    $query = "select * from product where product_id='$bids'";
    $product = select($query)[0];
}

if (isset($_POST['sub'])) {
    extract($_POST);

    $q="select * from order_master where order_status='pending' and
customer_id='$customer_ids'";

    $r=select($q);
    if(sizeof($r)>0)
    {
        $omid=$r[0]['order_master_id'];
        $q="select * from order_details where order_master_id='$omid' and product_id='$bids' ";
        $re=select($q);
        if (sizeof($re)>0) {
```

```

        $odid=$re[0]['order_detail_id'];

        $q="update order_master set total_amount=total_amount+'$to' where
        order_master_id='$omid'";

        update($q);

        echo$z="update order_details set quantity=quantity+'$qty' where
        order_detail_id='$odid'";

        update($z);

        alert("add to cart successfully");

        return redirect("cust_view_cart.php");
    }

    else
    {

        $q="update order_master set total_amount=total_amount+'$to' where
        order_master_id='$omid'";

        update($q);

        $v="insert into order_details values(null,'$omid','$bids','$qty','$rate)";

        insert($v);

        alert("add to cart successfully");

        return redirect("cust_view_cart.php");
    }
}

else
{

    $u="insert into order_master values(null,'$customer_ids','$to',now(),'pending)";

    $omid=insert($u);

    $v="insert into order_details values(null,'$omid','$bids','$qty','$rate)";

    insert($v);

    alert("add to cart successfully");

    return redirect("cust_view_cart.php");
}

```

```

    }
}
?>
<style>
  body {
    position: relative;
    width: 100%; /* Set to 100% width */
    height: 110vh; /* Set height to the full viewport */
    margin: 0;
    padding: 0;
    background-image: url('assets/img/f1.jpg');
    background-repeat: no-repeat;
    background-size: cover;
    background-position: center;
    color: white;
    overflow: auto; /* Enables scrolling */
  }
  body::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
    z-index: 1;
  }
  h1, th, td, input, select {

```

```

    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    /* color: white;*/
}
th {
    color: black;
    font-size: 24px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}
input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}
table {
    position: relative;
    z-index: 2;
}
center {
    margin-top: 50px;
}
</style>

```

```

<script type="text/javascript">
    function textChange(){
        var a=document.getElementById("aqty").value;
        var b=document.getElementById("quan").value;
        var c=document.getElementById("amm").value;
        var tot=parseInt(b)*parseInt(c);
        if(parseInt(a)>=parseInt(b))
        {
            var tot=parseInt(b)*parseInt(c);
        }
        else{
            alert("Enter quantity lesser than current quantity");
            var tot="";
        }
        document.getElementById("total").value=tot;
    }
</script>

<form action="" method="post">

<h1 align="center">ADD TO CART</h1>

    <table align="center" style="width: 500px;>

        <tr>

            <th>Product</th>

            <td><br><input type="text" name="product" readonly="" value="<?php echo
            $product['product_name']; ?>" class="form-control" required=""></td>

        </tr>

        <tr>

            <th>Amount</th>

            <td><br><input type="text" id="amm" readonly="" name="rate" value="<?php echo
            $product['price']; ?>" class="form-control" required=""></td>

```

```

        </tr>

        <th>Available Quantity</th>

        <td><br><input type="text" id="aqty" readonly="" name="aaqty" value="<?php echo
$product['stock']; ?>" class="form-control" required=""></td>

    </tr>

    <tr>

        <th>Quantity </th>

        <td><br><input type="number" min="0" id="quan" onchange="textChange()"
name="qty" class="form-control" required=""></td>

    </tr>

    <tr>

        <th>Total </th>

        <td><br><input type="text" readonly id="total" name="to" class="form-control"
required=""></td>

    </tr>

    <tr>

        <td colspan="2" align="center"><br><input type="submit" name="sub" value="CART"
class="btn btn-success"></td>

    </tr>

</table>

</form>

<br><br><br><br>

<br><br><br><br><br><br><br>

<?php include 'footer.php' ?>

```

Customer_view_cart.php

```

<?php include 'customer_header.php';

    $customer_ids=$_SESSION['customer_id'];

    if (isset($_GET['aids'])) {

```



```

        extract($_GET);
        $p = "delete from order_master where order_master_id='$aids'";
        $o = delete($p);
        $p2 = "delete from order_details where order_master_id='$aids'";
        $o2 = delete($p2);
        if ($o && $o2) {
            alert('reject successfully');
        } else {
            alert('error in rejection');
        }
        return redirect('cust_view_cart.php');
    }
?>
<br>
<br>
<style>
    body {
        position: relative;
        width: 100%;
        min-height: 100vh; /* Allows the page to grow with content */
        margin: 0;
        padding: 0;
        background-image: url('assets/img/f1.jpg');
        background-repeat: no-repeat;
        background-size: cover;
        background-position: center;
        color: white;
        overflow: auto;
    }

```

```

}
body::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
    z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
td {
    color: white;
    font-size: 20px;
}
input, select {

```

```

    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}

input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
    color: white;
    border: none;
    padding: 10px 40px;
    cursor: pointer;
}

input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}

table {
    position: relative;
    z-index: 2;
}

center {
    margin-top: 50px;
}
</style>

<form method="post">
<center>
    <h1>Cart</h1>
    <table style="width: 800px;">
        <tr>

```

```

        <th>Total Price</th>

        <th>Date</th>

        <th>Status</th>
    </tr>

    <?php
        $r="select * from order_master where customer_id='$customer_ids'";

        $y=select($r);

        foreach ($y as $k) {
    ?>
    <tr>

        <td><?php echo $k['total_amount']; ?></td>

        <td><?php echo $k['date'] ?></td>

        <td><?php echo $k['order_status']; ?></td>

        <td><a class="btn btn-warning"
href="customer_view_order_details.php?ddids=<?php echo $k['order_master_id']?>">View
details</a></td>

    <?php
        if ($k['order_status']=='pending') {
            ?>

            <td><a class="btn btn-success" href="?aids=<?php echo
$k['order_master_id']?>">cancel order</a>

                <?php } ?>

            <?php
                if ($k['order_status']=='accept') {
                    ?>

                    <td><a class="btn btn-success" href="?aids=<?php echo
$k['order_master_id']?>">cancel order</a>

                        <td><a class="btn btn-info" href="cust_payment.php?oids=<?php echo
$k['order_master_id']?>&total=<?php echo $k['total_amount']?> ">Pay</a></td>

                            <?php } ?>

```

```

        </tr>
<?php } ?>
</table>
</center>
</form>
<br><br><br><br><br><br><br><br><br><br><br>
<?php include 'footer.php' ?>

```

Customer_view_category.php

```

<?php include 'customer_header.php' ?>
<style>
    body {
        position: relative;
        width: 100%;
        min-height: 100vh; /* Allows the page to grow with content */
        margin: 0;
        padding: 0;
        background-image: url('assets/img/f1.jpg');
        background-repeat: no-repeat;
        background-size: cover;
        background-position: center;
        color: white;
        overflow: auto;
    }
    body::before {
        content: "";
        position: absolute;
        top: 0;

```

```

    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
    z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
td {
    color: white;
    font-size: 20px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}

```

```

input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
    color: white;
    border: none;
    padding: 10px 40px;
    cursor: pointer;
}

input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}

table {
    position: relative;
    z-index: 2;
}

center {
    margin-top: 50px;
}
</style>
<form method="post">
    <center>
        <h1>Search Category</h1>
        <table style="width: 600px;">
            <tr>
                <td>
                    <input type="text" name="pro" class="form-control" style="width: 70%; display: inline-block; margin-right: 10px;">
                </td>
                <td>

```

```

        <input type="submit" name="search" value="Search" class="btn btn-info"
style="display: inline-block;">
    </td>
</tr>
</table><br><br><br><br>
    <h1>View Category</h1>
    <table style="width: 900px;">
        <tr>
            <th>Category Name</th>
            <th>Description</th>
            <th>Status</th>

        </tr><?php
if (isset($_POST['search'])) {
    extract($_POST);
    $u="select * from category where category_name like '$pro%' ";
}
else{
    $u="select * from category ";
}

$r=select($u);

        foreach ($r as $p) {
            ?>
            <tr>
                <td><?php echo $p['category_name'] ?></td>
                <td><?php echo $p['description'] ?></td>
                <td><?php echo $p['status'] ?></td>
                <?php
if ($p['status']=='Available') {

```



```
?>
    <td><a class="btn btn-info" href="cust_view_product.php?category_id=<?php echo
    $p['category_id']; ?>">Products</a>
    </td>
    <?php } ?>
    </tr>
    <?php } ?>
</table>
</center>
</form>
<br><br><br><br><br><br><br><br>
<?php include 'footer.php' ?>
```

Customer_view_order_details.php

```
<?php include 'customer_header.php' ?>
<?php
if (isset($_GET['ddids'])) {
    extract($_GET);

    $e="select * from order_details inner join order_master using (order_master_id) inner
    join product using(product_id) WHERE order_master_id='$ddids' ";

    $y=select($e);
}
?>
<style>
    body {
        position: relative;
        width: 100%; /* Set to 100% width */
        height: 110vh; /* Set height to the full viewport */
        margin: 0;
```

```
padding: 0;
background-image: url('assets/img/f1.jpg');
background-repeat: no-repeat;
background-size: cover;
background-position: center;
color: white;
overflow: auto; /* Enables scrolling */
}
body::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
    z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
```

```

        font-size: 24px;
    }
    td {
        color: white;
        font-size: 20px;
    }
    input, select {
        background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
        color: white;
        border: 1px solid white;
        padding: 5px; }
    input[type="submit"] {
        background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
        color: white;
        border: none;
        padding: 10px 40px;
        cursor: pointer;
    }
    input[type="submit"]:hover {
        background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
    }
    table {
        position: relative;
        z-index: 2;
    }
    center {
        margin-top: 50px;
    }

```

```

</style>
<form method="post">
    <center>
        <h1>View Order Details</h1>
        <table style="width: 800px;">
            <tr>
                <th>Product Name</th>
                <th>Product Quantity</th>
                <th>Product Price</th>
                <th>Product Total Price</th>
            </tr>
            <?php
foreach ($y as $x) {
    ?>
    <tr>
        <th><?php echo $x['product_name'] ?></th>
        <th><?php echo $x['quantity'] ?></th>
        <th><?php echo $x['total_price'] ?></th>
        <th><?php echo $x['total_amount'] ?></th>
        <td><a class="btn btn-secondary" href="cust_rate.php?ppids=<?php echo
$x['product_id']?>">rate</a></td>
    </tr>
    <?php }?>
        </table>
    </center>
</form>
<br><br><br><br><br><br><br><br><br><br>
<?php include 'footer.php' ?>

```

Admin_manage_shop.php

```

<?php include 'admin_header.php' ?>

<?php
if (isset($_POST['submit'])) {
    extract($_POST);
    $w="insert into login values(null,$uname,$password,'shop')";
    $lid=insert($w);
    $u="insert into shop
values(null,$lid,$name,$place,$pincode,$Phone,$email)";
    insert($u);
    alert("Registered successfully");
    return redirect("admin_manage_shop.php");
}

if (isset($_GET['upid'])) {
    extract($_GET);
    $a="select * from shop inner join login using(login_id) where login_id='$upid' ";
    $rr=select($a);
}

if (isset($_POST['ups'])) {
    extract($_POST);
    $c="update shop set
name='$name',place='$place',pincode='$pincode',phone='$Phone',email='$email' where
login_id='$upid' ";
    $w=update($c);
    $c1="update login set user_name='$uname',password='$password' where
login_id='$upid'";
    $w=update($c1);
    alert("updated successfully");
    return redirect("admin_manage_shop.php");
}

```

```

}
if (isset($_GET['did'])) {
    extract($_GET);
    $d1="delete from login where login_id='$did'";
    delete($d1);
    $d="delete from shop where login_id='$did'";
    delete($d);
    alert("deleted succesfully");
    return redirect("admin_manage_shop.php");
}
?>
<style>
    body {
        position: relative;
        width: 100%;
        min-height: 100vh; /* Allows the page to grow with content */
        margin: 0;
        padding: 0;
        background-image: url('assets/img/f4.jpg');
        background-repeat: no-repeat;
        background-size: cover;
        background-position: center;
        color: white;
        overflow: auto;
    }
    body::before {
        content: "";
        position: absolute;

```

```
top: 0;
left: 0;
width: 100%;
height: 100%;
background-color: rgba(0, 0, 0, 0.6); /* Dark shade overlay */
z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
h1 {
    color: white;
}
th {
    color: white;
    font-size: 24px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1); /* Slightly transparent input background */
    color: white;
    border: 1px solid white;
    padding: 5px;
}
input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2); /* Slightly transparent button background */
    color: white;
```

```

border: none;
padding: 10px 40px;
cursor: pointer;
}
input[type="submit"]:hover {
background-color: rgba(255, 255, 255, 0.4); /* Darker on hover */
}
table {
position: relative;
z-index: 2;
}
center {
margin-top: 50px;
}
</style>
<form method="post">
    <center>
        <?php
            if (isset($_GET['upid'])) {
                extract($_GET);
                // print_r($rr);
            }
        >
    </center>
    <h1>Manage Shop</h1>
    <table style="width: 600px;">
    <tr>
        <th>Shop Name</th>

```



```

        <td><input type="text" name="name" pattern="[a-zA-Z]+$" required=""
class="form-control" value="<?php echo $rr[0]['name'] ?>"></td>

    </tr>

    <tr>

        <th>Place</th>

        <td><input type="text" name="place" pattern="[a-zA-Z]+$"
required="" class="form-control" value="<?php echo $rr[0]['place'] ?>"></td>

    </tr>

    <tr>

        <th>Pincode</th>

        <td><input type="text" name="pincode" maxlength="6" pattern="[0-9]{6}"
required="" class="form-control" value="<?php echo $rr[0]['pincode'] ?>"></td>

    </tr>

    <tr>

        <th>Phone</th>

        <td><input type="text" name="Phone" maxlength="10" pattern="[0-9]{10}"
required="" class="form-control" value="<?php echo $rr[0]['phone'] ?>"></td>

    </tr>

    <tr>

        <th>Email</th>

        <td><input type="Email" name="email" pattern="[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}" required="" class="form-control" value="<?php echo $rr[0]['email'] ?>"></td>

    </tr>

    <tr>

        <th>user name</th>

        <td><input type="text" name="uname" required="" class="form-control"
value="<?php echo $rr[0]['user_name'] ?>"></td>

    </tr>

    <tr>

```

```

        <th>password</th>

        <td><input type="password" name="password" required="" class="form-control"
value="<?php echo $rr[0]['password'] ?>"></td>

    </tr>    <tr>

        <td colspan="2" align="center"><input type="submit" name="ups" value="Update
Shop" class="btn btn-info"></td>

    </tr>

</table>

<?php }
else {
?>

    <h1>Shop Registration</h1>

    <br>

    <br>

    <table style="width: 500px">

        <tr>

            <th>Shop Name</th>

            <td><input type="text" name="name" pattern="[a-zA-Z]+$"
required="" class="form-control"></td>

        </tr>

        <tr>

            <th>Place</th>

            <td><input type="text" name="place" pattern="[a-zA-Z]+$"
required="" class="form-control"></td>

        </tr>

        <tr>

            <th>Pincode</th>

            <td><input type="text" name="pincode" maxlength="6"
pattern="[0-9]{6}" required="" class="form-control"></td>

        </tr>

```

```

        <tr>

            <th>Phone</th>

            <td><input type="text" name="Phone" maxlength="10"
pattern="[0-9]{10}" required="" class="form-control"></td>

        </tr>

        <tr>

            <th>Email</th>

            <td><input type="Email" name="email" pattern="[a-zA-Z0-
9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}" required="" class="form-control"></td>

        </tr>

        <tr>

            <th>user name</th>

            <td><input type="text" name="uname"
required="" class="form-control"></td>

        </tr>

        <tr>

            <th>password</th>

            <td><input type="password" name="password"
required="" class="form-control"></td>

        </tr>

        <tr>

            <td colspan="2" align="center"><input type="submit"
name="submit" class="btn btn-info"></td>

        </tr>

    </table>

    <?php } ?>

</table>

<h1>View Shop</h1>

<table style="width: 1000px;">

    <tr>

```

```

        <th>Shop Name</th>
        <th>Shop Description</th>
        <th>Mobile</th>
        <th>Postal</th>
        <th>E-mail</th>
    </tr>
    <?php
        $k="select * from shop";
        $g=select($k);
        foreach ($g as $m) {
    ?>
    <tr>
        <td><?php echo $m['name'] ?></td>
        <td><?php echo $m['place'] ?></td>
        <td><?php echo $m['phone'] ?></td>
        <td><?php echo $m['pincode'] ?></td>
        <td><?php echo $m['email'] ?></td>
        <td><a class="btn btn-info" href="?upid=<?php echo $m['login_id'];?>"
style="background-color: limegreen; border-color: limegreen;">Update</a></td>
        <td><a class="btn btn-warning" href="?did=<?php echo $m['login_id'];
?>">delete</a></td>
    </tr>
    <?php } ?>
</table>        </center>
</form>
<br> <br><br>
<?php include 'footer.php' ?>

```

Admin_manage_category.php

```

<?php include 'admin_header.php'; ?>

<?php
// Add Category
if (isset($_POST['submit'])) {
    extract($_POST);

    $query = "INSERT INTO category VALUES (NULL, '$cat_name', '$cat_description',
'status')";

    insert($query);

    alert("Category added successfully");

    redirect("admin_manage_category.php");
}

// Fetch Category for Update
$category = [];

if (isset($_GET['upid'])) {
    $upid = $_GET['upid'];

    $query = "SELECT * FROM category WHERE category_id = '$upid'";

    $result = select($query);

    $category = !empty($result) ? $result[0] : [];
}

// Update Category
if (isset($_POST['ups'])) {
    extract($_POST);

    $query = "UPDATE category SET category_name = '$cat_name', description =
'$cat_description', status = '$status' WHERE category_id = '$upid'";

    update($query);

    alert("Category updated successfully");

    redirect("admin_manage_category.php");
}

// Delete Category

```

```
if (isset($_GET['did'])) {  
    $did = $_GET['did'];  
    $query = "DELETE FROM category WHERE category_id = '$did'";  
    delete($query);  
    alert("Category deleted successfully");  
    redirect("admin_manage_category.php");  
}  
?>  
<style>  
    body {  
        position: relative;  
        width: 100%;  
        min-height: 100vh; /* Allows the page to grow with content */  
        margin: 0;  
        padding: 0;  
        background-image: url('assets/img/f4.jpg');  
        background-repeat: no-repeat;  
        background-size: cover;  
        background-position: center;  
        color: white;  
        overflow: auto;    }  
    body::before {  
        content: "";  
        position: absolute;  
        top: 0;  
        left: 0;  
        width: 100%;  
        height: 100%;
```

```

    background-color: rgba(0, 0, 0, 0.6);
    z-index: 1;
}
h1, th, td, input, select {
    position: relative;
    z-index: 2;
    color: white;
}
th, td {
    font-size: 20px;
}
input, select {
    background-color: rgba(255, 255, 255, 0.1);
    color: white;
    border: 1px solid white;
    padding: 5px;
    width: 100%;
box-sizing: border-box;
}
input[type="submit"] {
    background-color: rgba(255, 255, 255, 0.2);
    color: white;
    border: none;
    padding: 10px 40px;
    cursor: pointer;
}
input[type="submit"]:hover {
    background-color: rgba(255, 255, 255, 0.4);

```

```

}
table {
    width: 80%;
    margin: 20px auto;
    border-collapse: collapse;
}
th, td {
    padding: 10px;
    text-align: left;
    border: 1px solid white;
}
.btn {
    padding: 5px 10px;
    text-decoration: none;
    border-radius: 5px;
}
.btn-info {
    background-color: limegreen;
    color: white;
}
.btn-warning {
    background-color: orange;
    color: white;
}
.form-container {
    width: 50%;
    margin: auto;
    margin-top: 20px;

```



```

padding: 20px;

background: rgba(0, 0, 0, 0.5);

border-radius: 10px;

box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);

}

</style>

<div class="form-container">

    <h1><?php echo isset($category) && !empty($category) ? "Update Category" : "Add
Category"; ?></h1>

    <form method="post">

        <table>

            <tr>

                <th>Category Name</th>

                <td><input type="text" name="cat_name" pattern="[a-zA-Z0-9\s,&-]+" required
value="<?php echo isset($category['category_name']) ? $category['category_name'] : ";
?>"></td>

            </tr>

            <tr>

                <th>Category Description</th>

                <td><input type="text" name="cat_description" pattern="[a-zA-Z0-9\s,&-]+"
required value="<?php echo isset($category['description']) ? $category['description'] : ";
?>"></td>

            </tr>

            <tr>

                <th>Status</th>

                <td>

                    <select name="status" required>

                        <option selected disabled hidden>select</option>

                        <option value="Available" <?php echo (isset($category['status']) &&
$category['status'] == 'Available') ? 'selected' : "; ?>>Available</option>


```

```

        <option value="Not Available" <?php echo (isset($category['status']) &&
$category['status'] == 'Not Available') ? 'selected' : ''; ?>>Not Available</option>

    </select>

</td>

</tr>

<tr>

    <td colspan="2" align="center">

        <?php if (isset($category) && !empty($category)) { ?>

            <input type="hidden" name="upid" value="<?php echo
$category['category_id']; ?>">

            <input type="submit" name="ups" value="Update Category">

            <?php } else { ?>

                <input type="submit" name="submit" value="Add Category">

                <?php } ?>

        </td>

    </tr>

</table>

</form>

</div>

<h1>View Categories</h1>

<table>

    <thead>

        <tr>

            <th>Category Name</th>

            <th>Category Description</th>

            <th>Status</th>

            <th>Actions</th>

        </tr>

    </thead>

```

```

<tbody>

    <?php
    $query = "SELECT * FROM category";
    $categories = select($query);
    if (!empty($categories)) {
        foreach ($categories as $cat) {
            echo "<tr>
                <td>{$cat['category_name']}</td>
                <td>{$cat['description']}</td>
                <td>{$cat['status']}</td>
                <td>
                    <a href='?upid={$cat['category_id']}' class='btn btn-info'>Update</a>
                    <a href='?did={$cat['category_id']}' class='btn btn-warning'>Delete</a>
                </td>
            </tr>";
        }
    } else {
        echo "<tr><td colspan='4'>No categories found.</td></tr>";
    }
    ?>

</tbody>

</table>

<?php include 'footer.php'; ?>

```

9.BIBLIOGRAPHY

For successfully completing my project file. I have taken help from the following website links:

□ Floral Design Trends and Techniques

- *Floral Design Institute. (2024). Floral Design Trends for 2024.*
- URL: <https://www.floraldesigninstitute.com/floral-design-trends-2024>
- Description: This site provides insights into the latest floral design techniques and trends.

□ Floral Symbolism and History

- *The Language of Flowers. (2022). Flower Symbolism Through History.*
- URL: <https://www.languageofflowers.com/history-of-flower-symbolism>
- Description: An in-depth resource on the symbolism of various flowers throughout history and across cultures.

□ Botanical Art and Flowers in Art

- *Royal Horticultural Society. (2023). Flowers in Art: An Exploration of Floral Art in History.*
- URL: <https://www.rhs.org.uk/science/flowers-in-art>
- Description: An exploration of how flowers have been depicted in art and their symbolic significance.

□ Floral Patterns in Design

- *Design Seeds. (2023). Floral Color Palettes and Designs.*
- URL: <https://www.design-seeds.com/floral-color-palettes>
- Description: Offers inspiration for floral designs and color schemes based on flowers found in nature.

□ Flower Arrangement Tutorials

- *Floral Academy. (2024). Beginner's Guide to Floral Arrangement.*
- URL: <https://www.floralacademy.com/beginners-guide>
- Description: A comprehensive guide for beginners interested in learning the art of floral design and arrangement.

□ Floral Art Inspiration and Ideas

- *Pinterest - Floral Fantasia. (2023). Floral Design Ideas and Inspiration.*
- URL: <https://www.pinterest.com/floralfantasia/>
- Description: A curated collection of floral art, design, and arrangement ideas to inspire creativity.