
The Spiral Model and Risks

Dror Feitelson

Basic Seminar on Software Engineering
Hebrew University
2009

Barry Boehm

 Prof. Software engineering, Univ. Southern California



- Worked at General Dynamics, Rand, TRW
- Director of DARPA Information Science and Technology Office 1989-1992
- Fellow of ACM, IEEE
- COCOMO cost model, Spiral model, ...

The Basic Force

- Code-driven development
 - → "Code-and-fix" approach
 - No design leads to poor code and frustrated clients
- Document-driven development
 - → Waterfall model
 - → Requirement for fully developed documents unrealistic
- Risk-driven development
 - → Support iterative development
 - Decide how to proceed by reducing risk of failure


The Spiral Model

- Several rounds development: System concept, Requirements, design
- In each round, mitigate risks
 - Define objectives of part you are doing
 - Map alternatives for implementation
 - → Recognize constraints on these alternatives
 - Use prototyping, analysis, etc. to gain necessary knowledge and reduce risk
 - → Plan the next step
- At the end, perform sequence of coding, testing, and integration

The Spiral Model

- Several rounds development: System concept, Requirements, design
- In each round, mitigate risks
 - Define objectives of part you are doing
 - Map alternatives for implem
 - → Recognize constraints on the
 - Use prototyping, analysis, e knowledge and reduce risk
 - → Plan the next step
- At the end, perform sequence of coding, testing, and integration

What you actually do depends on the biggest remaining risk




Using the Spiral

- Start with hypothesis that something can be done
- Round 1: concept and lifecycle plan
- Round 2: top level requirements
- Additional rounds: preliminary design, detailed design
- May go back and redo previous round if needed
- If the evaluation at some stage shows that it won't work then stop

Risks

- Developing software is fraught with uncertainty
- Uncertainty implies risk
- This needs to be quantified:
 - RiskExposure = Probability x Loss
- Can be used to chose between alternatives: select the one where the expected loss is smaller

Risk Management



- In waterfall model there are many milestones
 - This is too rigid and sequential
- But there are three really important ones:
 - → Life-cycle objectives
 - → Life-cycle architecture
 - Initial operational capability

(these foreshadow the unified process)

- In waterfall model there are many milestones
 - This is too rigid and seque
- But there are three really
 - → Life-cycle objectives
 - → Life-cycle architecture
 - Initial operational capability

(these foreshadow the unified process)

Make sure we know what we want to do, and that it can be done

- In waterfall model there are many milestones
 - This is too rigid and seque
- But there are three really
 - → Life-cycle objectives
 - → Life-cycle architecture
 - Initial operational capability

(these foreshadow the unified process)

Make sure we

Elaborate on how things will be built

- In waterfall model there are many milestones
 - This is too rigid and seque
- But there are three really
 - → Life-cycle objectives
 - → Life-cycle architecture
 - Initial operational capability

(these foreshadow the unified process)

Make sure we

Prepare for the transition to the client in terms of site and training

- Milestones are not (necessarily) documents!
 - Not a fully specified spec or architecture, but a framework that will evolve
 - → For example, important interfaces must be specified precisely, but user interfaces can be a prototype
 - Articulation of feasibility and rationale are important
 - → Agreement of stakeholders is crucial

Conceptual Development with Time

- Spiral model (1988): in an example round 0 is about deciding that the project is worth doing
- Risk management (1991): one of the risks is that the project is plain wrong
- Anchoring (1996): the first anchor point is agreement among stakeholders that the project can and should be done