

LabGenie Website

Launch & Editing Guide

How to put the site live (GitHub & Vercel), switch on the content editor, and hand the CMS to a non-technical editor — with a safe preview-before-publish workflow.

At a glance

- **Every page is editable** from a friendly visual editor at `/keystatic` — no code.
- Editors work on a **draft**, see a **live preview**, then **publish** — the real site is never changed by accident.
- This guide is the quick path. Deeper detail lives in `DEPLOY.md`, `KEYSTATIC.md`, and `EDITOR_GUIDE.md` in the repo.

NOTE Where things stand right now

The code is finished and committed on your local **main** branch (2 commits, not yet pushed). Start at Step 1 below.

Part 1 · Put the site live

1 Push the code to GitHub

From the project folder in your terminal:

```
git push origin main
```

This sends the two finished commits to `github.com/Ani-datadivr/labgenie-landing_page`. If your terminal asks you to sign in to GitHub, do so once.

2 Create the Vercel project

- Go to `vercel.com` → **Add New...** → **Project**.
- **Import** the `labgenie-landing_page` repository (authorize GitHub if asked).
- Vercel auto-detects **Next.js**. Leave every build setting at its default — don't override anything.
- Add the environment variables from the table below *before* the first deploy, then click **Deploy**.

You'll get a live URL like `your-project.vercel.app`. Every later push to **main** redeploys automatically.

TIP Only one variable is required to deploy

The site builds and runs fine with **none** of these set — the optional features just stay quiet. Add `KEYSTATIC_SECRET` first so the editor can run; the rest can be added later (re-deploy after adding any).

Environment variables (Vercel → Settings → Environment Variables)

Variable	What it's for	Needed?
KEYSTATIC_SECRET	Signs the /keystatic editor login. Any long random string: run <code>openssl rand -hex 32</code> .	Yes, for editing
KEYSTATIC_GITHUB_CLIENT_ID	From the GitHub App wizard (Step 3).	Yes, for editing
KEYSTATIC_GITHUB_CLIENT_SECRET	From the GitHub App wizard (Step 3).	Yes, for editing
NEXT_PUBLIC_KEYSTATIC_GITHUB_APP_SLUG	From the GitHub App wizard (Step 3).	Yes, for editing
NEXT_PUBLIC_KEYSTATIC_PREVIEW_URL	Makes the editor's Preview button work (Step 4).	For preview
SLACK_WEBHOOK_URL	Sends "Request a demo" form submissions to Slack.	Optional
GEMINI_API_KEY	Powers the "Ask LabGenie" chat in the platform demo.	Optional

3 Switch on CMS editing (one-time GitHub App)

This lets approved people edit content on the live site through GitHub.

- Deploy once with at least KEYSTATIC_SECRET set (Step 2).
- Open `https://your-project.vercel.app/keystatic`. Keystatic shows a **"Create GitHub App"** button.
- Click it and approve on GitHub. Keystatic then shows you three values.
- Copy them into Vercel as KEYSTATIC_GITHUB_CLIENT_ID, KEYSTATIC_GITHUB_CLIENT_SECRET, and NEXT_PUBLIC_KEYSTATIC_GITHUB_APP_SLUG, then **re-deploy**.

Now /keystatic on the live site asks for GitHub sign-in, and editors with access to the repo can edit content. Full detail: `DEPLOY.md §3`.

Part 2 · Safe editing: Draft → Preview → Publish

So an editor can never change the live site by accident, they work on a **draft branch** called staging. The public site only ever deploys from **main**.

4 Create the staging draft branch + Preview link

Run once, in your terminal:

```
git branch staging main
git push -u origin staging
```

- Vercel automatically builds the staging branch to its own preview URL (something like `your-project-git-staging-yourteam.vercel.app`).
- Copy that exact URL from **Vercel** → **Deployments**, and set it as NEXT_PUBLIC_KEYSTATIC_PREVIEW_URL in Vercel (for Production *and* Preview), then re-deploy.

TIP The everyday editing loop

1. Edit — in the editor, switch the branch (top bar) to staging and Save. The live site is untouched. **2. Preview** — click the **Preview** link to see the whole site with the changes. **3. Publish** — when happy, merge staging into main (the editor's “**Create pull request**” button, then merge). The live site rebuilds in 1–2 minutes.

NOTE Editing on a developer's laptop is even simpler

Run `npm run dev` and open `localhost:3000/keystatic`. There's no draft step — saving writes the files and the running page updates instantly. That's your live preview locally.

Part 3 · Using the CMS day to day

The editor lives at `/keystatic`. The left sidebar is organised **by page**, top to bottom, the same way a visitor reads the site.

The basics

- **Find your page, then the section** — e.g. *Home page* → *Hero*, or *About page* → *Team*.
- **Read the info box** — every section opens with a short info note saying what it controls and what stays in code.
- **Type into the boxes** — what you type is what shows. Length limits keep headlines from breaking the layout (a box turns red if it's too long).
- **Hide a whole section** — untick “**Show this section on the website**”. Nothing is deleted; tick it again to bring it back.
- **Lists** (FAQs, team, roles, nav & footer links...) — use **+** to add, the trash icon to remove, and drag the handle to reorder.
- **Page title & Google text** — each page's top section has an **SEO** box for the browser-tab title and search description.
- **Save** — on the live site, save to staging, Preview, then Publish (Part 2). Locally, save just updates the page.

IMPORTANT Made a mistake? You can't break the site here.

The worst case is a wrong word, fixed by editing again. Layout, colours, and structure are kept out of the editor on purpose. If you ever need something that isn't a text box — a new section, a photo swap, a colour — that's the signal to ask a developer.

Part 4 · What you can and can't edit

You CAN edit (text)	Stays in code (by design)
All headings, paragraphs, and button labels	The interactive demos — the homepage hero console and the <code>/platform</code> operations console
Every list: FAQs, platform stations, team, roles, compliance badges	Partner / integration logos (they're image files; the labels are editable)

Navigation links, footer columns & links, the legal note	Animations and animated numbers (e.g. the blend-correction demo)
Per-page SEO title & description; contact-form labels & messages	Icons, photos, colours, fonts, page layout
Whether each section is shown or hidden	The logo wordmark and compliance medallions

Quick reference

Key links

- **Repository:** github.com/Ani-datadivr/labgenie-landing_page
- **Live editor:** <https://your-project.vercel.app/keystatic>
- **Local editor:** <http://localhost:3000/keystatic> (after `npm run dev`)

Useful commands

```
git push origin main # publish code / deploy to production
git branch staging main # create the draft branch (once)
git push -u origin staging # publish the draft branch (once)
npm run dev # run the site locally for editing
npm run build # check the production build passes
```

NOTE Full documentation in the repo

DEPLOY.md — Vercel + GitHub App setup · KEYSTATIC.md — how the CMS is wired · EDITOR_GUIDE.md — the plain-language editor manual.