Cache Memory

lensys

The Developer's Dilemma

“Last week, I was debugging a simple API issue. It should’ve taken 5 minutes. Instead, I opened 12 tabs… searched 4 different things… copied code into ChatGPT twice… and still had to re-explain my problem each time.”

By the time I solved it, I didn’t just lose time, I **lost my flow**.

And that’s the real problem:

We don’t lack intelligence,we lack access to it at the right moment.

Problem statement

30–40% of time spent outside actual coding

Searching, switching tools, and regaining context.

23 min focus recovery per interruption

Beyond Autocomplete

Copilot helps while typing, but fails when problems go beyond code suggestions.

The Tab Silo

ChatGPT lives in a separate tab, disconnected from the actual work environment.

The Real Barrier

The problem isn't AI capability—it's AI **accessibility** within the workflow.

What is lensys?

A **floating AI buddy** for developers that provides intelligent assistance directly on your desktop.

Voice Interaction
Natural communication with your AI buddy.

Code Analysis
Deep insights into your code logic.

AI Problem Solving
Intelligent solutions to complex issues.

Why lensys?

85%

Reduction in Development Friction

While tools like Claude Code and OpenCode focus on pure logic, Lensys bridges the gap for the 70% of non-developers who struggle with standard interfaces.

Cost Efficiency
4x more cost-effective than Codex deployments for small-to-medium teams.

vs. Claude & OpenCode

Lensys offers persistent desktop presence vs. browser-bound silos.

vs. OpenAI Codex

Lower latency response times and zero-config voice integration.

Non-Developer Accessibility

Eliminates the "blank cursor" struggle for technical project managers.

Beyond Development

Universal Accessibility

Lensys bridges the digital divide for the **70%** of users who struggle with complex, fragmented interfaces.

Moving from tool-based interaction to context-aware, environmental intelligence.

Visually Impaired Assistance

Real-time environmental understanding and navigation.

Elderly & Non-Technical Care

Eliminating learning curves and cognitive load.

Non-Clinical Health Support

Improving treatment adherence and reducing friction.

Working flow

01 ACTIVATION

Idle Desktop Layer

- Voice trigger
- Global shortcut
- Passive triggers

Eliminates need to "open" tools

02 CAPTURE

Unified Input Bundle

- Voice (STT)
- Screen Focus
- Clipboard Data
- Screenshots

03 AGGREGATION

Engine Merge

- Active App Context
- UI Elements
- Interaction History
- Vector DB Memory

04 DETECTION

Intent Analysis

Invokes Models:

- Claude / Groq4 / Gemini
- Web Search
- Vision Tools

Working flow 2

05 ORCHESTRATION

Route by Intent:

- Claude/Groq Reasoning
- Web & Vision Integration
- Vector DB Memory

06 GENERATION

Contextual Output:

- Actionable Fixes
- UI Guidance
- Code Alignment

07 DELIVERY

Zero Interruption:

- Voice & Overlay
- Inline Suggestions

08 EXECUTION

Active Collaboration:

- Direct Code Edits
- Trigger Navigation
- Update Memory

System evolution: From passive answering to an active collaborator that stores and reapplies context autonomously.

Demo video


Sun Apr 26 11:08 AM
uncool@Ananths-MacBook-Pro:~/temp/lensys
➜ Local: http://localhost:1420/
Running DevCommand (`cargo run --no-default-features --color always --`)
Info Watching /Users/uncool/temp/lensys/src-tauri for changes...
warning: unused import: `std::io::Cursor`
--> src/commands/screenshot.rs:2:5
2 | use std::io::Cursor;
^^^^^^^^^^^^^^^
= note: `#[warn(unused_imports)]` (part of `#[warn(unused)]`) on by default
warning: unused variable: `scale`
--> src/lib.rs:727:33
727 | ... let scale = win_tracker.scale_factor().unwrap_or(1.0);
^^^^^ help: if this is intentional, prefix it with an underscore: `_scale`
= note: `#[warn(unused_variables)]` (part of `#[warn(unused)]`) on by default
warning: function `capture_primary_screen` is never used
--> src/commands/screenshot.rs:85:8
85 | pub fn capture_primary_screen() -> Result<(String, ScreenHash), String> {
^^^^^^^^^^^^^^^^^^^^^^
= note: `#[warn(dead_code)]` (part of `#[warn(unused)]`) on by default
warning: `cluddy` (lib) generated 3 warnings (run `cargo fix --lib -p cluddy` to apply 2 suggestions)
Finished `dev` profile [unoptimized + debuginfo] target(s) in 0.27s
Running `target/debug/cluddy`
Cluddy API listening on http://127.0.0.1:17373
^C
~/temp/lensys master* ❯

Cache Memory

Thank you!!!