


## 5.Project Setup For JWT

### Project Structure



**Make changes in that method that are in SecurityConfig:**

```
@Bean
public SecurityFilterChain securityFilterChain(HttpSecurity http) throws Exception {

    http.csrf(customizer -> customizer.disable())
        .authorizeHttpRequests(request -> request
            .requestMatchers("register")
            .permitAll()
            .anyRequest().authenticated())
        .sessionManagement(session ->
            session.sessionCreationPolicy(SessionCreationPolicy.STATELESS));
    return http.build();
}
```

**Add @GeneratedValue(strategy=GenerationType.IDENTITY) in this model**


```
package com.telusko.springsecdemo.model;

import jakarta.persistence.*;
import lombok.AllArgsConstructor;
import lombok.Data;
import lombok.NoArgsConstructor;

@Data
@Table(name = "users")
@Entity
public class User {

    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private int id;
    private String username;
    private String password;

}
```



## Output:

Data Output				Messages	Notifications
<div>Icons for Data Output: expand, save, copy, paste, delete, refresh, download, and zoom.</div>					
	id	password	username		
	[PK] integer	character varying	character varying		
1	3	\$2a\$12\$SRH.hzscSwfpWaUnnFYozXeKu9QQ7yNb7UBbtMi0soj9jYQyKnrb...	navin		