Implement a program to accept the input from user using Scanner and Buffered Reader.

1} Scanner class

```
import java.util.Scanner;
class UserProgram
{
    public static void main(String args[])
    {
        Scanner a = new Scanner(System.in);
        System.out.println("Enter Name , Age and Salary:");
        String str = a.nextLine();
        int age = a.nextInt();
        Double salary = a.nextDouble();
        System.out.println("Name:" + str);
        System.out.println("Age:" + age);
        System.out.println("Salary:" + salary);
    }
}
```

Output :

Enter Name , Age and Salary:

Riddhi

25

80000

Name:kartikey

Age:19

Salary:50000.0

```
C:\Windows\System32\cmd.e   ×   +   ∨

Microsoft Windows [Version 10.0.22621.2428]
(c) Microsoft Corporation. All rights reserved.

C:\Users\karti\OneDrive\Desktop\dlca>javac Scanner.java

C:\Users\karti\OneDrive\Desktop\dlca>java Scanner.java
Enter Name , Age and Salary:
kartikey
16
50000
Name:kartikey
Age:16
Salary:50000.0

C:\Users\karti\OneDrive\Desktop\dlca>
```

2} Buffer reader class

package com.javatpoint;

import java.io.*;

public class BufferedReaderExample{

```java
public static void main(String args[])throws Exception{

    InputStreamReader r=new
InputStreamReader(System.in);

    BufferedReader br=new BufferedReader(r);

    System.out.println("Enter your name");

    String name=br.readLine();

    System.out.println("Welcome "+name);

}
}
```

Output :

Enter your name

kartikey

Welcome kartikey


```
Microsoft Windows [Version 10.0.22621.2428]
(c) Microsoft Corporation. All rights reserved.

C:\Users\karti\OneDrive\Desktop\dlca>javac BufferReaderExample.java
BufferReaderExample.java:3: error: class BufferedReaderExample is public, should be declared in a file named BufferedReaderExample.ja
va
public class BufferedReaderExample{
       ^
1 error

C:\Users\karti\OneDrive\Desktop\dlca>java BufferReaderExample.java
Enter your name
Kartikey
Welcome Kartikey

C:\Users\karti\OneDrive\Desktop\dlca>
```