
(http://www.pieriandata.com)

NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np

In [1]:
```
import numpy as np
```

Create an array of 10 zeros

In [4]:
```
arr=np.zeros(10)
```

In [5]:
```
arr
```

Out[5]:
```
array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

In [3]:
```

```

Out[3]:
```
array([ 0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.])
```

Create an array of 10 ones

In [13]:
```
arr=np.ones(10 )
```

In [14]:

```
```

Out[14]:
```
array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

In [ ]:

```
```

In [4]:

```
```

Out[4]:
```
array([ 1.,  1.,  1.,  1.,  1.,  1.,  1.,  1.,  1.,  1.])
```

Create an array of 10 fives

In [103]:
```
np.ones(10 )*5
```

Out[103]:
```
array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

In [9]:

```
```

Out[9]:
```
array([5, 5, 5, 5, 5, 5, 5, 5, 5, 5])
```

Create an array of the integers from 10 to 50

In [18]:
```
np.arange(10,51)
```

Out[18]:
```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49, 50])
```

In [11]:

```
```

Out[11]:
```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49, 50])
```

Create an array of all the even integers from 10 to 50

In [19]:
```
np.arange(10,51,2)
```

Out[19]:
```
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
       44, 46, 48, 50])
```

In [12]:
```

```

Out[12]:
```
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
       44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8

In [20]:
```
np.arange(0,9).reshape(3,3)
```

Out[20]:
```
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

In [13]:
```

```

Out[13]:
```
matrix([[0, 1, 2],
        [3, 4, 5],
        [6, 7, 8]])
```

Create a 3x3 identity matrix

In [21]:
```
np.eye(3,3)
```

Out[21]:
```
array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])
```

In [15]:
```

```

Out[15]:
```
array([[ 1.,  0.,  0.],
       [ 0.,  1.,  0.],
       [ 0.,  0.,  1.]])
```

Use NumPy to generate a random number between 0 and 1

In [48]:
```
np.random.rand(1)
```

Out[48]:
```
array([0.38299655])
```

In [22]:
```

```

Out[22]:
```
array([ 0.93645765])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

In [55]:
```
np.random.normal(0,1,25)
```

Out[55]:
```
array([ 0.37210909, -0.26685921,  0.72579422,  0.36845029, -0.10113309,
       -0.98252403, -1.63533048,  1.23977579,  0.46675922, -1.55873606,
       -1.05198718,  0.4177466 , -0.34134362, -0.35504321, -1.07962737,
       -0.29537546,  0.37904112, -1.93160835, -0.36906385,  0.06274067,
        0.50044343, -0.77617765,  1.93001683, -1.27148467,  0.53222526])
```

In [23]:
```

```

Out[23]:
```
array([ 0.96447606,  0.58595639, -0.24102021, -0.01972777,  0.19623981,
       -1.36104766, -0.99439269,  0.88758827, -1.08932569,  0.52450315,
       -0.58393132, -0.79123987,  0.07177192, -1.95609962,  1.00678034,
        0.43673244, -1.40132582, -0.96302038, -0.52134657, -0.41309678,
       -1.90590993, -0.13940084, -0.73902137,  1.09009097, -1.16131202])
```

Create the following matrix:

In [71]:
```
np.arange(0.01,1.01,0.01).reshape(10,10)
```

Out[71]:
```
array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
       [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
       [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
       [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
       [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
       [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
       [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
       [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
       [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
       [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

In [27]:
```

```

Out[27]:
```
array([[ 0.01,  0.02,  0.03,  0.04,  0.05,  0.06,  0.07,  0.08,  0.09,  0.1 ],
       [ 0.11,  0.12,  0.13,  0.14,  0.15,  0.16,  0.17,  0.18,  0.19,  0.2 ],
       [ 0.21,  0.22,  0.23,  0.24,  0.25,  0.26,  0.27,  0.28,  0.29,  0.3 ],
       [ 0.31,  0.32,  0.33,  0.34,  0.35,  0.36,  0.37,  0.38,  0.39,  0.4 ],
       [ 0.41,  0.42,  0.43,  0.44,  0.45,  0.46,  0.47,  0.48,  0.49,  0.5 ],
       [ 0.51,  0.52,  0.53,  0.54,  0.55,  0.56,  0.57,  0.58,  0.59,  0.6 ],
       [ 0.61,  0.62,  0.63,  0.64,  0.65,  0.66,  0.67,  0.68,  0.69,  0.7 ],
       [ 0.71,  0.72,  0.73,  0.74,  0.75,  0.76,  0.77,  0.78,  0.79,  0.8 ],
       [ 0.81,  0.82,  0.83,  0.84,  0.85,  0.86,  0.87,  0.88,  0.89,  0.9 ],
       [ 0.91,  0.92,  0.93,  0.94,  0.95,  0.96,  0.97,  0.98,  0.99,  1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:

In [73]:
```
np.linspace(0,1,20)
```

Out[73]:
```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

In [28]:
```

```

Out[28]:
```
array([ 0.        ,  0.05263158,  0.10526316,  0.15789474,  0.21052632,
        0.26315789,  0.31578947,  0.36842105,  0.42105263,  0.47368421,
        0.52631579,  0.57894737,  0.63157895,  0.68421053,  0.73684211,
        0.78947368,  0.84210526,  0.89473684,  0.94736842,  1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

In [76]:
```
mat = np.arange(1,26).reshape(5,5)
mat
```

Out[76]:
```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [77]:
```
mat[2:5,1:5]
```

Out[77]:
```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [40]:
```

```

Out[40]:
```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [78]:
```
mat[3,4]
```

Out[78]:
```
20
```

In [68]:
```

```

Out[68]:
```
20
```

In [41]:
```

```

Out[41]:
```
20
```

In [98]:
```
mat[0:3,[1]]
```

Out[98]:
```
array([[ 2],
       [ 7],
       [12]])
```

In [77]:
```

```

Out[77]:
```
array([[ 2],
       [ 7],
       [12]])
```

In [42]:
```

```

Out[42]:
```
array([[ 2],
       [ 7],
       [12]])
```

In [100]:
```
mat[4,0:5]
```

Out[100]:
```
array([21, 22, 23, 24, 25])
```

In [78]:
```

```

Out[78]:
```
array([[21, 22, 23, 24, 25]])
```

In [46]:
```

```

Out[46]:
```
array([21, 22, 23, 24, 25])
```

In [101]:
```
mat[3:5,0:5]
```

Out[101]:
```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [80]:
```

```

Out[80]:
```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [49]:

```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

In [104]:
```
mat.sum()
```

Out[104]: 325

In [81]:
```
mat.sum()
```

Out[81]: 325

Get the standard deviation of the values in mat

In [105]:
```
mat.std()
```

Out[105]: 7.211102550927978

In [82]:
```
mat.std()
```

Out[82]: 7.2111025509279782

Get the sum of all the columns in mat

In [107]:
```
mat.sum(axis=0)
```

Out[107]: array([55, 60, 65, 70, 75])

In [84]:
```
mat.sum(axis=0)
```

Out[84]:
```
array([55, 60, 65, 70, 75])
```

Great Job!