



NeuroFedora

FOSS and Free/Open (neuro) Science

NeuroFedora contributors



Problem statement: the brain


NeuroFedora

└ Problem statement: the brain

2019-07-25


Problem statement: the brain

The brain: neurons




Dendrites, Oxford University Press, 2015; Modified from Mel, B.W. Neural Computation, 1994.

2019-07-25



1. The brain is composed of specialised cells that enable it to process information by the use of electrical impulses
2. As the figure shows, these cells, neurons, have specialised into many many types. They serve different functions, include different proteins and markers, and can be classified in many different ways.

The brain: in numbers: neurons



- 86B neurons¹.

¹ Suzana Herculano-Houzel. "The human brain in numbers: a linearly scaled-up primate brain". In: *Frontiers in human neuroscience* 3 (2009), p. 31. DOI: [10.3389/neuro.09.031.2009](https://doi.org/10.3389/neuro.09.031.2009)

NeuroFedora

└ Problem statement: the brain

└ The brain: in numbers: neurons

2019-07-25

The brain: in numbers: neurons




+ 86B neurons².

² Suzana Herculano-Houzel. "The human brain in numbers: a linearly scaled-up primate brain". In: *Frontiers in human neuroscience* 3 (2009), p. 31. DOI: [10.3389/neuro.09.031.2009](https://doi.org/10.3389/neuro.09.031.2009)

1. The most recent estimate puts the number of neurons in the human brain at 86B.

The brain: in numbers: synapses



- Thousands of connections between neurons (synapses)².
- Synapses are also of different types, and serve different functions.


²Image from The Gao lab, College of Medicine, Drexel University.

³D. O. Hebb. *The organization of behavior: A neuropsychological theory*. 1949

2019-07-25

└ The brain: in numbers: synapses

1. Each neuron connects with thousands of other neurons, forming a massive network.
2. So, the brain can be thought of as a massively parallel processor.




The brain: in numbers: synapses

- Thousands of connections between neurons (synapses)².
- Synapses are also of different types, and serve different functions.

*Image from The Gao lab, College of Medicine, Drexel University.
D. O. Hebb. *The organization of behavior: A neuropsychological theory*. 1949

The brain: in numbers: synapses



- Thousands of connections between neurons (**synapses**)².
- Synapses are also of different types, and serve different functions.
- Synapses underlie learning³.


²Image from The Gao lab, College of Medicine, Drexel University.

³D. O. Hebb. *The organization of behavior: A neuropsychological theory*. 1949

2019-07-25

└ The brain: in numbers: synapses

1. Each neuron connects with thousands of other neurons, forming a massive network.
2. So, the brain can be thought of as a massively parallel processor.



- Thousands of connections between neurons (**synapses**)².
- Synapses are also of different types, and serve different functions.
- Synapses underlie learning³.

*Image from The Gao lab, College of Medicine, Drexel University.
**D. O. Hebb. *The organization of behavior: A neuropsychological theory*. 1949

So, we want to know (among other things)

- how the brain functions ([physiology](#)),
- how it is structured ([anatomy](#)),
- about its chemicals ([pharmacology, biochemistry](#)),
- ...

NeuroFedora

└ Problem statement: the brain

2019-07-25

└ So, we want to know (among other things)

- how the brain functions ([physiology](#))
- how it is structured ([anatomy](#))
- about its chemicals ([pharmacology, biochemistry](#))
- ...

So, we want to know (among other things)

- how the brain functions ([physiology](#)),
- how it is structured ([anatomy](#)),
- about its chemicals ([pharmacology, biochemistry](#)),
- ...
- how it processes information ([computational](#)),
- about behaviours, and cognition ([behavioural, cognitive](#)),
- ...

NeuroFedora

└ Problem statement: the brain

2019-07-25

└ So, we want to know (among other things)

- how the brain functions ([physiology](#))
- how it is structured ([anatomy](#)),
- about its chemicals ([pharmacology, biochemistry](#)),
- ...
- how it processes information ([computational](#)),
- about behaviours, and cognition ([behavioural, cognitive](#)),
- ...

with the aim of applying this knowledge to

- disease prevention and treatment,
- ...

NeuroFedora

└ Problem statement: the brain

└ with the aim of applying this knowledge to

1. To take applications from the extreme ends of the spectrum:
immediate clinical applications, immediate technological
applications.

2019-07-25

with the aim of applying this knowledge to

- disease prevention and treatment,
- ...
- brain inspired computing,
- ...

2019-07-25

NeuroFedora

└ Problem statement: the brain

└ with the aim of applying this knowledge to

1. To take applications from the extreme ends of the spectrum:
immediate clinical applications, immediate technological
applications.

- disease prevention and treatment,
- ...
- brain inspired computing,
- ...

with the aim of applying this knowledge to

- disease prevention and treatment,
- ...
- brain inspired computing,
- ...
- philosophy and consciousness,

2019-07-25

NeuroFedora

└ Problem statement: the brain

└ with the aim of applying this knowledge to


1. To take applications from the extreme ends of the spectrum:
immediate clinical applications, immediate technological
applications.

- disease prevention and treatment,
- ...
- brain inspired computing,
- ...
- philosophy and consciousness,

2019-07-25

How: research pipeline

General workflow




7/29

2019-07-25


NeuroFedora
└ How: research pipeline

└ General workflow

1. A simplified diagram. Actually a lot more complex




General workflow



2019-07-25

NeuroFedora
└ How: research pipeline

└ General workflow



1. A simplified diagram. Actually a lot more complex

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

Tools of the trade

Experimental:

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

NeuroFedora

└ How: research pipeline

└ Tools of the trade

2019-07-25

1. Lots of hardware and software is required for basic neuroscience research.

Tools of the trade

Experimental:

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

Data analysis:

- Statistics,
- Machine Learning, Big Data, Deep learning,

NeuroFedora

└ How: research pipeline

└ Tools of the trade

1. Lots of hardware and software is required for basic neuroscience research.

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

- Statistics,
- Machine Learning, Big Data, Deep learning,

Tools of the trade

Experimental:

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

Data analysis:

- Statistics,
- Machine Learning, Big Data, Deep learning,

Theory and modelling:

- Simulators of all kinds,

NeuroFedora

└ How: research pipeline

└ Tools of the trade

2019-07-25

Tools of the trade

Experimental:

- EEG, ECoG, intracellular and extracellular single and multi neuron recording,
- CT, DOI, MRI, f-MRI, MEG, PET,

Data analysis:

- Statistics,
- Machine Learning, Big Data, Deep learning,

Theory and modelling:

- Simulators of all kinds,

Tools for the dissemination of knowledge⁴:

- visualisation,
- academic writing,
- non academic writing: blogging ...,
- podcasting,
- video making,
- creating teaching materials,

⁴also to a non-specialist audience.

2019-07-25

- visualisation,
- academic writing,
- non academic writing: blogging ...,
- podcasting,
- video making,
- creating teaching materials,

Tools for a non-specialist audience

Tools for the dissemination of knowledge⁴:

- visualisation,
- academic writing,
- non academic writing: blogging ...,
- podcasting,
- video making,
- creating teaching materials,

Collaborative tools and utilities.

⁴also to a non-specialist audience.

1. Often ignored, but not less important

- visualisation,
- academic writing,
- non academic writing: blogging ...,
- podcasting,
- video making,
- creating teaching materials,

Free/Open (neuro) Science?

NeuroFedora
└ Free/Open (neuro) Science?

2019-07-25

Free/Open (neuro) Science?

A familiar ideal

Free/Open science:

Everyone should have the freedom to share, study, and modify scientific material.

⁵ Free software foundation

NeuroFedora

└ Free/Open (neuro) Science?

└ A familiar ideal

1. This includes all research related activities, tools, and output, not only source code.

A familiar ideal

Free/Open science:
Everyone should have the freedom to share, study, and modify scientific material.

A familiar ideal

Free/Open science:

Everyone should have the freedom to **share, study, and modify** scientific material.

FOSS:

Everyone should have the freedom to **share, study, and modify** software⁵.

⁵ Free software foundation

NeuroFedora

└ Free/Open (neuro) Science?

2019-07-25

└ A familiar ideal

A familiar ideal

Free/Open science:

Everyone should have the freedom to **share, study, and modify** scientific material.

FOSS:

Everyone should have the freedom to **share, study, and modify** software⁵.

Free/Open Science implicitly includes, and relies heavily on FOSS.

⁵ Free software foundation

NeuroFedora

└ Free/Open (neuro) Science?

2019-07-25

└ A familiar ideal

1. This includes all research related activities, tools, and output, not only source code.

Free/Open science:
Everyone should have the freedom to **share, study, and modify** scientific material.


FOSS:
Everyone should have the freedom to **share, study, and modify** software⁵.

Free/Open Science implicitly includes, and relies heavily on FOSS.

https://neurofedora.org

Now,

FOSS is becoming the standard in research⁶.




⁶Open source for neuroscience

NeuroFedora
└ Free/Open (neuro) Science?

2019-07-25

└ Now,



2019-07-25

What can we, Fedora, do to help?

Neuroscience community: highly multidisciplinary

- **various specialities:** biologists, mathematicians, physicists, chemists, psychologists,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ Neuroscience community: highly multidisciplinary

* various specialities: biologists, mathematicians, physicists, chemists, psychologists,

Neuroscience community: highly multidisciplinary

- various specialities: biologists, mathematicians, physicists, chemists, psychologists,
- small proportion of trained software developers,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ Neuroscience community: highly multidisciplinary

- various specialities: biologists, mathematicians, physicists, chemists, psychologists,
- small proportion of trained software developers,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of
research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

(Anecdotal) notes on development of research software

- often single developer, or small development teams,
- limited access to hardware/resources,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of
research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often single developer, or small development teams,
- limited access to hardware/resources,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of
research software

1. Give how interdisciplinary neuroscience is, most researchers are
NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the
software used in research is not of the best quality

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,
- lack of **documentation and support**,

2019-07-25

NeuroFedora

└ What can we, Fedora, do to help?

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,
- lack of **documentation and support**,

(Anecdotal) notes on development of research software

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,
- lack of **documentation and support**,
- lack of **community development know-how**,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on development of research software

1. Give how interdisciplinary neuroscience is, most researchers are NOT trained in development
2. This implies, and this is based on anecdotal evidence, that the software used in research is not of the best quality

- often **single developer**, or small development teams,
- limited **access to hardware/resources**,
- limited **code quality**,
- limited **use of established best practices**,
- limited **testing for correctness (!)**,
- limited **maintenance, short-lived projects**,
- **complex dependency chains**,
- lack of **documentation and support**,
- lack of **community development know-how**,

- waste time and effort installing (and reinstalling) their software stacks,

2019-07-25

└ (Anecdotal) notes on users of research software

1. The other side of the bridge is the users
2. Because they aren't trained, they have a hard time setting up and using the software
3. If correctness of a tool cannot be verified, how can the correctness of the scientific result be claimed?

• waste time and effort installing (and reinstalling) their software stacks.

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on users of research software

1. The other side of the bridge is the users
2. Because they aren't trained, they have a hard time setting up and using the software
3. If correctness of a tool cannot be verified, how can the correctness of the scientific result be claimed?

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on users of research software

1. The other side of the bridge is the users
2. Because they aren't trained, they have a hard time setting up and using the software
3. If correctness of a tool cannot be verified, how can the correctness of the scientific result be claimed?

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),
- rarely report bugs upstream,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on users of research software

1. The other side of the bridge is the users
2. Because they aren't trained, they have a hard time setting up and using the software
3. If correctness of a tool cannot be verified, how can the correctness of the scientific result be claimed?

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),
- rarely report bugs upstream,

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),
- rarely report bugs upstream,
- rarely send improvements upstream,

└ What can we, Fedora, do to help?

2019-07-25

└ (Anecdotal) notes on users of research software

1. The other side of the bridge is the users
2. Because they aren't trained, they have a hard time setting up and using the software
3. If correctness of a tool cannot be verified, how can the correctness of the scientific result be claimed?

- waste time and effort installing (and reinstalling) their software stacks,
- are unaware of helpful development tools,
- rarely run test suites (!),
- rarely report bugs upstream,
- rarely send improvements upstream,

We, at Fedora, are in a unique position

- we liaison between upstream and users already,

NeuroFedora

└ What can we, Fedora, do to help?

* we liaison between upstream and users already.

2019-07-25

└ We, at Fedora, are in a unique position

We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ We, at Fedora, are in a unique position

- we liaison between upstream and users already,
- we follow best practices in software development,

We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ We, at Fedora, are in a unique position

- we liaison between upstream and users already,
- we follow best practices in software development,
- we have the infrastructure,

We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,

We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,
- we **learn from one another**—train as we work,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,
- we **learn from one another**—train as we work,

We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,
- we **learn from one another**—train as we work,
- we **disseminate** information to end-users,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ We, at Fedora, are in a unique position

- we **liaison between upstream and users** already,
- we **follow best practices** in software development,
- we have the **infrastructure**,
- we constantly **work to grow the community**,
- we **learn from one another**—train as we work,
- we **disseminate** information to end-users,

So, we started NeuroFedora

Primary goal:

- Provide a ready to use, integrated FOSS platform for neuroscientists⁷.

⁷Researchers, academics, hobbyists, anyone!

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ So, we started NeuroFedora

So, we started NeuroFedora

Primary goal:

- Provide a ready to use, integrated FOSS platform for neuroscientists⁷.

bioinformatics, academics, biologists, anyone!

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

⁷ Researchers, academics, hobbyists, anyone!

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ So, we started NeuroFedora

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

└ Researchers, academics, hobbyists, anyone!

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

- help **improve the standard and maintenance of tools**,
- help users **develop software development skills**,
- **make neuroscience accessible** to non-specialists,

⁷Researchers, academics, hobbyists, anyone!

NeuroFedora

└ What can we, Fedora, do to help?

└ So, we started NeuroFedora

2019-07-25

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

- help **improve the standard and maintenance** of tools,
- help users **develop software development skills**,
- **make neuroscience accessible** to non-specialists,

Researchers, academics, hobbyists, anyone!

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

- help **improve the standard and maintenance of tools**,
- help users **develop software development skills**,
- **make neuroscience accessible** to non-specialists,
- **make Fedora the go-to distribution for neuroscience**.

⁷Researchers, academics, hobbyists, anyone!

NeuroFedora

└ What can we, Fedora, do to help?

└ So, we started NeuroFedora

2019-07-25

So, we started NeuroFedora

Primary goal:

- Provide a **ready to use, integrated FOSS platform** for neuroscientists⁷.

Secondary/collateral goals:

- help **improve the standard and maintenance of tools**,
- help users **develop software development skills**,
- **make neuroscience accessible** to non-specialists,
- **make Fedora the go-to distribution for neuroscience**.

Researchers, academics, hobbyists, anyone!

In essence,

NeuroFedora is:

- merely leveraging pre-existing community resources to a new domain of software.

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ In essence,

In essence,

NeuroFedora is:

- merely leveraging pre-existing community resources to a new domain of software.

In essence,

NeuroFedora is:

- merely leveraging pre-existing community resources to a new domain of software.
- taking the community model of FOSS to neuroscience research,

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ In essence,

In essence,

NeuroFedora is:

- merely leveraging pre-existing community resources to a new domain of software.
- taking the community model of FOSS to neuroscience research,

NeuroFedora: current metrics

- less than a year old⁸,

⁸in its second iteration

⁹ src.fedoraproject.org: Neuro-SIG

10 Pagure.io: Neuro-SIG: issues

¹¹ NeuroFedora blog: poster at CNS*2019

NeuroFedora

What can we, Fedora, do to help?

└ NeuroFedora: current metrics

- In its several iterations
- www.ncbi.nlm.nih.gov/NeuroSIG
- neurosig.org/ Neuro SIG issues
- NeuroSIG mailing poster at CNP/Neuro

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,

⁸in its second iteration

⁹src.fedoraproject.org: Neuro-SIG

¹⁰[Pagure.io](https://pagure.io): Neuro-SIG: issues

¹¹NeuroFedora blog: poster at CNS*2019

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ NeuroFedora: current metrics

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,

For the interested iteration:
⑧ src.fedoraproject.org: Neuro-SIG
⑨ Pagure.io: Neuro-SIG: issues
⑩ Pagure.io: Neuro-SIG: pull-request backlog

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,
- software:
 - 105 packages ready to install⁹.
 - ~160 in queue¹⁰.

⁸in its second iteration

⁹src.fedoraproject.org: Neuro-SIG

¹⁰[Pagure.io](https://pagure.io): Neuro-SIG: issues

¹¹NeuroFedora blog: poster at CNS*2019

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ NeuroFedora: current metrics

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,
- software:
 - 105 packages ready to install⁹.
 - ~160 in queue¹⁰.

Play the recorded iteration
src.fedoraproject.org: Neuro-SIG
Pagure.io: Neuro-SIG: issues
https://pagure.io: Neuro-SIG: pull-request

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,
- software:
 - 105 packages ready to install⁹.
 - ~160 in queue¹⁰.
- poster presented at annual Computational Neuroscience Conference (CNS), 2019¹¹.

⁸in its second iteration

⁹src.fedoraproject.org: Neuro-SIG

¹⁰[Pagure.io](https://pagure.io): Neuro-SIG: issues

¹¹NeuroFedora blog: poster at CNS*2019

NeuroFedora

└ What can we, Fedora, do to help?

2019-07-25

└ NeuroFedora: current metrics

NeuroFedora: current metrics

- less than a year old⁸,
- 15 active contributors:
 - 10 package maintainers,
 - 5 designers, newcomers,
 - only 5 from a neuroscience background,
- software:
 - 105 packages ready to install⁹.
 - ~160 in queue¹⁰.
- poster presented at annual Computational Neuroscience Conference (CNS), 2019¹¹.

Play the recorded session
#src.fedoraproject.org: Neuro-SIG
#pagure Neuro-SIG issues
#NeuroFedora poster at CNS*2019

NeuroFedora: future plans

- make more software available,
 - via modularity,
 - via containers,

NeuroFedora

└ What can we, Fedora, do to help?

└ NeuroFedora: future plans

2019-07-25

- make more software available,
 - via modularity,
 - via containers;

NeuroFedora: future plans

- make more software available,
 - via modularity,
 - via containers,
- improve documentation, and support,

NeuroFedora

└ What can we, Fedora, do to help?

└ NeuroFedora: future plans

2019-07-25

- make more software available,
 - via modularity,
 - via containers,
- improve documentation, and support,

NeuroFedora: future plans

- make more software available,
 - via modularity,
 - via containers,
- improve documentation, and support,
- increase community,
 - convert research user base into FOSS contributors,
 - convert FOSS contributor base into users,

2019-07-25

NeuroFedora └ What can we, Fedora, do to help?

└ NeuroFedora: future plans

- make more software available,
 - via modularity,
 - via containers,
- improve documentation, and support,
- increase community,
 - convert research user base into FOSS contributors,
 - convert FOSS contributor base into users,

NeuroFedora: what you can do

Anything! It's just more of Fedora!

NeuroFedora

└ What can we, Fedora, do to help?

└ NeuroFedora: what you can do

2019-07-25

NeuroFedora: what you can do

Anything! It's just more of Fedora!

- packaging,
- testing
- containers,
- documentation,
- evangelism,
- marketing,
- design,
-



NeuroFedora

└ What can we, Fedora, do to help?

└ NeuroFedora: what you can do

2019-07-25



So!

NeuroFedora
└ So!

2019-07-25

So!

There's so much more to talk about

Mailing list: neuro-sig@lists.fedoraproject.org

IRC: #fedora-neuro

Telegram: t.me/NeuroFedora

Docs: neuro.fedoraproject.org

Blog: neurofedora.github.io

Pagure: [neuro-sig/NeuroFedora](https://pagure.io/neuro-sig/NeuroFedora)

NeuroFedora
└ So!

└ There's so much more to talk about

2019-07-25

Mailing list: neuro-sig@lists.fedoraproject.org
IRC: #fedora-neuro
Telegram: t.me/NeuroFedora
Docs: neuro.fedoraproject.org
Blog: neurofedora.github.io
Pagure: [neuro-sig/NeuroFedora](https://pagure.io/neuro-sig/NeuroFedora)

There's more science in Fedora! Come to the HACKATHON!

- [Astronomy SIG](#)
- [Bigdata SIG](#)
- [Machine Learning](#)
- [Electronic Lab](#)
- [Medical](#)
- [Sci-tech](#)

2019-07-25

There's more science in Fedora! Come to the HACKATHON!

- [Astronomy SIG](#)
- [Bigdata SIG](#)
- [Machine Learning](#)
- [Electronic Lab](#)
- [Medical](#)
- [Sci-tech](#)

1. All the resources are already available in the community—all one needs to do is find others who share interests and start working!

There's more science in Fedora! Come to the HACKATHON!

- [Astronomy SIG](#)
- [Bigdata SIG](#)
- [Machine Learning](#)
- [Electronic Lab](#)
- [Medical](#)
- [Sci-tech](#)

Is your interest not listed? Start your own!

2019-07-25

There's more science in Fedora! Come to the HACKATHON!

- [Astronomy SIG](#)
- [Bigdata SIG](#)
- [Machine Learning](#)
- [Electronic Lab](#)
- [Medical](#)
- [Sci-tech](#)

Is your interest not listed? Start your own!

2019-07-25

Myths

Myth 1

(Neuro) science is all about working on “core research”.

1. The learning curve is similar to what non-techies experience when they try to join FOSS. It takes similar effort to gain the required domain specific knowledge.

Myth 1

(Neuro) science is all about working on “core research”.

Wrong! There is more to (neuro) science!

2019-07-25


NeuroFedora
└ Myths

└ Myth 1

1. The learning curve is similar to what non-techies experience when they try to join FOSS. It takes similar effort to gain the required domain specific knowledge.

(Neuro) science is all about working on “core research”.
Wrong! There is more to (neuro) science!

Myth buster example: Open Source Brain



¹² opensourcebrain.org

'29

NeuroFedora


└ Myths

—Myth buster example: Open Source Brain

└—Myth buster example: Open Source Brain

A screenshot of a web browser displaying the 'Modelling the brain, together' page of the Open Source Brain website. The page features a central image of a brain with a globe overlay, followed by several sections describing different modeling tools and resources. At the bottom, there are links for 'Get involved' and 'Join our community'.

Myth buster example: OpenWorm



13 openworm.org

NeuroFedora
└ Myths

2019-07-25

└ Myth buster example: OpenWorm



Myth buster example: Science art



1: Snail: related to Dementia



2: Pieces of the Mind (2014)



Myth 2

Only researchers can do (neuro) science. It's too hard.

1. The learning curve is similar to what non-techies experience when they try to join FOSS. It takes similar effort to gain the required domain specific knowledge.

Myth 2

Only researchers can do (neuro) science. It's too hard.


Wrong! Everyone can do (neuro) science!

2019-07-25

1. The learning curve is similar to what non-techies experience when they try to join FOSS. It takes similar effort to gain the required domain specific knowledge.

Myth buster example: understanding learning


Food: curry!



¹⁵Spike-timing dependent plasticity (STDP): underlies learning in the Brain.


└ Myth buster example: understanding learning

1. We learn when synapses change in the brain
2. As an example, let's say we have a neuron that was activated by a smell.
3. Later, we found out that that was the smell of some food, say curry.
4. Because these neurons fired one after the other here, this synapse is strengthened.
5. When this happens repeatedly, the synapse is strengthened again and again.
6. Until, the faintest whiff of the smell reminds you of the food!
7. Of course, the more you look at it, the more information you find, but that doesn't mean that we can't study or apply it.



Myth buster example: understanding learning


Food: curry!



¹⁵Spike-timing dependent plasticity (STDP): underlies learning in the Brain.


└ Myth buster example: understanding learning

1. We learn when synapses change in the brain
2. As an example, let's say we have a neuron that was activated by a smell.
3. Later, we found out that that was the smell of some food, say curry.
4. Because these neurons fired one after the other here, this synapse is strengthened.
5. When this happens repeatedly, the synapse is strengthened again and again.
6. Until, the faintest whiff of the smell reminds you of the food!
7. Of course, the more you look at it, the more information you find, but that doesn't mean that we can't study or apply it.



Myth buster example: understanding learning


Food: curry!



¹⁵Spike-timing dependent plasticity (STDP): underlies learning in the Brain.


└ Myth buster example: understanding learning

1. We learn when synapses change in the brain
2. As an example, let's say we have a neuron that was activated by a smell.
3. Later, we found out that that was the smell of some food, say curry.
4. Because these neurons fired one after the other here, this synapse is strengthened.
5. When this happens repeatedly, the synapse is strengthened again and again.
6. Until, the faintest whiff of the smell reminds you of the food!
7. Of course, the more you look at it, the more information you find, but that doesn't mean that we can't study or apply it.



Myth buster example: understanding learning


Food: curry!



¹⁵Spike-timing dependent plasticity (STDP): underlies learning in the Brain.


└ Myth buster example: understanding learning

1. We learn when synapses change in the brain
2. As an example, let's say we have a neuron that was activated by a smell.
3. Later, we found out that that was the smell of some food, say curry.
4. Because these neurons fired one after the other here, this synapse is strengthened.
5. When this happens repeatedly, the synapse is strengthened again and again.
6. Until, the faintest whiff of the smell reminds you of the food!
7. Of course, the more you look at it, the more information you find, but that doesn't mean that we can't study or apply it.



Myth buster example: understanding learning


Food: curry!



¹⁵Spike-timing dependent plasticity (STDP): underlies learning in the Brain.

└ Myth buster example: understanding learning

1. We learn when synapses change in the brain
2. As an example, let's say we have a neuron that was activated by a smell.
3. Later, we found out that that was the smell of some food, say curry.
4. Because these neurons fired one after the other here, this synapse is strengthened.
5. When this happens repeatedly, the synapse is strengthened again and again.
6. Until, the faintest whiff of the smell reminds you of the food!
7. Of course, the more you look at it, the more information you find, but that doesn't mean that we can't study or apply it.



Myth buster example: an example simulation in NEST

```
# sudo dnf install python3-nest
import pylab
import nest
import nest.voltage_trace

weight = 20.0
delay = 1.0
stim = 1000.0

# create two neurons and a voltmeter
neuron1 = nest.Create("iaf_psc_alpha")
neuron2 = nest.Create("iaf_psc_alpha")
voltmeter = nest.Create("voltmeter")

# give the first neuron a stimulus, connect it to the second one, watch the second spike
nest.SetStatus(neuron1, {"I_e": stim})
nest.Connect(neuron1, neuron2, syn_spec={'weight': weight, 'delay': delay})
nest.Connect(voltmeter, neuron2)

nest.Simulate(100.0)

nest.voltage_trace.from_device(voltmeter)
nest.voltage_trace.show()
```

¹⁶nest-simulator.org

2019-07-25

└ Myth buster example: an example simulation in NEST

1. This is all it takes to simulate two neurons that are connected through a synapse.
2. Of course, this is a simple example, but the point is—it's just programming with a little bit of domain knowledge.

Myth buster example: an example simulation in NEST

```
# make the two neurons and a voltmeter
neuron1 = nest.Create("iaf_psc_alpha")
neuron2 = nest.Create("iaf_psc_alpha")
voltmeter = nest.Create("voltmeter")

# give the first neuron a stimulus, connect it to the second one, watch the second spike
nest.SetStatus(neuron1, {"I_e": 1000.0})
nest.Connect(neuron1, neuron2, syn_spec={"weight": 20.0, "delay": 1.0})
nest.Connect(voltmeter, neuron2)

nest.Simulate(100.0)

nest.voltage_trace.from_device(voltmeter)
nest.voltage_trace.show()

Here simulation.org
```