

SELF LEARNING

Group By Problems

1)

The screenshot shows a LeetCode submission for the problem "Customer Placing the Largest Number of Orders". The submission is accepted, with a runtime of 472 ms, beating 81.27% of other submissions. A histogram shows the distribution of runtimes, with the user's submission at the peak. The code is a MySQL query that groups orders by customer number and orders by count in descending order, limited to 1 result per customer.

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT customer_number FROM orders
3 GROUP BY customer_number
4 ORDER BY COUNT(*) DESC LIMIT 1;
```

Testcase: Accepted Runtime: 70 ms

Case 1:

order_number	customer_number
1	1
2	2
3	3
4	3

2)

The screenshot shows a LeetCode submission for the problem "Biggest Single Number". The submission is accepted, with a runtime of 424 ms, beating 87.72% of other submissions. A histogram shows the distribution of runtimes, with the user's submission at the peak. The code is a MySQL query that selects the maximum number from the MyNumbers table, excluding numbers that appear more than once.

Code: MySQL

```
1 # Write your MySQL query statement below
2 SELECT MAX(num) as num FROM MyNumbers
3 WHERE num IN
4 (SELECT num FROM MyNumbers
5 GROUP BY num
6 HAVING COUNT(num)=1);
```

Testcase: Accepted Runtime: 148 ms

Case 1 **Case 2**

Input: MyNumbers =

num
8
8
3
3
1
4

3)

The screenshot shows a LeetCode submission for the problem "Game Play Analysis I". The submission is accepted, with a runtime of 499 ms, beating 79.34% of other submissions. The code is a MySQL query that selects the player_id, the minimum event_date as first_login, and the number of games played, grouped by player_id.

Code:

```
1 # Write your MySQL query statement below
2 SELECT player_id,
3 MIN(event_date) AS first_login
4 FROM Activity
5 GROUP BY player_id;
```

Testcase 1:

Input:

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

4)

The screenshot shows a LeetCode submission for the problem "Daily Leads and Partners". The submission is accepted, with a runtime of 588 ms, beating 63.45% of other submissions. The code is a MySQL query that selects the date_id, make_name, the number of unique leads, and the number of unique partners, grouped by date_id and make_name.

Code:

```
1 # Write your MySQL query statement below
2 SELECT date_id,
3 make_name,
4 COUNT(DISTINCT lead_id) AS unique_leads,
5 COUNT(DISTINCT partner_id) AS unique_partners
6 FROM DailySales
7 GROUP BY date_id, make_name;
```

Testcase 1:

Input:

date_id	make_name	lead_id	partner_id
2020-12-8	toyota	0	1
2020-12-8	toyota	1	0
2020-12-8	toyota	1	2
2020-12-7	toyota	0	2
2020-12-7	toyota	0	1
2020-12-8	honda	1	2

5)

The screenshot shows a LeetCode submission for the problem "Find Total Time Spent by Each Employee". The submission is accepted, with a runtime of 539 ms, beating 80.98% of other submissions. The code is a MySQL query that selects event_day, emp_id, and the sum of out_time minus in_time as total_time, grouped by event_day and emp_id. The test result shows the query is accepted with a runtime of 81 ms. The input data is as follows:

emp_id	event_day	in_time	out_time
1	2020-11-28	4	32
1	2020-11-28	55	200
1	2020-12-3	1	42
2	2020-11-28	3	33
2	2020-12-9	47	74

6)

The screenshot shows a LeetCode submission for the problem "Actors and Directors Who Cooperated at Least Three Times". The submission is accepted, with a runtime of 417 ms, beating 43.49% of other submissions. The code is a MySQL query that selects actor_id and director_id from the ActorDirector table, grouped by actor_id and director_id, with a HAVING clause that filters for groups with a count of 3 or more. The test result shows the query is accepted with a runtime of 72 ms. The input data is as follows:

actor_id	director_id	timestamp
1	1	0
1	1	1
1	1	2
1	2	3
1	2	4
2	1	5

7)

The Latest Login in 2020 - Leet

leetcode.com/problems/the-latest-login-in-2020/submissions/2142633059/

Problem List < > >>

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 24 / 24 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:06

583.25 ms Beats over 99%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

708 ms Beats 54.48%

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT user_id,
3        MAX(time_stamp) AS last_stamp
4 FROM Logins
```

Testcase Test Result

You must run your code first

8)

Queries Quality and Percentage

leetcode.com/problems/queries-quality-and-percentage/submissions/2142634044/

Problem List < > >>

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 13 / 13 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:07

583.25 ms Beats over 99%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

355 ms Beats 90.23%


Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT query_name,
3        ROUND(AVG(rating / position), 2) AS quality,
4        ROUND(
5            100 * AVG(
6                CASE
7                    WHEN rating < 3 THEN 1
8                    ELSE 0
9                END
10            ), 2
11        ) AS poor_query_percentage
12
```


Testcase Test Result

You must run your code first

9)



10)



Joins Problems

1)

Replace Employee ID With The Unique Identifier

Accepted 25 / 25 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:12

Unlock the Full LeetCode Experience

Runtime: 1140 ms | Beats: 93.42%

Code (MySQL)

```

1 # Write your MySQL query statement below
2 SELECT eu.unique_id,
3        e.name
4 FROM Employees e
5 LEFT JOIN EmployeeUNI eu
6 ON e.id = eu.id;

```

Testcase Test Result

You must run your code first

2)

Product Sales Analysis I - LeetCode

Accepted 13 / 13 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:12

Unlock the Full LeetCode Experience

Runtime: 1189 ms | Beats: 92.64%

Code (MySQL)

```

1 # Write your MySQL query statement below
2 SELECT p.product_name,
3        s.year,
4        s.price
5 FROM Sales s
6 JOIN Product p
7 ON s.product_id = p.product_id;

```

Testcase Test Result

You must run your code first

3)

Employee Bonus - LeetCode

leetcode.com/problems/employee-bonus/submissions/2142639816/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 21 / 21 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:13

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1018 ms Beats 75.62%

772ms 1011ms 1249ms 1437ms

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT e.name,
3        b.bonus
4 FROM Employee e
5 LEFT JOIN Bonus b
6 ON e.empid = b.empid
7 WHERE b.bonus < 1000
8      OR b.bonus IS NULL;
```

Testcase Test Result

You must run your code first

4)

Students and Examinations - LeetCode

leetcode.com/problems/students-and-examinations/submissions/2142640892/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 15 / 15 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:14

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1602 ms Beats 7.27%

779ms 1018ms 1257ms 1496ms

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT s.student_id,
3        s.student_name,
4        sub.subject_name
```

Testcase Test Result

You must run your code first

5)

Managers with at Least 5 Direct Reports

Accepted 11 / 11 testcases passed
aniketp_008 submitted at Sep 15, 2026 19:15

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
358 ms | Beats 76.53%

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT m.name
3 FROM Employee m
4 JOIN Employee e
5 ON m.id = e.managerId
6 GROUP BY m.id, m.name
7 HAVING COUNT(e.id) >= 5;
```

Testcase Test Result

You must run your code first

6)

Last Person to Fit in the Bus

Accepted 29 / 29 testcases passed
aniketp_008 submitted at Sep 15, 2026 19:17

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
3387 ms | Beats 5.00%

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT q1.person_name
3 FROM Queue q1
4 JOIN Queue q2
5 ON q2.turn <= q1.turn
6 GROUP BY q1.turn, q1.person_name
7 HAVING SUM(q2.weight) <= 1000
8 ORDER BY q1.turn DESC
9 LIMIT 1;
```

Testcase Test Result

You must run your code first

7)

Product Price at a Given Date

Accepted 16 / 16 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:18

₹583.25/mo **Unlock the Full LeetCode Experience**
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
1543 ms | Beats 7.85%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT product_id,
3    10 AS price
4 FROM Products

```

```

8 UNION
9
10 SELECT p.product_id,
11    p.new_price AS price
12 FROM Products p
13 WHERE p.change_date = (
14    SELECT MAX(p2.change_date)
15 FROM Products p2
16 WHERE p2.product_id = p.product_id
17    AND p2.change_date <= '2019-08-16'
18 );

```

Testcase Test Result

You must run your code first

Subquery Problems

1)

Employees Earning More Than

Accepted 14 / 14 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:20

₹583.25/mo **Unlock the Full LeetCode Experience**
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime
464 ms | Beats 31.85%

Code | MySQL

```

1 # Write your MySQL query statement below
2 SELECT e.name AS Employee
3 FROM Employee e
4 JOIN Employee m
5 ON e.managerId = m.id
6 WHERE e.salary > m.salary;

```

Testcase Test Result

Accepted Runtime: 96 ms

Case 1

Input

id	name	salary	managerId
1	Joe	70000	3
2	Henry	80000	4
3	Sam	60000	null
4	Max	90000	null

Output

2)

Customers Who Never Order - x + Ask Gemini

leetcode.com/problems/customers-who-never-order/submissions/2142647525/

Problem List < > x

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 12 / 12 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:21

₹583.25/mo Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

908 ms | Beats 7.57%

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT name AS Customers
3 FROM Customers
4 WHERE id NOT IN (
5     SELECT customerId
6     FROM Orders
7 );
```

Testcase Test Result

You must run your code first

3)

Rising Temperature - LeetCode x + Ask Gemini

leetcode.com/problems/rising-temperature/submissions/214264836/

Problem List < > x

Description Accepted x Editorial Solutions Submissions

All Submissions

Accepted 15 / 15 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:22

₹583.25/mo Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

832 ms | Beats 6.75%

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT w1.id
3 FROM Weather w1
4 JOIN Weather w2
5 ON DATEDIFF(w1.recordDate, w2.recordDate) = 1
6 WHERE w1.temperature > w2.temperature;
```

Testcase Test Result

You must run your code first

4)

Sales Person - LeetCode

leetcode.com/problems/sales-person/submissions/2142649362/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 21 / 21 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:22

583.25 ms (Beats over 98%)

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1466 ms Beats 76.78%

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT name
3 FROM SalesPerson
4 WHERE sales_id NOT IN (
5     SELECT o.sales_id
6     FROM Orders o
7     JOIN Company c
8     ON o.com_id = c.com_id
9     WHERE c.name = 'RED'
10 );
```

Testcase Test Result

You must run your code first

5)

Consecutive Numbers - LeetCode

leetcode.com/problems/consecutive-numbers/submissions/2142650221/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 23 / 23 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:23

583.25 ms (Beats over 98%)

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

585 ms Beats 72.66%

Code MySQL

```
1 # Write your MySQL query statement below
2 SELECT DISTINCT t1.num AS ConsecutiveNums
3 FROM Logs t1
4 JOIN Logs t2
5 ON t2.id = t1.id + 1
6 JOIN Logs t3
7 ON t3.id = t1.id + 2
8 WHERE t1.num = t2.num
9 AND t2.num = t3.num;
```

Testcase Test Result

You must run your code first

6)

Combine Two Tables - LeetCode

leetcode.com/problems/combine-two-tables/submissions/2142650946/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 8 / 8 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:24

₹583.25/mo Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

595 ms | Beats 11.77%

6%
4%
2%
0%
322ms 433ms 544ms 655ms

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT p.firstName,
3        p.lastName,
4        a.city,
5        a.state
6 FROM Person p
7 LEFT JOIN Address a
8 ON p.personId = a.personId;
```

Testcase Test Result

You must run your code first

7)

Rank Scores - LeetCode

leetcode.com/problems/rank-scores/submissions/2142651671/

Problem List

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 11 / 11 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:25

₹583.25/mo Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

352 ms | Beats 50.11%

10%
5%
0%
250ms 410ms 571ms 731ms

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT score,
3        DENSE_RANK() OVER (
4            ORDER BY score DESC
5        ) AS "rank"
6 FROM Scores
7 ORDER BY score DESC;
```

Testcase Test Result

You must run your code first

8)

Managers with at Least 5 Direct Reports

Accepted 11 / 11 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:26

₹583.25/mo Save over 88%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

490 ms | Beats 13.11%

Graph showing runtime distribution (0% to 8%) with a peak around 400ms.

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT m.name
3 FROM Employee m
4 JOIN Employee e
5 ON m.id = e.managerId
6 GROUP BY m.id, m.name
7 HAVING COUNT(e.id) >= 5;
```

Testcase | Test Result

You must run your code first

9)

Delete Duplicate Emails - LeetC

Accepted 22 / 22 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:26

₹583.25/mo Save over 88%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

925 ms | Beats 52.01%

Graph showing runtime distribution (0% to 6%) with a peak around 920ms.

Code | MySQL

```
1 # Write your MySQL query statement below
2 DELETE p1
3 FROM Person p1
4 JOIN Person p2
5 ON p1.email = p2.email
6 AND p1.id > p2.id;
```

Testcase | Test Result

You must run your code first

10)

Last Person to Fit in the Bus - L...

Ask Gemini

leetcode.com/problems/last-person-to-fit-in-the-bus/submissions/2142654441/

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

29 / 29 testcases passed

aniketp_008 submitted at Sep 15, 2026 19:27

₹583.25/mo

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

2181 ms | Beats 5.00%



657ms1039ms1420ms1902ms

Code

MySQL

Auto

```
1 # Write your MySQL query statement below
2 SELECT q1.person_name
3 FROM Queue q1
4 JOIN Queue q2
5 ON q2.turn <= q1.turn
6 GROUP BY q1.turn, q1.person_name
7 HAVING SUM(q2.weight) <= 1000
8 ORDER BY q1.turn DESC
9 LIMIT 1;
```

Saved

Ln 1, Col 1

Testcase

Test Result

You must run your code first