

# Performance Analysis and Comparison between OWDM (Orthogonal Wavelet Division Multiplex) and OFDM (Orthogonal Frequency Division Multiplex)

By :

Aniket Fasate

Farish Reheman

Sai Sreekar K S

Mupparapapurushothaman Chandrasekar

# Problem Statement

- ❖ The high Peak-to-Average Power Ratio (PAPR) of Filtered-Orthogonal Frequency Division Multiplexing (F-OFDM) leads to inefficiencies and performance issues in 5G and beyond wireless systems, necessitating the exploration of alternative multicarrier modulation techniques.
- ❖ This study proposes Filtered Orthogonal Wavelet Division Multiplexing (F-OWDM), utilizing wavelet transforms to replace Fourier transforms, aiming to eliminate the need for a cyclic prefix and to improve bandwidth efficiency while reducing PAPR and Bit Error Rate (BER) compared to conventional F-OFDM.

# Current 5G Modulation Schemes

## *Quadrature Amplitude Modulation (QAM)*

- QAM is a widely used modulation scheme in 5G for its efficiency in transmitting multiple bits per symbol.
- It modulates both the amplitude and phase of the carrier signal to represent digital data.
- Variants like 16-QAM, 64-QAM, and 256-QAM are commonly employed in 5G networks.

## *Orthogonal Frequency Division Multiplexing (OFDM)*

- OFDM is a fundamental modulation scheme in 5G, especially for downlink transmissions.
- It divides the available frequency spectrum into orthogonal subcarriers, allowing for efficient data transmission.


## *Generalized Frequency Division Multiplexing (GFDM)*

- GFDM is a flexible approach to subcarrier multiplexing, which allows for lower Out-of-Band (OOB) radiation and reduced interference. It's considered for scenarios that require high spectral efficiency and low latency.

# OFDM v/s OFDMA


## OFDM (Wi-Fi 2-5)

- One user packet per time segment
- Inefficient for small packets
- High voice/video delay




## OFDMA (Wi-Fi 6)

- Multiple users packet per time segment
- Highly efficient
- Low voice/video delay




# OFDM v/s OFDMA

## OFDM



## OFDMA



# OFDM vs OWDM

## *OFDM*

1. It possesses a high peak-to-average power ratio (PAPR), which results in its poor performance.
2. Low complexity.
3. Frequency and Time Offset: Frequency offset can lead to issues such as inter-carrier interference (ICI),
4. Cyclic Prefix is required.
5. Utilizes the FFT.

## *OWDM*


1. F-OWDM system does not require a cyclic prefix because of the overlapping sub-carriers in the time and frequency domains
2. Higher complexity
3. Utilizes filter-bank based wavelet transform

# The Wavelet Transform


- Fourier Transform is the decomposition of a complex signal into sum of sine signals. The problem with Fourier Transform is that it gives no information about the time domain.
- Wavelet transforms give resolution in both time and frequency (multiresolution analysis)
- A wavelet is a short -lived oscillation localized in time. Wavelets in general is the family of all these different types. (Haar, Mexican Hat, Gaussian, Daubechies, Morlet etc.)
- For this analysis, we use **Discrete Wavelet Transforms**

## Why Wavelets?


- Due to its overlapping sub-carriers in the time and frequency domains, cyclic prefix is not required -> **Higher BW efficiency**
- F-OWDM has the advantage of lower PAPR and lower BER than the C-F-OFDM system



# DWT & IDWT




Discrete Wavelet Transform




Inverse Discrete Wavelet Transform



# OWDM Transmitter and Receiver





Transmitter IDWT



Receiver DWT

# Experimental Setup

- Data was generated using a binomial distribution in bits.
- 64 OWDM subcarriers (8 pilot carriers and 55 data carriers)
- 16QAM modulation with gray mapping
- Frequency selective channel: two-tap multipath channel  $\rightarrow [1, 0, 3 + 3j] + \text{noise}$  (as defined by SNR)
- *Pywavelets* python package is used to apply multi-level discrete wavelet transform



Wavelet: bior2.2; SNR: 5dB; Decomposition Level: 3

# Cellular Network Generations

## *Wavelet Transform OFDM:*

- Wavelet Transform OFDM is an alternative modulation technique that replaces Fourier transform with wavelet transform.
- Wavelet transform provides a more flexible time-frequency representation compared to Fourier transform.

## *Key Features:*

- Wavelet OFDM enables efficient modulation of signals with varying bandwidth requirements and time-varying characteristics.
- It offers better support for non-stationary signals, making it suitable for dynamic wireless environments.

## *Benefits:*

- Improved spectral efficiency: Wavelet OFDM allows for more efficient use of the available spectrum, accommodating higher data rates.
- Enhanced robustness: Wavelet OFDM exhibits resilience to channel distortions and noise, resulting in more reliable communication.

## *Integration with 5G:*

- Wavelet OFDM technology can be integrated into 5G networks to enhance support for diverse applications and improve overall system performance.

# Performance Metrics

## *Power Spectral Density*

- Power Spectral Density (PSD) represents the distribution of signal power across different frequencies.
- In F-OWDM, PSD indicates how the signal power is distributed over the frequency spectrum.



## *Peak-Average-Power Ratio*

- Measures the ratio of the peak power to the average power of the transmitted signal.
- Lower PAPR indicates reduced signal distortion and improved power efficiency.


## *BER*

- BER curve illustrates the relationship between the bit error rate (BER) and the signal-to-noise ratio (SNR) of the communication system.
- In F-OWDM, BER vs. SNR analysis quantifies the system's performance under varying levels of noise and interference.

# Performance Comparison



# Performance Comparison



# Lessons learnt

## *Wavelet Transform:*

- Wavelet transform decomposes signals into different frequency components with varying resolutions.
- It captures both time and frequency information simultaneously, allowing analysis of transient and non-stationary signals.
- Difference between the transforms we have used in this scenario.
- {Haar, sym4, db4, rbio, coif4}

## *Implementation:*

- The use case of IDWT and the wavelet transforms.

## *Analysis:*

- **Bior** and **haar** based F-OWDM shows better PAPR performance and BER characteristics.
- All the wavelets have better **PSD** characteristics.

# Conclusion

- The Filtered Orthogonal Wavelet Division Multiplexing (F-OWDM) system, analyzed against C-F-OFDM, employs wavelet techniques without cyclic prefix (CP) to conserve bandwidth.
- Peak-to-Average Power Ratio (PAPR) and Bit Error Rate (BER) characteristics under multipath and Additive White Gaussian Noise (AWGN) channels, F-OWDM surpasses C-F-OFDM.
- Notably, the bior2.2 wavelet exhibits superior PAPR and similar spectrum characteristics to C-F-OFDM, indicating F-OWDM as a compelling choice for 5G and beyond applications.



## References

1. Almutairi, A.F., Krishna, A. “**Filtered-orthogonal wavelet division multiplexing (F-OWDM) technique for 5G and beyond communication systems**”. *Sci Rep* **12**, 4607 (2022). <https://doi.org/10.1038/s41598-022-08248-3>
2. Mordecai F. Raji, JianPing Li, Amin Ul Haq, Victor Ejianya, Jalaluddin Khan, Asif Khan, Mudassir Khalil, Amjad Ali, Ghufraan A. Khan, Mohammad Shahid, Bilal Ahamad, Amit Yadav, Imran Memon, "A New Approach for Enhancing the Services of the 5G Mobile Network and IOT-Related Communication Devices Using Wavelet-OFDM and Its Applications in Healthcare", *Scientific Programming*, vol. 2020, Article ID 3204695, 13 pages, 2020. <https://doi.org/10.1155/2020/3204695>
3. K. Abdullah and Z. M. Hussain, “**Simulation of models and BER performances of DWT-OFDM versus FFT-OFDM**” *Discrete Wavelet Transforms*, IntechOpen, London, UK, 2011
4. Basic OFDM Example in Python: <https://dspillustrations.com/pages/posts/misc/python-ofdm-example.html>

# Thank You