Test Run Report



Test Run Overview

Started 26 Nov 2024, 12:25:23 Ended 26 Nov 2024, 16:29:05

Duration (mm:ss) 4:03:42.089


Test Results Summary

Passed 0 Failed 0 Skipped 0



Test Case Summary





pending pending

WriteExcel.testcase

Summary

Started 26 Nov 2024, 12:25:23 Ended 26 Nov 2024, 12:25:24

Duration (mm:ss) 00:01.358
Outcome pending

- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> Salutation = PrimitiveValueImpl [value: Prof., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> FirstName = PrimitiveValueImpl [value: Clint, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LastName = PrimitiveValueImpl [value: Daniel, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LeadOwener = PrimitiveValueImpl [value: Clint, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- 1 ==Column=> Salutation = PrimitiveValueImpl [value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1] ==Column=> FirstName = PrimitiveValueImpl [value: Ani, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> LastName = PrimitiveValueImpl [value: Pat, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LeadOwener = PrimitiveValueImpl [value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 3:
- 1 ==Column=> Salutation = PrimitiveValueImpl [value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> FirstName = PrimitiveValueImpl [value: Anu, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> LastName = PrimitiveValueImpl [value: Sha, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LeadOwener = PrimitiveValueImpl [value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 4:
- ① ==Column=> Salutation = PrimitiveValueImpl [value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> FirstName = PrimitiveValueImpl [value: Ash, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> LastName = PrimitiveValueImpl [value: Sam, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> LeadOwener = PrimitiveValueImpl [value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 4 rows from Parameter Value Source.

Output

- readExcel
 - (i) Loading data from Parameter Value Source ...
 - ① Loading Parameter Value Source row 1:
 - ① ==Column=> Salutation = PrimitiveValueImpl [value: Prof., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 🗓 ==Column=> FirstName = PrimitiveValueImpl [value: Clint, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> LastName = PrimitiveValueImpl [value: Daniel, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> LeadOwener = PrimitiveValueImpl [value: Clint, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - i Loading Parameter Value Source row 2:

0 12:25:23(00:00.048)

```
1 ==Column=> Salutation = PrimitiveValueImpl [ value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ① ==Column=> FirstName = PrimitiveValueImpl [ value: Ani, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ① ==Column=> LastName = PrimitiveValueImpl [ value: Pat, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> Company = PrimitiveValueImpl [ value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> LeadOwener = PrimitiveValueImpl [ value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 Loading Parameter Value Source row 3:
 1 ==Column=> Salutation = PrimitiveValueImpl [ value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> FirstName = PrimitiveValueImpl [ value: Anu, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> LastName = PrimitiveValueImpl [ value: Sha, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ① ==Column=> Company = PrimitiveValueImpl [ value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ① ==Column=> LeadOwener = PrimitiveValueImpl [ value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 Loading Parameter Value Source row 4:
 ① ==Column=> Salutation = PrimitiveValueImpl [ value: Mr., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> FirstName = PrimitiveValueImpl [ value: Ash, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> LastName = PrimitiveValueImpl [ value: Sam, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 ==Column=> Company = PrimitiveValueImpl [ value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 ① ==Column=> LeadOwener = PrimitiveValueImpl [ value: Emp, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 1 Loaded 4 rows from Parameter Value Source.
                                                                                                                           0 12:25:23(00:00.095)
Set Values: {Var.LastName}

    Setting value to

     A No value name is specified for value number 1
⚠ Warning - setting value to
                                                                                                                            0 12:25:23(00:00.142)
Write: {SourceData}=>templates/empty.xlsx
 ① Writing to URL templates/empty.xlsx
 ① Start of Excel Write. WorkbookPath: templates/empty.xlsx, excludeCols: [none]
 Workbook location: C:\Users\aniket.pathania\git\repository11\new_test\templates\empty.xlsx
 List of values are supplied instead of single value. Hence cannot update
 ① Writing data to excel sheet: Sheet0
 (i) Got a list of values. Size: 4
 (i) Completed writing data to excel sheet: Sheet0

    Pausing for Pause On Error (after executing last child)

 ① Loading test case. File: C:\Users\aniket.pathania\git\repository11\new_test\tests\WriteExcel.testcase
 Execution aborted.
```