


# Bootstrap Examples

```
<!DOCTYPE html>
<html>
  <head>
    <title>Bootstrap Introduction</title>
    <link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
    <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
    <style type="text/css">
      .a1{
        background-color: limegreen;
      }
    </style>
  </head>
  <body>
    <div class="container a1">
      <h1>
        Dhyanahita-DSPS
      </h1>
    </div>
    <div class="container-fluid a1">
      <h1>
        Dhyanahita-DSPS
      </h1>
    </div>
  </body>
</html>
```

## Bootstrap Grid System



```
<head>
  <link rel="StyleSheet" href="bootstrap-4.4.1-dist/css/bootstrap.min.css" />
  <script src="bootstrap-4.4.1-dist/js/bootstrap.min.js"></script>
  <style type="text/css">
    .a1{
      background-color: lightblue;
    }
  </style>
</head>
<body>
  <div class="container-fluid">
    <div class="row a1">
      <div class="col-md-12">
        <h1>Dhayanahita-DSPS</h1>
      </div>
    </div>
    <div class="row a1">
      <div class="col-md-6">
        <h1>Dhayanahita-DSPS</h1>
      </div>
      <div class="col-md-6">
        <h1>Dhayanahita-DSPS</h1>
      </div>
    </div>
    <div class="row a1">
      <div class="col-md-4">
        <h1>Dhayanahita-DSPS</h1>
      </div>
      <div class="col-md-4">
        <h1>Dhayanahita-DSPS</h1>
      </div>
      <div class="col-md-4">
        <h1>Dhayanahita-DSPS</h1>
      </div>
    </div>
  </div>
</body>
```

---

# Bootstrap Tables

1. Table
2. Table-striped
3. Table-hover
4. Table-bordered
5. Table-dark
6. Table-dark and table-striped

```
<body>
  <div class="container">
    <table class="table table-striped">
      <tr>
        <th>Student Name</th>
        <th>Mobile Number</th>
        <th>EmailID</th>
      </tr>
      <tr>
        <td>Ajay</td>
        <td>9988112233</td>
        <td>ajay@dhayanahita.org</td>
      </tr>
      <tr>
        <td>Harsha</td>
        <td>harsha@dhayanahita.org</td>
        <td>9988111222</td>
      </tr>
      <tr>
        <td>Arvind</td>
        <td>arvind@dhayanahita.org</td>
        <td>9988771122</td>
      </tr>
    </table>
  </div>
</body>
```

# Bootstrap Images

1. Rounded
2. Rounded-circle
3. Rounded-thumbnail
4. Img-fluid for responsive of the images

```
<body>
  <div class="container-fluid">
    <div class="row">
      <div class="col-md-4">
        
      </div>
      <div class="col-md-4">
        
      </div>
      <div class="col-md-4">
        
      </div>
    </div>
  </div>
</body>
```

# Bootstrap Buttons

1. Btn
2. Btn-primary
3. Btn-secondary
4. Btn-info
5. Btn-warning
6. Btn-danger
7. Btn-light
8. Btn-dark
9. btn-lg(large), btn-sm(small), btn-md(medium)

```

</head>
<body>
  <div class="container-fluid">
    <div class="row">
      <div class="col-md-2">
        <button type="button" class="btn">Check</button>
      </div>
      <div class="col-md-2">
        <button type="button" class="btn btn-primary">Primary</button>
      </div>
      <div class="col-md-2">
        <button type="button" class="btn btn-secondary">Secondary</button>
      </div>
      <div class="col-md-2">
        <button type="button" class="btn btn-success">success</button>
      </div>
      <div class="col-md-2">
        <button type="button" class="btn btn-info">info</button>
      </div>
      <div class="col-md-2">
        <button type="button" class="btn btn-dark">Light</button>
      </div>
    </div>
  </div>
</body>

```

Arshdeep Singh

```

<div class="container-fluid">
  <div class="row">
    <div class="col-md-2">
      <button type="button" class="btn">Check</button>
    </div>
    <div class="col-md-2">
      <button type="button" class="btn btn-primary btn-lg">Primary</button>
    </div>
    <div class="col-md-2">
      <button type="button" class="btn btn-secondary btn-md">Secondary</button>
    </div>
    <div class="col-md-2">
      <button type="button" class="btn btn-success btn-sm">success</button>
    </div>
    <div class="col-md-2">
      <button type="button" class="btn btn-info">info</button>
    </div>
    <div class="col-md-2">
      <button type="button" class="btn btn-dark">Light</button>
    </div>
  </div>
</div>

```

```
<div class="container">
  <div class="row">
    <div class="col-md-12">
      <button type="button" class="btn btn-primary btn-block">Full Size Button</button>
    </div>
  </div>
  <div class="row">
    <div class="col-md-6">
      <button class="btn btn-primary active" type="button">Active Button</button>
    </div>
    <div class="col-md-6">
      <button type="button" class="btn btn-primary disabled">In-Active Button</button>
    </div>
  </div>
</div>
```