

DEPLOYMENT GUIDE

Deploying a Static Website on AWS EC2

Using SSH, SCP, and Nginx


Prepared by Anil Babu

July 28, 2026


Overview


This guide walks through deploying a static website to an AWS EC2 instance using SSH for remote access, SCP for file transfer, and Nginx as the web server. Each step below includes the exact commands used and a screenshot of the result.

1 Login to AWS Root Account




2 Launch an AWS EC2 Instance





3 Connect to EC2 from a Windows Terminal via SSH

```
ssh -i "static-website.pem" ec2-user@ec2-3-88-112-202.compute-1.amazonaws.com
```




```
C:\Windows\System32\cmd.exe x + v
C:\Users\anilb\Downloads>scp -i "static-website.pem" sarab-1.0.0.zip ec2-user@3.88.112.202:/home/ec2-user/
The authenticity of host '3.88.112.202 (3.88.112.202)' can't be established.
ED25519 key fingerprint is SHA256:u7sFwh+alm/Cv4p7LWh7oBzW5d1YF51wqbW5QfI2Cs.
This host key is known by the following other names/addresses:
C:\Users\anilb/.ssh/known_hosts:61: ec2-3-88-112-202.compute-1.amazonaws.com
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Please type 'yes', 'no' or the fingerprint:
Warning: Permanently added '3.88.112.202' (ED25519) to the list of known hosts.
sarab-1.0.0.zip 100% 7508KB 397.2KB/s 00:18

C:\Users\anilb\Downloads>
```

6 Unzip the Project Folder

```
unzip sarab-1.0.0.zip
unzip sarab-1.0.0.zip -d sarab
```

```
ec2-user@ip-172-31-89-241:~$
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-89-241 ~]$ ls
sarab-1.0.0.zip
[ec2-user@ip-172-31-89-241 ~]$
[ec2-user@ip-172-31-89-241 ~]$ ls
sarab-1.0.0.zip
[ec2-user@ip-172-31-89-241 ~]$ unzip sarab-1.0.0.zip
Archive:  sarab-1.0.0.zip
829c4d0ddc482ee5ec3dd28793168f7d58cf1d73
  creating: sarab-1.0.0/
  creating: sarab-1.0.0/Documentation/
  creating: sarab-1.0.0/Documentation/css/
  inflating: sarab-1.0.0/Documentation/css/all.css
  creating: sarab-1.0.0/Documentation/fonts/
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome.otf
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome-webfont.eot
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome-webfont.svg
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome-webfont.ttf
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome-webfont.woff
  inflating: sarab-1.0.0/Documentation/fonts/FontAwesome-webfont.woff2
  inflating: sarab-1.0.0/Documentation/index.html
  creating: sarab-1.0.0/Documentation/js/
  inflating: sarab-1.0.0/Documentation/js/all.js
  inflating: sarab-1.0.0/Documentation/js/main.js
  inflating: sarab-1.0.0/README.md
  creating: sarab-1.0.0/sarab/
  creating: sarab-1.0.0/sarab/css/
  inflating: sarab-1.0.0/sarab/css/all.min.css
  inflating: sarab-1.0.0/sarab/css/aos.css
  inflating: sarab-1.0.0/sarab/css/bootstrap.min.css
  inflating: sarab-1.0.0/sarab/css/magnific-popup.css
  inflating: sarab-1.0.0/sarab/css/style.css
  inflating: sarab-1.0.0/sarab/css/swiper-bundle.min.css
  creating: sarab-1.0.0/sarab/img/
  inflating: sarab-1.0.0/sarab/img/about1.jpg
  inflating: sarab-1.0.0/sarab/img/about2.jpg
  inflating: sarab-1.0.0/sarab/img/banner-img.jpg
  creating: sarab-1.0.0/sarab/img/blog/
  inflating: sarab-1.0.0/sarab/img/blog/1.jpg
```

Configure Nginx

1 Move into the Project Directory

```
cd sarab
```

2 Remove the Default Website Content

```
sudo rm -rf /usr/share/nginx/html/*
```

3 Copy Project Files into the Nginx Web Root

Standard project (plain HTML/CSS/JS):

```
sudo cp -r * /usr/share/nginx/html/
```

Next.js / TypeScript project (built output in dist/):

```
sudo cp -r dist/* /usr/share/nginx/html/
```

React.js / JavaScript project (built output in build/):

```
sudo cp -r build/* /usr/share/nginx/html/
```

4 Set Ownership for the Nginx Web Root

Recursively assigns the nginx user and group as owner of all files and subdirectories:

```
sudo chown -R nginx:nginx /usr/share/nginx/html
```

5 Set Permissions for the Nginx Web Root

Recursively sets owner: read/write/execute, group: read/execute, other: read/execute:

```
sudo chmod -R 755 /usr/share/nginx/html
```

6 Test the Nginx Configuration

```
sudo nginx -t
```


7 Restart the Nginx Service

```
sudo systemctl restart nginx
```

8 Verify the Live Website

The static website is now live and accessible at:

```
http://ec2-3-88-112-202.compute-1.amazonaws.com/
```



The deployed static website running live on EC2 via Nginx