
## My-website



## My-bootstrap-website

```
anil_pavilion@Anil-Pavilion:~$ mkdir my-bootstrap-website
anil_pavilion@Anil-Pavilion:~$ cd my-bootstrap-website
anil_pavilion@Anil-Pavilion:~$ cd my-bootstrap-website
anil_pavilion@Anil-Pavilion:~$ cd my-bootstrap-website$ touch index.html
anil_pavilion@Anil-Pavilion:~\my-bootstrap-website$ touch styles.css
anil_pavilion@Anil-Pavilion:~\my-bootstrap-website$ touch script.js
anil_pavilion@Anil-Pavilion:~\my-bootstrap-website$ touch Cockerfile
anil_pavilion@Anil-Pavilion:~\my-bootstrap-website$ docker build -t my-bootstrap-website.

[*] Building 7.6s (10/10) FINISHED

=> [internal] load build definition from Dockerfile
=> > transferring dockerfile: 4008
=> [internal] load metadata for docker.io/library/nginx:alpine
=> [auth] library/nginx:pull token for registry-1.docker.io
=> [internal] load dockerignore
=> > transferring context: 28
=> CACHED [1/4] FROM docker.io/library/nginx:alpine@sha256:65645c7bb6a0661892a8b03b89d0743208a18dd2f3f17a54ef4b76fb8e2f2a10
=> [internal] load build context
=> > transferring context: 1.43kB
=> [2/4] COPY index.html /usr/share/nginx/html/
=> [3/4] COPY styles.css /usr/share/nginx/html/
=> [4/4] COPY styles.css /usr/share/nginx/html/
=> exporting to image
=> > writing image sha256:c8d94ea54df1af50f3810371c15f43d3fadd83a982158f9a6cdedac88950aa2
=> > waning to docker.io/library/my-bootstrap-website
anil_pavilion@Anil-Pavilion:~\my-bootstrap-websites
docker run -d -p 8080:80 --name my-bootstrap-website-container my-bootstrap-website-conta
```

