Round the no to its next / previous multiple of 10 based on last digit without using if..else.

If last digit >=5 round to next coming int.

If last digit < 5 round to previous int.

```
#include<stdio.h>

#include<conio.h>

void main()

{

int  n;

clrscr();

printf("Enter n value ");scanf("%d",&n);

n<0 && (n%10>=-5 && printf("Next multiple  %d",(n/10)*10)||
printf("Previous multiple %d",(n/10-1)*10));

n>0&&(n%10>=5 && printf("Next multiple  %d",(n/10+1)*10)||
printf("Previous multiple %d",n/10*10));

getch();

}
```


TC
Enter n value -27
Previous multiple -30
11:50 AM
23-Sep-25


TC
Enter n value -23
Next multiple -20
11:50 AM
23-Sep-25


TC
Enter n value 34
Previous multiple 30
11:50 AM
23-Sep-25


TC
Enter n value 38
Next multiple 40
11:51 AM
23-Sep-25

Finding lower case alphabet or not without using if..else:




```
#include<stdio.h>
#include<conio.h>
void main()
{
char ch;
clrscr();
printf("Enter a character "); scanf("%c",&ch);
ch>='a'&&ch<='z'&&puts("Lower case char")||puts("Not a Lower case char");
getch();
}
```




```
Enter a character d
Lower case char
```


TC
Enter a character B
Not a Lower case char
11:54 AM
23-Sep-25


TC
File Edit Run Compile Project Options Debug Break/watch
Line 6 Col 1 Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = !printf("Hi");
printf("a=%d",!a);
getch();
}
11:56 AM
23-Sep-25



a = !p("Hi");

$$\frac{!2}{0}$$

$$\frac{!a}{1}$$

Increment & Decrement operators [++ / --]:

They are used to increment or decrement a variable value by 1.

int a=10, b=4;

a++; i.e. a=a+1 → 10+1 = 11

b--; i.e. b=b-1 → 4-1 = 3


TC
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 13 Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10, b=4;
clrscr();
a++; /* postfix increment */
b--; /* postfix decrement */
printf("a=%d, b=%d",a,b);
getch();
}
12:01 PM
23-Sep-25


TC
a=11, b=3
12:00 PM
23-Sep-25


TC
File Edit Run Compile Project Options Debug Break/watch
Line 8 Col 28 Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10, b=4;
clrscr();
++a; /* prefix increment */
--b; /* prefix decrement */
printf("a=%d, b=%d",a,b);
getch();
}
12:01 PM
23-Sep-25


TC
a=11, b=3
12:01 PM
23-Sep-25

Note:

If we are using single variable pre and post operations are same.



```
File    Edit    Run    Compile    Project    Options    Debug    Break/watch
      Line 11     Col 28   Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10,  b;
clrscr();
b=a++; /* postfix increment */
printf("a=%d, b=%d\n",a,b);
a=10;
b=++a; /*prefix increment */
printf("a=%d, b=%d",a,b);
getch();
}
```



```
a=11, b=10
a=11, b=11_
```

a=10
b=a++;priority: =, ++
1. b=a ==> b=10
2. a++ ==> a=11

a=10
b=++a;priority: ++, =
1. ++a ==> a=11
2. b=a ==> b=11



a=10
a++/2; priority: /, ++
1. a/2==>10/2=5 [5 not stored in a because of = not used i.e. a = 10]
2. a++ ==> a=11
printf(a) ==> 11
++a/2; priority: ++, /
1. ++a ==> a=12
2. a/2==>12/2=6 [6 not stored in a because of = not used. i.e. a=12]
printf(a) ==> 12

```
TC
File    Edit    Run    Compile    Project    Options    Debug    Break/watch
      Line 15     Col 4    Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10;
clrscr();
a=a++/2;
printf("a=%d\n",a);
a=++a/2;
printf("a=%d",a);
getch();
}
/*
a=6
a=3
*/
```

12:19 PM
23-Sep-25

a=10

a=a++/2; priority: /,=, a++

1. a=a/2==>10/2=5

2. a=5

3. a++ ==> a=6

a=++a/2; priority: ++a, /, =

1. ++a==>a=7

2. a=a/2==> 7/2=3

3. a=3




```c
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10;
clrscr();
printf("a=%d\n",a++/2);
printf("a=%d\n",++a/2);
printf("a=%d",a);
getch();
}
/*
a=5
a=6
a=12
*/
```



a=10

printf("%d", a++/2); priority: /, printf(), a++

1. a/2==> 10/2=5 [5 not stored in a because of = not used]
2. printf(5)
3. a++ ==> 10++ ==> a=11

printf("%d",++a/2); priority: ++a, /, printf

1. ++a ==> a=12
2. a/2==>12/2=6
3. printf(6) [6 printf not stored i.e. a=12]

printf(a) ==> 12


TC
File Edit Run Compile Project Options Debug Break/watch
Line 15 Col 4 Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 10;
clrscr();
printf("a=%d\n",a=a++/2);
printf("a=%d\n",a=++a/2);
printf("a=%d",a);
getch();
}
/*
a=5
a=3
a=3
*/
Update spyware protection
Spyware protection is out of date. Tap or click to update
Windows Defender.
12:35 PM
23-Sep-25



a=a++/2 ==> priority: /, =, printf, a++

a=a/2=10/2=5

a=5

printf(a) ==> 5

a++ ==> a=6

p(a=++a/2); priority: ++a,/,=,printf()

++a==>a=7,

a=a/2==>7/2=3

a=3

printf(a) ==> 3


TC
File Edit Run Compile Project Options Debug Break/watch
Line 9 Col 40 Insert Indent Tab Fill Unindent * E:11AM.C
#include<stdio.h>
#include<conio.h>
void main()
{
int a = 1;
clrscr();
printf("%d,%d,%d,%d,%d\n",++a,a++,a--,a++,++a);
printf("%d,%d,%d,%d,%d\n",++a,a*10,a=10,a++,++a);
getch();
}
12:55 PM
23-Sep-25



Note: In printf execution order right to left and printing left to right.

a=1