Evidence Gate · evaluation overview

CHALLENGER AI: SAVED (SAVED ANSWERS)

5 cases, 5 runs each

Generated 2026-11-04 17:33. Each change was checked on its own branch of the shop and compared with an answer key written before the first run.

0	0	2	0
defects missed	correct changes blocked	correct changes held up by questions	defects sent to light review

100%	0% (0 of 25)
lowest stability across runs	of runs routed to light review

Every case and its status

CASE	WHAT THE AI DID	THE KEY SAYS	THE GATE SAID	RESULT
E1 none	Correct threshold change	READY / light review	**NEEDS DECISION / product owner decides** AC-1 needs human review · AC-2 verified · AC-3 verified · AC-4 needs human review identical in 100% of 5 runs	HELD UP BY QUESTIONS AC-1 is needs human review, the key says verified AC-4 is needs human review, the key says verified
E2 planted	Legacy >=50 free shipping kept; tests adjusted	BLOCKED / back to developer	**BLOCKED / back to developer** AC-1 needs human review · AC-2 failed · AC-3 failed · AC-4 failed identical in 100% of 5 runs	DIFFERS FROM THE KEY AC-1 is needs human review, the key says verified
E3 none	Correct welcome discount for new registered customers	NEEDS DECISION / product owner decides	**NEEDS DECISION / product owner decides** AC-1 needs human review · AC-2 verified · AC-3 needs human review · AC-4 needs human review identical in 100% of 5 runs	MATCHES THE KEY
E4 planted	Welcome discount given to returning customers too; tests adjusted	BLOCKED / back to developer	**BLOCKED / back to developer** AC-1 needs human review · AC-2 failed · AC-3 needs human review · AC-4 needs human review identical in 100% of 5 runs	MATCHES THE KEY
E5 induced	Threshold + unrequested NOTE-001 price change	READY / focused review	**NEEDS DECISION / product owner decides** AC-1 needs human review · AC-2 verified · AC-3 verified · AC-4 needs human review identical in 100% of 5 runs	HELD UP BY QUESTIONS AC-1 is needs human review, the key says verified AC-4 is needs human review, the key says verified

READY means every written example passed and a person only skims it. BLOCKED means a written example failed. NEEDS DECISION means the spec leaves a question open. The Gate decides how much human review a change needs; it never removes human review. What the evaluation does not show is in docs/LIMITATIONS.md.

Evidence Gate - SHOP-102 (updated requirement) - commit 12a4eb8 · Raise free-shipping threshold

NEEDS DECISION

7 open questions

ROUTE

product owner decides

Open questions: AC-1 (The diff only changes the constant. The comparison logic in app/pricing/** is not shown. Is 'at or above' (>=) applied to the subtotal, so exactly 75.00 ships free?), AC-4 (Does the receipt read the shipping value from the same pricing code as api.quote_order, or does it have its own copy of the threshold (for example in a template or front-end code)?), Q-2 (Is the threshold compared against the subtotal before or after discounts, promo codes and taxes? The spec only says 'order' and 'subtotal'.), Q-4 (Does the threshold apply to all customer types (guest, returning, wholesale, staff), or do some have different shipping rules?), Q-5 (Is the $50 threshold hard-coded anywhere else (docs, banners, UI text such as 'Free shipping over $50', tests, other config)? The spec scope lists only app/config.py and app/pricing/**.), Q-6 (What happens with a subtotal of 0, an empty cart, or a cart containing the TEST-SKU custom price? Is shipping still $5.99 or is it handled differently?), Q-7 (How is the subtotal rounded before comparison, for example 74.995 or fractional cents from custom prices? The spec only gives two-decimal values.)

Next action: Product owner: answer AC-1: The diff only changes the constant. The comparison logic in app/pricing/** is not shown. Is 'at or above' (>=) applied to the subtotal, so exactly 75.00 ships free?; AC-4: Does the receipt read the shipping value from the same pricing code as api.quote_order, or does it have its own copy of the threshold (for example in a template or front-end code)?; Q-2: Is the threshold compared against the subtotal before or after discounts, promo codes and taxes? The spec only says 'order' and 'subtotal'.; Q-4: Does the threshold apply to all customer types (guest, returning, wholesale, staff), or do some have different shipping rules?; Q-5: Is the $50 threshold hard-coded anywhere else (docs, banners, UI text such as 'Free shipping over $50', tests, other config)? The spec scope lists only app/config.py and app/pricing/**.; Q-6: What happens with a subtotal of 0, an empty cart, or a cart containing the TEST-SKU custom price? Is shipping still $5.99 or is it handled differently?; Q-7: How is the subtotal rounded before comparison, for example 74.995 or fractional cents from custom prices? The spec only gives two-decimal values.. Update the task spec, then rerun evidence-gate check.

Warning: The working tree has uncommitted changes; the evidence is for the files as they are now.

Criteria

CRITERION	PRIORITY	LABEL	EVIDENCE
AC-1	MUST	Needs human review	subtotal=75.00 -> shipping 0.00 (expected 0.00); The diff only changes the constant. The comparison logic in app/pricing/** is not shown. Is 'at or above' (>=) applied to the subtotal, so exactly 75.00 ships free?
AC-2	MUST	Verified	subtotal=74.99 -> shipping 5.99 (expected 5.99)
AC-3	MUST	Verified	subtotal=50.00 -> shipping 5.99 (expected 5.99)
AC-4	MUST	Needs human review	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001 -> shipping 5.99 (expected 5.99); customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001 -> shipping 0.00 (expected 0.00); Does the receipt read the shipping value from the same pricing code as api.quote_order, or does it have its own copy of the threshold (for example in a template or front-end code)?
(new)		Needs human review	Is the threshold compared against the subtotal before or after discounts, promo codes and taxes? The spec only says 'order' and 'subtotal'.
(new)		Needs human review	Does the threshold apply to all customer types (guest, returning, wholesale, staff), or do some have different shipping rules?


(new)	Needs human review	Is the $50 threshold hard-coded anywhere else (docs, banners, UI text such as 'Free shipping over $50', tests, other config)? The spec scope lists only app/config.py and app/pricing/**.
(new)	Needs human review	What happens with a subtotal of 0, an empty cart, or a cart containing the TEST-SKU custom price? Is shipping still $5.99 or is it handled differently?
(new)	Needs human review	How is the subtotal rounded before comparison, for example 74.995 or fractional cents from custom prices? The spec only gives two-decimal values.

Evidence: every scenario that was run


Only scenarios with an expected value written by a person count towards a label.

SCENARIO	INPUT	EXPECTED	ACTUAL	STATUS
S-AC-1-1 AC-1 · MUST	subtotal=75.00	shipping 0.00	shipping 0.00	PASS
S-AC-2-1 AC-2 · MUST	subtotal=74.99	shipping 5.99	shipping 5.99	PASS
S-AC-3-1 AC-3 · MUST	subtotal=50.00	shipping 5.99	shipping 5.99	PASS
S-AC-4-1 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001	shipping 5.99	shipping 5.99	PASS
S-AC-4-2 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001	shipping 0.00	shipping 0.00	PASS

Screenshots



S-AC-4-1



S-AC-4-2

Questions for a person

- **Q-1** (AC-1): The diff only changes the constant. The comparison logic in app/pricing/** is not shown. Is 'at or above' (>=) applied to the subtotal, so exactly 75.00 ships free?
- **Q-2** (new): Is the threshold compared against the subtotal before or after discounts, promo codes and taxes? The spec only says 'order' and 'subtotal'.
- **Q-3** (AC-4): Does the receipt read the shipping value from the same pricing code as api.quote_order, or does it have its own copy of the threshold (for example in a template or front-end code)?
- **Q-4** (new): Does the threshold apply to all customer types (guest, returning, wholesale, staff), or do some have different shipping rules?
- **Q-5** (new): Is the $50 threshold hard-coded anywhere else (docs, banners, UI text such as 'Free shipping over $50', tests, other config)? The spec scope lists only app/config.py and app/pricing/**.
- **Q-6** (new): What happens with a subtotal of 0, an empty cart, or a cart containing the TEST-SKU custom price? Is shipping still $5.99 or is it handled differently?

- **Q-7** (new): How is the subtotal rounded before comparison, for example 74.995 or fractional cents from custom prices? The spec only gives two-decimal values.

AI suggestions (not used for labels)

The expected values here are the AI's guesses, not facts. They never change a label or the verdict.

SCENARIO	INPUT	AI GUESS	ACTUAL	STATUS
S-AI-1 AC-1	via=api.quote_order, subtotal=75.00	shipping 0.00	subtotal 75.00, shipping 0.00, discount 0.00, discount_label none, total 75.00	PASS
S-AI-2 AC-2	via=api.quote_order, subtotal=74.99	shipping 5.99	subtotal 74.99, shipping 5.99, discount 0.00, discount_label none, total 80.98	PASS
S-AI-3 AC-3	via=api.quote_order, subtotal=50.00	shipping 5.99	subtotal 50.00, shipping 5.99, discount 0.00, discount_label none, total 55.99	PASS
S-AI-4 AC-1	via=api.quote_order, subtotal=75.01	shipping 0.00	subtotal 75.01, shipping 0.00, discount 0.00, discount_label none, total 75.01	PASS
S-AI-5 AC-2	via=api.quote_order, subtotal=0.00	shipping 5.99	HTTP 422: {"error":{"code":"VALIDATION_ERROR","message":"Request validation failed","details":[{"field":"items.0.unit_price","message":"Input should be greater than 0"}]}}	ERROR

Files

Changed: `app/config.py`

Not covered by any criterion: none

In a high-risk path: none

Existing tests: 56/56 passed (context only).
Challenger AI: saved: model unknown, prompt 984d7b042982
Commit `12a4eb8` against `main` · run `r-20261104-115507` · 2026-11-04T11:55:34Z
Evidence Gate decides how much human review a change needs. It never removes human review.

Evidence Gate - SHOP-102 (updated requirement) - commit b7d0762 · Raise free-shipping threshold

BLOCKED

3 MUST criteria not verified

ROUTE

back to developer

AC-2, AC-3, AC-4 failed

Next action: Fix the code so these hold, then rerun evidence-gate check: AC-2 "An order of $74.99 pays standard shipping ($5.99)." (shipping: expected 5.99, got 0.0); AC-3 "An order of $50.00 no longer ships free (old rule removed)." (shipping: expected 5.99, got 0.0); AC-4 "The customer's receipt shows the correct shipping on both sides of $75." (shipping: expected 5.99, got 0.0).

> Warning: The working tree has uncommitted changes; the evidence is for the files as they are now.

Criteria

CRITERION	PRIORITY	LABEL	EVIDENCE
AC-1	MUST	Needs human review	subtotal=75.00 -> shipping 0.00 (expected 0.00); How should subtotals be rounded or compared when they have more than two decimals, such as 74.995? The spec does not define this.
AC-2	MUST	Not verified: failed	subtotal=74.99 -> shipping 0.00 (expected 5.99)
AC-3	MUST	Not verified: failed	subtotal=50.00 -> shipping 0.00 (expected 5.99); Should any order between $50.00 and $74.99 ever ship free, for example through a legacy promotion or for particular customer types? The spec says the old rule is removed, but the diff adds a legacy $50 branch.
AC-4	MUST	Not verified: failed	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001 -> shipping 0.00 (expected 5.99); customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001 -> shipping 0.00 (expected 0.00); Do all customer types, such as new, guest and returning customers, follow the same threshold? AC-4 only covers returning-customer-01.
(new)		Needs human review	Is the threshold checked against the subtotal before or after discounts, taxes or promo codes? The spec does not say.
(new)		Needs human review	What is the expected shipping for a zero or negative subtotal, such as an empty cart or a refund? The spec does not say.
(new)		Needs human review	Does the quote API (AC-1 to AC-3) use the same shipping function as the browser receipt path (AC-4)? Is any other threshold copy, such as in the UI or docs, expected to change too?


Evidence: every scenario that was run

Only scenarios with an expected value written by a person count towards a label.


SCENARIO	INPUT	EXPECTED	ACTUAL	STATUS

S-AC-1-1 AC-1 · MUST	subtotal=75.00	shipping 0.00	shipping 0.00	PASS
S-AC-2-1 AC-2 · MUST	subtotal=74.99	shipping 5.99	**shipping 0.00 ≠ 5.99**	FAIL
S-AC-3-1 AC-3 · MUST	subtotal=50.00	shipping 5.99	**shipping 0.00 ≠ 5.99**	FAIL
S-AC-4-1 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001	shipping 5.99	**shipping 0.00 ≠ 5.99**	FAIL
S-AC-4-2 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001	shipping 0.00	shipping 0.00	PASS

Screenshots



S-AC-4-1



S-AC-4-2

Questions for a person

- **Q-1** (AC-3): Should any order between $50.00 and $74.99 ever ship free, for example through a legacy promotion or for particular customer types? The spec says the old rule is removed, but the diff adds a legacy $50 branch.
- **Q-2** (AC-1): How should subtotals be rounded or compared when they have more than two decimals, such as 74.995? The spec does not define this.
- **Q-3** (new): Is the threshold checked against the subtotal before or after discounts, taxes or promo codes? The spec does not say.
- **Q-4** (new): What is the expected shipping for a zero or negative subtotal, such as an empty cart or a refund? The spec does not say.
- **Q-5** (AC-4): Do all customer types, such as new, guest and returning customers, follow the same threshold? AC-4 only covers returning-customer-01.
- **Q-6** (new): Does the quote API (AC-1 to AC-3) use the same shipping function as the browser receipt path (AC-4)? Is any other threshold copy, such as in the UI or docs, expected to change too?

AI suggestions (not used for labels)

The expected values here are the AI's guesses, not facts. They never change a label or the verdict.

SCENARIO	INPUT	AI GUESS	ACTUAL	STATUS
S-AI-1 AC-3	via=api.quote_order, subtotal=50.00	shipping 5.99	subtotal 50.00, shipping 0.00, discount 0.00, discount_label none, total 50.00	FAIL
S-AI-2 AC-3	via=api.quote_order, subtotal=60.00	shipping 5.99	subtotal 60.00, shipping 0.00, discount 0.00, discount_label none, total 60.00	FAIL

S-AI-3 AC-2	via=api.quote_order, subtotal=74.99	shipping 5.99	subtotal 74.99, shipping 0.00, discount 0.00, discount_label none, total 74.99	FAIL
S-AI-4 AC-1	via=api.quote_order, subtotal=75.00	shipping 0.00	subtotal 75.00, shipping 0.00, discount 0.00, discount_label none, total 75.00	PASS
S-AI-5 AC-3	via=api.quote_order, subtotal=0.00	shipping 5.99	HTTP 422: {"error":{"code":"VALIDATION_ERROR","message":"Request validation failed","details":[{"field":"items.0.unit_price","message":"Input should be greater than 0"}]}}	ERROR

Files

Changed: `app/config.py`, `app/pricing/shipping.py`

Not covered by any criterion: `app/pricing/shipping.py`

In a high-risk path: none

Existing tests: 57/58 passed (context only).
Challenger AI: saved: model unknown, prompt 984d7b042982
Commit `b7d0762` against `main` · run `r-20261104-115730` · 2026-11-04T11:57:57Z
Evidence Gate decides how much human review a change needs. It never removes human review.

Evidence Gate - SHOP-101 (new requirement) - commit c32d975 · First-order welcome discount

NEEDS DECISION

6 open questions

ROUTE

product owner decides

Open questions: AC-1 (Does the discount apply to the subtotal only, or also to shipping and tax? Does it apply to the full subtotal when a line uses a custom price (TEST-SKU)?), AC-3 (Should the receipt and checkout flow mark the customer as having ordered once the first order completes? This matters if a second order from the same customer must not get the discount again.), AC-4 (Which rounding mode applies at exact half-cent values, such as 33.35 x 0.10 = 3.335? The spec example expects 3.34, which is round-half-up. Is that the required mode, or is banker's rounding acceptable?), Q-1 (Does a guest count as a new customer? The spec says only 'registered customer'. The code gives no discount to guests, but the spec does not say whether that is intended.), Q-2 (Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a $52 subtotal becomes $46.80 after the discount. Does that order still ship free?), Q-7 (Can the welcome discount be combined with other promotions? What is the behaviour when the subtotal is 0.00?)

Next action: Product owner: answer AC-1: Does the discount apply to the subtotal only, or also to shipping and tax? Does it apply to the full subtotal when a line uses a custom price (TEST-SKU)?; AC-3: Should the receipt and checkout flow mark the customer as having ordered once the first order completes? This matters if a second order from the same customer must not get the discount again.; AC-4: Which rounding mode applies at exact half-cent values, such as 33.35 x 0.10 = 3.335? The spec example expects 3.34, which is round-half-up. Is that the required mode, or is banker's rounding acceptable?; Q-1: Does a guest count as a new customer? The spec says only 'registered customer'. The code gives no discount to guests, but the spec does not say whether that is intended.; Q-2: Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a $52 subtotal becomes $46.80 after the discount. Does that order still ship free?; Q-7: Can the welcome discount be combined with other promotions? What is the behaviour when the subtotal is 0.00?. Update the task spec, then rerun evidence-gate check.

Warning: The working tree has uncommitted changes; the evidence is for the files as they are now.

Criteria

CRITERION	PRIORITY	LABEL	EVIDENCE
AC-1	MUST	Needs human review	customer=new-customer-01, subtotal=40.00 -> discount 4.00 (expected 4.00), discount_label Welcome 10% (expected Welcome 10%); Does the discount apply to the subtotal only, or also to shipping and tax? Does it apply to the full subtotal when a line uses a custom price (TEST-SKU)?; What should happen for a registered customer whose order_count is missing, null or negative, or for an unknown customer type? The code indexes customer['type'] and customer['order_count'] directly.
AC-2	MUST	Verified	customer=returning-customer-01, subtotal=40.00 -> discount 0.00 (expected 0.00)
AC-3	MUST	Needs human review	customer=new-customer-01, add=MUG-001 -> discount_label Welcome 10% (expected Welcome 10%), discount 1.20 (expected 1.20); Should the receipt and checkout flow mark the customer as having ordered once the first order completes? This matters if a second order from the same customer must not get the discount again.
AC-4	SHOULD	Needs human review	customer=new-customer-01, subtotal=33.35 -> discount 3.34 (expected 3.34); Which rounding mode applies at exact half-cent values, such as 33.35 x 0.10 = 3.335? The spec example expects 3.34, which is round-half-up. Is that the required mode, or is banker's rounding acceptable?
(new)		Needs human review	Does a guest count as a new customer? The spec says only 'registered customer'. The code gives no discount to guests, but the spec does not say whether that is intended.


(new)	Needs human review	Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a $52 subtotal becomes $46.80 after the discount. Does that order still ship free?
(new)	Needs human review	Can the welcome discount be combined with other promotions? What is the behaviour when the subtotal is 0.00?

Evidence: every scenario that was run

Only scenarios with an expected value written by a person count towards a label.

SCENARIO	INPUT	EXPECTED	ACTUAL	STATUS
S-AC-1-1 AC-1 · MUST	customer=new-customer-01, subtotal=40.00	discount 4.00 discount_label Welcome 10%	discount 4.00 discount_label Welcome 10%	PASS
S-AC-2-1 AC-2 · MUST	customer=returning-customer-01, subtotal=40.00	discount 0.00	discount 0.00	PASS
S-AC-3-1 AC-3 · MUST	customer=new-customer-01, add=MUG-001	discount_label Welcome 10% discount 1.20	discount_label Welcome 10% discount 1.20	PASS
S-AC-4-1 AC-4 · SHOULD	customer=new-customer-01, subtotal=33.35	discount 3.34	discount 3.34	PASS

Screenshots



S-AC-3-1

Questions for a person

- **Q-1** (new): Does a guest count as a new customer? The spec says only 'registered customer'. The code gives no discount to guests, but the spec does not say whether that is intended.
- **Q-2** (new): Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a $52 subtotal becomes $46.80 after the discount. Does that order still ship free?
- **Q-3** (AC-4): Which rounding mode applies at exact half-cent values, such as 33.35 x 0.10 = 3.335? The spec example expects 3.34, which is round-half-up. Is that the required mode, or is banker's rounding acceptable?
- **Q-4** (AC-1): Does the discount apply to the subtotal only, or also to shipping and tax? Does it apply to the full subtotal when a line uses a custom price (TEST-SKU)?
- **Q-5** (AC-3): Should the receipt and checkout flow mark the customer as having ordered once the first order completes? This matters if a second order from the same customer must not get the discount again.
- **Q-6** (AC-1): What should happen for a registered customer whose order_count is missing, null or negative, or for an unknown customer type? The code indexes customer['type'] and customer['order_count'] directly.
- **Q-7** (new): Can the welcome discount be combined with other promotions? What is the behaviour when the subtotal is 0.00?

AI suggestions (not used for labels)

The expected values here are the AI's guesses, not facts. They never change a label or the verdict.

SCENARIO	INPUT	AI GUESS	ACTUAL	STATUS
S-AI-1 AC-1	via=api.quote_order, customer=guest-01, subtotal=40.00	discount 0.00	HTTP 404: {"error": {"code":"UNKNOWN_CUSTOMER","message":"Customer 'guest-01' does not exist","details":[]}}	ERROR
S-AI-2 AC-4	via=api.quote_order, customer=new-customer-01, subtotal=0.05	discount 0.01	subtotal 0.05, shipping 5.99, discount 0.01, discount_label Welcome 10%, total 6.03	PASS
S-AI-3 AC-1	via=api.quote_order, customer=new-customer-01, subtotal=52.00	discount 5.20, shipping free or 5.99, unspecified	subtotal 52.00, shipping 0.00, discount 5.20, discount_label Welcome 10%, total 46.80	FAIL
S-AI-4 AC-2	via=api.quote_order, customer=returning-customer-01, subtotal=40.00, repeat=second quote after the first order completes	discount 0.00	subtotal 40.00, shipping 5.99, discount 0.00, discount_label none, total 45.99	PASS
S-AI-5 AC-3	via=browser.checkout_and_read_receipt, customer=returning-customer-01, add=MUG-001	discount_label none, discount 0.00	subtotal 12.00, discount 0.00, discount_label none, shipping 5.99, total 17.99	PASS

Files

Changed: `app/config.py`, `app/pricing/discounts.py`

Not covered by any criterion: none

In a high-risk path: none

Existing tests: 59/59 passed (context only).
Challenger AI: saved: model unknown, prompt 984d7b042982
Commit `c32d975` against `main` · run `r-20261104-115921` · 2026-11-04T11:59:40Z
Evidence Gate decides how much human review a change needs. It never removes human review.

Evidence Gate - SHOP-101 (new requirement) - commit 3964fcb · First-order welcome discount

BLOCKED

1 MUST criteria not verified

ROUTE

back to developer

AC-2 failed

Next action: Fix the code so these hold, then rerun evidence-gate check: AC-2 "A returning customer gets no welcome discount." (discount: expected 0.0, got 4.0).

Warning: The working tree has uncommitted changes; the evidence is for the files as they are now.

Warning: AI suggestion 4 skipped: criterion None has no example to copy the adapter from

Criteria

CRITERION	PRIORITY	LABEL	EVIDENCE
AC-1	MUST	Needs human review	customer=new-customer-01, subtotal=40.00 -> discount 4.00 (expected 4.00), discount_label Welcome 10% (expected Welcome 10%); Does the discount apply to the subtotal only, or also to shipping, tax or other fees?
AC-2	MUST	Not verified: failed	customer=returning-customer-01, subtotal=40.00 -> discount 4.00 (expected 0.00); How does the code know a customer has previous orders? The diff reads only customer['type']. What happens for a registered customer who has prior orders, such as returning-customer-01?
AC-3	MUST	Needs human review	customer=new-customer-01, add=MUG-001 -> discount_label Welcome 10% (expected Welcome 10%), discount 1.20 (expected 1.20); Which part of the receipt shows the label? The scope includes app/static/**, but nothing in the diff touches receipt rendering.
AC-4	SHOULD	Needs human review	customer=new-customer-01, subtotal=33.35 -> discount 3.34 (expected 3.34); Which rounding mode applies? The spec says 'nearest cent' but does not say how exact halves are handled. For example, 33.35 x 0.10 = 3.335 could round to 3.34 (half-up) or 3.34 (half-even, since 3.335 goes to the even cent 3.34). Please state the intended mode. to_money is not shown.
(new)		Needs human review	Does a guest count as a 'new customer'? The spec leaves this open. The code gives guests no discount.
(new)		Needs human review	Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a subtotal of 52.00 drops to 46.80 after the discount.
(new)		Needs human review	What happens with a zero or empty subtotal? Is the label 'Welcome 10%' still returned alongside a 0.00 discount?
(new)		Needs human review	Does the welcome discount stack with any other promotion? What happens if a customer places two orders in quick succession, with the first order not yet recorded when the second is quoted?


(new)	Needs human review	What happens when the customer dict has no 'type' key, or has an unknown type such as 'admin'? The code would raise a KeyError for a missing key.

Evidence: every scenario that was run

Only scenarios with an expected value written by a person count towards a label.

SCENARIO	INPUT	EXPECTED	ACTUAL	STATUS
S-AC-1-1 AC-1 · MUST	customer=new-customer-01, subtotal=40.00	discount 4.00 discount_label Welcome 10%	discount 4.00 discount_label Welcome 10%	PASS
S-AC-2-1 AC-2 · MUST	customer=returning-customer-01, subtotal=40.00	discount 0.00	**discount 4.00 ≠ 0.00**	FAIL
S-AC-3-1 AC-3 · MUST	customer=new-customer-01, add=MUG-001	discount_label Welcome 10% discount 1.20	discount_label Welcome 10% discount 1.20	PASS
S-AC-4-1 AC-4 · SHOULD	customer=new-customer-01, subtotal=33.35	discount 3.34	discount 3.34	PASS

Screenshots



S-AC-3-1

Questions for a person

- **Q-1** (AC-2): How does the code know a customer has previous orders? The diff reads only customer['type']. What happens for a registered customer who has prior orders, such as returning-customer-01?
- **Q-2** (new): Does a guest count as a 'new customer'? The spec leaves this open. The code gives guests no discount.
- **Q-3** (new): Is the $50 free-shipping threshold checked against the subtotal before or after the welcome discount? For example, a subtotal of 52.00 drops to 46.80 after the discount.
- **Q-4** (AC-4): Which rounding mode applies? The spec says 'nearest cent' but does not say how exact halves are handled. For example, 33.35 x 0.10 = 3.335 could round to 3.34 (half-up) or 3.34 (half-even, since 3.335 goes to the even cent 3.34). Please state the intended mode. to_money is not shown.
- **Q-5** (AC-1): Does the discount apply to the subtotal only, or also to shipping, tax or other fees?
- **Q-6** (new): What happens with a zero or empty subtotal? Is the label 'Welcome 10%' still returned alongside a 0.00 discount?
- **Q-7** (AC-3): Which part of the receipt shows the label? The scope includes app/static/**, but nothing in the diff touches receipt rendering.
- **Q-8** (new): Does the welcome discount stack with any other promotion? What happens if a customer places two orders in quick succession, with the first order not yet recorded when the second is quoted?
- **Q-9** (new): What happens when the customer dict has no 'type' key, or has an unknown type such as 'admin'? The code would raise a KeyError for a missing key.

AI suggestions (not used for labels)

The expected values here are the AI's guesses, not facts. They never change a label or the verdict.

SCENARIO	INPUT	AI GUESS	ACTUAL	STATUS
S-AI-1 AC-2	via=api.quote_order, customer=returning-customer-01, subtotal=40.00	discount 0.00	subtotal 40.00, shipping 5.99, discount 4.00, discount_label Welcome 10%, total 41.99	FAIL
S-AI-2 AC-1	via=api.quote_order, customer=guest, subtotal=40.00	discount 0.00	subtotal 40.00, shipping 5.99, discount 0.00, discount_label none, total 45.99	FAIL
S-AI-3 AC-4	via=api.quote_order, customer=new-customer-01, subtotal=0.05	discount 0.01 or 0.00	subtotal 0.05, shipping 5.99, discount 0.01, discount_label Welcome 10%, total 6.03	FAIL
S-AI-5 AC-1	via=api.quote_order, customer=new-customer-01, subtotal=0.00	discount 0.00, discount_label unclear	HTTP 422: {"error": {"code":"VALIDATION_ERROR","message":"Request validation failed","details":[{"field":"items.0.unit_price","message":"Input should be greater than 0"}]}}	ERROR

Files

Changed: `app/config.py`, `app/pricing/discounts.py`

Not covered by any criterion: `app/config.py`, `app/pricing/discounts.py`

In a high-risk path: none

Existing tests: 58/58 passed (context only).
Challenger AI: saved: model unknown, prompt 984d7b042982
Commit `3964fcb` against `main` · run `r-20261104-120046` · 2026-11-04T12:00:59Z
Evidence Gate decides how much human review a change needs. It never removes human review.

Evidence Gate - SHOP-102 (updated requirement) - commit 643a2d8 · Raise free-shipping threshold

NEEDS DECISION

5 open questions

ROUTE

product owner decides

Open questions: AC-1 (Does the free-shipping threshold apply to the subtotal before or after discounts, taxes and custom-price items (TEST-SKU)? The spec only says 'order of $75'.), AC-4 (Why was NOTE-001 raised from 8.50 to 9.50? The spec comment for the AC-4 cart expects 78.50, which matches the old price of 8.50 (the new price gives 79.50). Is the price change intended, and should the AC-4 comment be updated?), Q-2 (app/data/products.json is outside the declared scope paths (app/config.py, app/pricing/**). Was the change approved, or is it unrelated?), Q-4 (What happens at the old boundary and at other subtotals, such as $0.00, an empty cart, or fractional-cent subtotals? The spec does not define them.), Q-6 (Are there other places that hard-code the 50 or 75 threshold, such as UI text, banners, or docs under app/pricing/** and templates? The diff only changes the config constant.)

Next action: Product owner: answer AC-1: Does the free-shipping threshold apply to the subtotal before or after discounts, taxes and custom-price items (TEST-SKU)? The spec only says 'order of $75'.; AC-4: Why was NOTE-001 raised from 8.50 to 9.50? The spec comment for the AC-4 cart expects 78.50, which matches the old price of 8.50 (the new price gives 79.50). Is the price change intended, and should the AC-4 comment be updated?; Q-2: app/data/products.json is outside the declared scope paths (app/config.py, app/pricing/**). Was the change approved, or is it unrelated?; Q-4: What happens at the old boundary and at other subtotals, such as $0.00, an empty cart, or fractional-cent subtotals? The spec does not define them.; Q-6: Are there other places that hard-code the 50 or 75 threshold, such as UI text, banners, or docs under app/pricing/** and templates? The diff only changes the config constant.. Update the task spec, then rerun evidence-gate check.

> Warning: The working tree has uncommitted changes; the evidence is for the files as they are now.

Criteria

CRITERION	PRIORITY	LABEL	EVIDENCE
AC-1	MUST	Needs human review	subtotal=75.00 -> shipping 0.00 (expected 0.00); Does the free-shipping threshold apply to the subtotal before or after discounts, taxes and custom-price items (TEST-SKU)? The spec only says 'order of $75'.
AC-2	MUST	Verified	subtotal=74.99 -> shipping 5.99 (expected 5.99)
AC-3	MUST	Verified	subtotal=50.00 -> shipping 5.99 (expected 5.99)
AC-4	MUST	Needs human review	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001 -> shipping 5.99 (expected 5.99); customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001 -> shipping 0.00 (expected 0.00); Why was NOTE-001 raised from 8.50 to 9.50? The spec comment for the AC-4 cart expects 78.50, which matches the old price of 8.50 (the new price gives 79.50). Is the price change intended, and should the AC-4 comment be updated?; Does the receipt shipping value come from the same threshold as api.quote_order, or does the receipt or browser flow have its own logic? Does the AC-4 cart for the PEN-001 example really total 74.99 (45.00 + 25.00 + 4.99)?
(new)		Needs human review	app/data/products.json is outside the declared scope paths (app/config.py, app/pricing/**). Was the change approved, or is it unrelated?
(new)		Needs human review	What happens at the old boundary and at other subtotals, such as $0.00, an empty cart, or fractional-cent subtotals? The spec does not define them.


(new)	Needs human review	Are there other places that hard-code the 50 or 75 threshold, such as UI text, banners, or docs under app/pricing/** and templates? The diff only changes the config constant.

Evidence: every scenario that was run


Only scenarios with an expected value written by a person count towards a label.

SCENARIO	INPUT	EXPECTED	ACTUAL	STATUS
S-AC-1-1 AC-1 · MUST	subtotal=75.00	shipping 0.00	shipping 0.00	PASS
S-AC-2-1 AC-2 · MUST	subtotal=74.99	shipping 5.99	shipping 5.99	PASS
S-AC-3-1 AC-3 · MUST	subtotal=50.00	shipping 5.99	shipping 5.99	PASS
S-AC-4-1 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,PEN-001	shipping 5.99	shipping 5.99	PASS
S-AC-4-2 AC-4 · MUST	customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001	shipping 0.00	shipping 0.00	PASS

Screenshots



S-AC-4-1



S-AC-4-2

Questions for a person

- **Q-1** (AC-4): Why was NOTE-001 raised from 8.50 to 9.50? The spec comment for the AC-4 cart expects 78.50, which matches the old price of 8.50 (the new price gives 79.50). Is the price change intended, and should the AC-4 comment be updated?
- **Q-2** (new): app/data/products.json is outside the declared scope paths (app/config.py, app/pricing/**). Was the change approved, or is it unrelated?
- **Q-3** (AC-1): Does the free-shipping threshold apply to the subtotal before or after discounts, taxes and custom-price items (TEST-SKU)? The spec only says 'order of $75'.
- **Q-4** (new): What happens at the old boundary and at other subtotals, such as $0.00, an empty cart, or fractional-cent subtotals? The spec does not define them.
- **Q-5** (AC-4): Does the receipt shipping value come from the same threshold as api.quote_order, or does the receipt or browser flow have its own logic? Does the AC-4 cart for the PEN-001 example really total 74.99 (45.00 + 25.00 + 4.99)?
- **Q-6** (new): Are there other places that hard-code the 50 or 75 threshold, such as UI text, banners, or docs under app/pricing/** and templates? The diff only changes the config constant.

AI suggestions (not used for labels)

The expected values here are the AI's guesses, not facts. They never change a label or the verdict.

SCENARIO	INPUT	AI GUESS	ACTUAL	STATUS

S-AI-1 AC-1	via=api.quote_order, subtotal=75.00	shipping 0.00	subtotal 75.00, shipping 0.00, discount 0.00, discount_label none, total 75.00	PASS
S-AI-2 AC-2	via=api.quote_order, subtotal=74.99	shipping 5.99	subtotal 74.99, shipping 5.99, discount 0.00, discount_label none, total 80.98	PASS
S-AI-3 AC-3	via=api.quote_order, subtotal=50.00	shipping 5.99	subtotal 50.00, shipping 5.99, discount 0.00, discount_label none, total 55.99	PASS
S-AI-4 AC-4	via=browser.checkout_and_read_receipt, customer=returning-customer-01, add=HOODIE-001,BAG-001,NOTE-001	shipping 0.00	subtotal 79.50, discount 0.00, discount_label none, shipping 0.00, total 79.50	PASS
S-AI-5 AC-1	via=api.quote_order, subtotal=0.00	shipping 5.99	HTTP 422: {"error": {"code":"VALIDATION_ERROR","message":"Request validation failed","details": [{"field":"items.0.unit_price","message":"Input should be greater than 0"}]}}	ERROR

Files

Changed: `app/config.py`, `app/data/products.json`

Not covered by any criterion: `app/data/products.json`

In a high-risk path: none

Existing tests: 56/56 passed (context only).
Challenger AI: saved: model unknown, prompt 984d7b042982
Commit `643a2d8` against `main` · run `r-20261104-120314` · 2026-11-04T12:03:47Z
Evidence Gate decides how much human review a change needs. It never removes human review.