Executive Summary

Application: Core Banking
Scenario: Technical Reporting
Job ID: JOB-96c2a419
Overall Result: FAIL

The latest Core Banking Technical Reporting test run experienced a critical failure, with an error rate far exceeding acceptance thresholds (43% vs. 1%), and a data quality warning about error rate mismatch. No historical run or contextual documentation was available for comparison. Infrastructure health metrics appeared normal under monitoring, with reasonable CPU/memory/db usage and no alerts; however, a notable discrepancy exists between monitoring and test-execution response times, which warrants further review of measurement consistency and system clock alignment.

Per-API Findings (Test Execution)

- unknown [FAIL / critical]
avg=763.33ms p95=1206.06ms max=1601.81ms throughput=395.55 req/s error_rate=43.0% http_status=200
* Error rate 43.00% exceeds 1.0% threshold.
history: No historical run or contextual data available. Analysis is based solely on the threshold breach.
recommendation: Immediate investigation recommended due to a critical error rate breaching the 1.0% threshold. Review recent code changes, error logs, and consider deeper triage as no recent incident or runbook context is available.

Infrastructure Health (Monitoring)

Status: PASS (monitoring_agent reported: OK)
CPU usage: 61.67% Memory usage: 66.08% DB connections: 151.92 TPS: 156.92 Response time (monitoring): 466.25ms
Cross-check: monitoring_agent's response_time (466.25ms) disagrees with test_execution_agent's avg_response_time (763.33ms) by 39% -- worth checking measurement points/clock sync.

Recommended Next Steps

- unknown: Immediate investigation recommended due to a critical error rate breaching the 1.0% threshold. Review recent code changes, error logs, and consider deeper triage as no recent incident or runbook context is available.